Roll No.---
Roll No.----
Paper Code
4 2 2

(To be filled in the OMR Sheet)

O.M.R. Serial No.

प्रश्नपुस्तिका क्रमांक Question Booklet No.

प्रश्नपुस्तिका सीरीज Question Booklet Series

M.Sc Industrial Chemistry (Third Semester) Examination, February/March-2022 MSIC-304

Essentials Oils, Dyes and Paints

Time: 1:30 Hours Maximum Marks-100

जब तक कहा न जाय, इस प्रश्नपुस्तिका को न खोलें

- निर्देश: 1. परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सीरीज का विवरण यथास्थान सही— सही भरें, अन्यथा मृल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
 - 2. इस प्रश्नपुस्तिका में 100 प्रश्न हैं, जिनमें से केवल 75 प्रश्नों के उत्तर परीक्षार्थियों द्वारा दिये जाने है। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर पत्रक (O.M.R. ANSWER SHEET)में उसके अक्षर वाले वृत्त को काले या नीले बाल प्वांइट पेन से पूरा भर दें। यदि किसी परीक्षार्थी द्वारा निर्धारित प्रश्नों से अधिक प्रश्नों के उत्तर दिये जाते हैं तो उसके द्वारा हल किये गये प्रथमतः यथा निर्दिष्ट प्रश्नोत्तरों का ही मूल्यांकन किया जायेगा।

422

- 3. प्रत्येक प्रश्न के अंक समान हैं। आप के जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 4. सभी उत्तर केवल ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर ही दिये जाने हैं। उत्तर पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 5. ओ॰एम॰आर॰ उत्तर पत्रक (O.M.R. ANSWER SHEET) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाय।
- 6. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी प्रश्नपुस्तिका बुकलेट एवं ओ०एम०आर० शीट पृथक-पृथक उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
- 7. निगेटिव मार्किंग नहीं है।

महत्वपूर्ण : — प्रश्नपुस्तिका खोलने पर प्रथमतः जॉच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीमॉित छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्ष निरीक्षक को दिखाकर उसी सीरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।

1.	The component filler in paint does the function of:
	(A) Absorbing oxygen
	(B) Reducing cost
	(C) Consistency
	(D) Smooth spreading
2.	Which of the following is a characteristic of an ideal paint?
	(A) Health of the worker is un affected
	(B) Costly
	(C) Pleasant smell
	(D) Dries rapidly
3.	Paint should provide resistance to:
	(A) Corrosion
	(B) Sound
	(C) Heat
	(D) Warping
4.	In paints, methylated spirit, naphtha and turpentine are used as:
	(A) Base
	(B) Binder
	(C) Solvent
	(D) Extender

5.	The base material for distemper is:
	(A) Chalk
	(B) Lime
	C) Clay
	D) Lime putty
6.	The commonly used thinner in oil paints is:
	(A) Naphtha
	(B) Turpentine
	(C) Both (A) and (B)
	D) None of above
7.	The ingredient of paint. Which are used to hide the surface irregularities and
	mparts colour is known as :
	(A) Adult rants
	(B) Drier
	(C) Pigments
	(D) Solvents
8.	Which one of the following is used as a carrier in paint?
	(A) Almond oil
	(B) Linseed oil
	(C) Mustard oil
	(D) Olive oil
9.	Which of the following is the most fire resistant paints?
	(A) Enamel paints
	(B) Aluminium paints
	(C) Asbestos paints
	D) Cement paints

10.	What is the full form of PVCN with respect of paint?
	(A) Pigment volume concentration number
	(B) Paint volume concentration number
	(C) Paint volume carbon number
	(D) Pigment volume carbon number
11.	The quantity of drier in paints is limited to:
	(A) 2%
	(B) 4%
	(C) 6%
	(D) 8%
12.	Resins containing benzoic acid or cirramic acids are called:
	(A) Oleoresins
	(B) Glycoresins
	(C) Oleo gum
	(D) Balsam
13.	Glyco resins are made up of:
	(A) Resins + Sugar
	(B) Resins + Volatile oil
	(C) Resins + Gum
	(D) Resins + Fixed oil
14.	Which is not an example of acid resins?
	(A) Benzoin
	(B) Colophony
	(C) Sandrac
	(D) Myrrh

- 15. Resins are classified into following sub classes except:
 - (A) Acid
 - (B) Ester
 - (C) Resin alcohol
 - (D) Resin ether
- 16. The example of nitro so dye is:

17. The chemical structure of Alizarin is:

- 18. Which of the following is an azo dye?
 - (A) Orange-1
 - (B) Phenolphthalein
 - (C) Malachite green
 - (D) Methylene blue

19.	Indigo shows is trans isomerism. Which is the stable form of Indigo?	
	(A) Cis	
	(B) Trans	
	(C) Either is or trans	
	(D) Both of the above	
20.	Malachite green is a direct dye for silk and wool. It is prepared by condensing:	
	(A) Benzaldehyde by dimethyl aniline	
	(B) Carbonyl chloride and dimethyl aniline	
	(C) Benzene diazonium chloride with dimethyl aniline	
	(D) None of the above	
21.	Which one is disperse dye?	
	(A) Congored	
	(B) Alizarin	
	(C) Celliton	
	(D) None of the above	
22.	Disperse dyes contain:	
	(A) Anthraquinone unit	
	(B) Naphthalene unit	
	(C) Phenanthrene unit	
	(D) Anthracene unit	

23. Structure of indigo dye is:

$$(D) \qquad \begin{array}{c} H \\ N \\ H \end{array}$$

- 24. Which of the following is a vat dye and after used in dyeing gears?
 - (A) Indigo
 - (B) Alizarin
 - (C) Picric acid
 - (D) Crystal Violet
- 25. Which of the following is an example of basic dye?
 - (A) Alizarin
 - (B) Malachite green
 - (C) Indigo
 - (D) Orange I

26.	Alizarin belongs to the class of:
	(A) Vat dyes
	(B) Mordant dyes
	(C) Substantive dyes
	(D) Reactive dyes
27.	Which of the following dyes can not dye animal and vegetable fibres directly?
	(A) Mordant dyes
	(B) Acid dyes
	(C) Direct dyes
	(D) Vat dyes
28.	The dyes contain – OH or – COOH radicals attached to azo anthracene complex are
	called:
	(A) Acid dyes
	(B) Basic dyes
	(C) Direct dyes
	(D) Mordant dyes
29.	Which of the following functional group is present in methyl red?
	(A) $-NO_2$
	(B) - COOH
	(C) SH
	(D) $\Re M_e$
30.	The colour of methyl orange in acidic medium is:
	(A) Yellow
	(B) Red
	(C) Blue
	(D) Orange

- 31. Methyl orange contains:
 - (A) SO $_3$ Na, N=N-and -N($_{\text{Me}}^{\text{Me}}$ groups
 - (B) SO_3 Na, N=N and NH_2 groups
 - (C) SO_3 Na, N=N and OH groups
 - (D) SO_3 Na, N=N and SH groups
- 32. Martius yellow is synthesized by the reaction of \propto naphthol with :
 - (A) H_2SO_4 only
 - (B) HNO₃ only
 - (C) H₂SO₄ and HNO₃
 - (D) None of the above
- 33. The IUPAC name of Naphthol yellow-s is:
 - (A) 2,3 dinitro-1- naphthol-7-Sulphonic acid
 - (B) 2,4 dinitro-1- naphthol-7-Sulphonic acid
 - (C) 2,5 dinitro-1- naphthol-7-Sulphonic acid
 - (D) 2,6 dinitro-1- naphthol-7-Sulphonic acid
- 34. Picric acid contains:
 - (A) Three-NO₂ and one OH groups
 - (B) Two-NO $_2$ and two OH groups
 - (C) One-NO₂ and three OH groups
 - (D) All-NO₂ groups
- 35. In the formation of azo dyes, the reaction of aromatic primary amine with NaNO₂ at 0-5°Cgives:
 - (A) $R-NH_2$
 - (B) R-COOH
 - (C) R-N=N-C1
 - (D) All of the above

36.	In the formation of nitro dyes, the intermediate formed by the reaction of H ₂ SO ₄ and
	HNO ₃ is:
	(A) No ₂ ⊕
	(B) So ₃
	(C) CH ₂ !
	(D) All of the above
37.	Naphthol green Y contains:
	(A) – OH and – NO ₂ groups
	(B) - OH and - NO groups
	(C) - OH and - N=N- groups
	(D) - OH and - SO ₃ H groups
38.	Which of the following dyes are classified on the basis of chemical constitution?
	(A) Acid dyes
	(B) Basic dyes
	(C) Mordant dyes
	(D) Nitro dyes
39.	Which of the following dyes are classified on the basis of mode of application?
	(A) Azo dyes
	(B) Nitro dyes
	(C) Acid dyes
	(D) None of the above
40.	Application of the dye depends upon the factors:
	(A) Nature of dye
	(B) Absorptive power of fibre
	(C) Conditions of the dyeing
	(D) All of the above

41.	The basic operation of the dyeing process in values:
	(A) Preparation of the dye bath
	(B) Preparation of the fibre
	(C) Application of the dye
	(D) All of the above
42.	Congo red is:
	(A) Vat dye
	(B) Mordant dye
	(C) Substantive dye
	(D) Disperse dye
43.	Vat dyeing is good method for:
	(A) Cotton
	(B) Silk
	(C) Wool
	(D) None of the above
44. Direct dyeing depends upon the factor:	
	(A) Absorptive power of the fibre
	(B) Nature of the fibre
	(C) Dyeing conditions
	(D) All of the above
45.	The acidic dye is:
	(A) Martius yellow
	(B) Medolas blue
	(C) Methylene blue
	(D) None of the above

- 46. The method of dyeing depends upon the factor:
 - (A) Type of the dye
 - (B) Nature of the dye
 - (C) Types of the fibre
 - (D) All of the above
- 47. By the introduction of $-NH_2$ group to the nitro compound causes:
 - (A) Bathochromic Shift
 - (B) Hypsochromic Shift
 - (C) Hypochromic Shift
 - (D) Hyper chromic Shift
- 48. Due to bathochromic shift, the λ max of the compound:
 - (A) Decreases
 - (B) Increases
 - (C) Remain unchange
 - (D) All of the above
- 49. Which of the following is chromophore?
 - (A) OH
 - (B) NH₂
 - (C) NO₂
 - (D) $-S_4$
- 50. Which of the following is auxochrome?
 - (A) $-NH_2$
 - (B) NO₂
 - (C) $-\beta H$
 - (D) None of the above

51.	High evaporation residue indicates:
	(A) Addition of foreign materials
	(B) Pure essential oil
	(C) Addition of useful materials
	(D) Removal of useful materials
52.	Congealing point is a temperature :
	(A) At which oil starts flowing
	(B) At which oil ceases to flow
	(C) Does not have any effect in viscosity of oil
	(D) At which oil becomes solid
53.	Following methods are not used for solubility in non-alcoholic media:
	(A) CS ₂ solubility for presence of water
	(B) Potassium hydroxide solubility for phenol-containing oil
	(C) Sodium bi Sulfide solubility for aldehyde containing oil
	(D) Sodium hydroxide solubility for aldehyde containing oil
54.	Generally most essential oil is:
	(A) Highly soluble in water and alcohol
	(B) Slightly soluble in water and immiscible with absolute alcohol
	(C) Slightly soluble in water and miscible with absolute alcohol
	(D) Highly soluble in water and immiscible in alcohol

55.	Molecular refractivity is influenced by:
	(A) Presence of double and triple bond
	(B) No effect of double and triple bond
	(C) Presence of single bond
	(D) No effect of any type of bond
56.	Rotation angle does not depends upon :
	(A) Nature of liquid
	(B) Column length through which light passes
	(C) Wavelength of light used and temperature
	(D) Pressure used
57.	Specific gravity of EOs at 15°/25° may be defined as ratio of:
	(A) Weight of given vol. of oil at 15°C to that of equal vol. of water at 25°C
	(B) Weight of oil at 25°C and weight of water at 150°C
	(C) Weight of oil and water weight at 15°C
	(D) Weight of given vol. oil and water at 15°C
58.	Total yield of highly saturated pomade is less than the fat corps originally applied to
	the chasis:
	(A) 20%
	(B) 40%
	(C) 5% (D) 10%

59. Most highly saturated pomade is:		t highly saturated pomade is:	
	(A)	Pomade number 24	
	(B)	Pomade number 20	
	(C)	Pomade number 36	
	(D)	Pomade number 28	
60.	Succ	eess of infleurage depends upon :	
	(A)	Quality of fat base employed and its consistency	
	(B)	Softness of fat corp	
	(C)	Hardness of fat corp	
	(D)	Quality of fat base with very soft fat base	
61. Prepared fat corp is:		ared fat corp is:	
	(A)	Black, rough, non uniform consistency	
	(B)	Black, smooth, non-uniform consistency	
	(C)	White, smooth, absolutely of uniform consistency	
	(D)	White, rough, non-uniform consistency	
62.	Alcohol as a Solvent :		
	(A)	Can be used for extraction of oil from fresh flowers	
	(B)	Can not be used for extraction of oil from fresh flowers	
	(C)	Can not dissolves the H ₂ O contained in the plant materials	
	(D)	Can not be used for extraction of leaves, gums etc.	
63.	Idea	l Solvent should possess:	
	(A)	Does not completely and quickly dissolved odoriferous principles of flowers	
	(B)	Should have high B.P	
	(C)	Must dissolve water	
	(D)	Must be chemically innert, have uniform boiling point	

- 64. In extraction with volatile solvents:
 - (A) Solvent does not penetrate the flowers and dissolves the natural flower perfumes
 - (B) Solvent penetrate the flowers and dissolves the natural flower perfumes
 - (C) Solvent penetrate the flowers and does not dissolve the natural flower perfumes
 - (D) Solvent does not penetrate the flower and dissolves waxes
- 65. On concentrating extraits (distilling off alcohol):
 - (A) Content of oil increases and fat decreases
 - (B) Content of oil decreases and fat increases
 - (C) Content of oil and fat increases correspondingly
 - (D) Content of oil and fat decreases
- 66. Absolute of emyleurage is:
 - (A) Dark colour, semisolid consistency
 - (B) Light colour, liquid consistency
 - (C) Dark colour, liquid consistency
 - (D) Light colour, having liquid consistency
- 67. Terpenes and terpenoids are:
 - (A) Secondary constituents of Essential oils
 - (B) Primary constituents of essential oils
 - (C) Are not present in essential oils
 - (D) Not reacting easily with air and heat sources
- 68. In Satellite Steam generation:
 - (A) Amount of Steam can be easily controlled
 - (B) Amount of Steam can not be controlled
 - (C) Plant material is heated higher than 100°C
 - (D) Amount of Steam can be easily controlled and plant material is heated higher than 100°C

- 69. Cohobation process:
 - (A) The returning of water to the still is not done
 - (B) Does not minimizes the losses of oxygenated components
 - (C) Minimizes the loss of oxygenated components
 - (D) Not used for water and water-steam distillation
- 70. Plant materials rich in mucillage:
 - (A) Used as it is
 - (B) Must be powdered so that charge materials comes in proper contact with H₂O
 - (C) Should not be powdered
 - (D) Used as it is for proper contact with H₂O
- 71. For best oil quality:
 - (A) Distillation process must be done at low temperature
 - (B) Distillation process must be done at high temperature
 - (C) Distillation process must be done at low pressure
 - (D) Distillation process must be done at low pressure and low temperature
- 72. Distillation speed is faster in:
 - (A) Low boiling but more water soluble oil constituents
 - (B) High- boiling but more water soluble oil constituent
 - (C) Low boiling but less water soluble oil constituent
 - (D) High boiling but less water soluble oil constituents
- 73. The extent to which hydrolysis proceed:
 - (A) Does not depends on the time of contact between oil and water
 - (B) Depends on the time of contact between oil and water
 - (C) Does not depends on the contact time of water
 - (D) Depends on the time of contact of water

74. Membranes of plant cells are :		
	(A) Permeable to volatile oil	
	(B) Impermeable to volatile oils	
	(C) Permeable to only water	
	(D) Impermeable to oil water mixture	
75.	In steam distillation process:	
	(A) Steam does not actually penetrate the dry cell membrance	
	(B) Steam penetrate the dry cell membrance	
	(C) Steam does not have any effect	
	(D) Steam effect the cell membrance and enters in side the cell	
76.	For extraction of EOs through distillation process:	
	(A) Sufficient quantity of water is added	
	(B) Insufficient quantity of water is added	
	(C) Very small amount of water is added	
	(D) No water is added	
77.	Lemons and oranges get their distinctive smell because of:	
	(A) Linalool	
	(B) Limonene	
	(C) Methol	
	(D) Camphor	
78.	Gum resin are:	
	(A) Natural plants & tree extracts	
	(B) Obtained artificially	
	(C) Obtained from animals	
	(D) Obtained from both animals and plants	

79. EQs are insoluble in :		are insoluble in :
	(A)	Alcohol
	(B)	Ether
	(C)	Fixed oil
	(D)	Water
80.	EOs	are:
	(A)	Complex mixture of non-volatile compounds produced by plants
	(B)	Complex mixture of volatile compounds produced by plants
	(C)	Complex non-volatile compounds produced by any living organism
	(D)	Complex volatile compounds produced by any living organism
81.	Bitu	men paints offer :
	(A)	Hard surface
	(B)	Smooth surface
	(C)	Protective surface
	(D)	Pleasing surface
82.	The	liquid part of the paint is called:
	(A)	Solvent
	(B)	Drier
	(C)	Vehicle
	(D)	Pigment
83.	In pa	aints the pigment is responsible for:
	(A)	Glassy face
	(B)	Smoothness
	(C)	Durability
	(D)	Colour

84.	Which of the following has a sheen and is highly washable?			
	(A) Acrylic egg shell			
	(B) Acrylic satin			
	(C) Acrylic gloss			
	(D) Acrylic flat			
85.	The Spray painting is used to:			
	(A) Reach high areas			
	(B) Apply large amount of paint			
	(C) Get textured paint			
	(D) Apply paint without touching surface			
86.	Which of the following is used to make paints odourless to an extent?			
	(A) Celluloid sheets			
	(B) Flat late			
	(C) Acrylic compound			
	(D) Plioway resins			
87.	Synthetic rubber paints are synthesized from:			
	(A) Rubber			
	(B) Resin			
	(C) Synthetic fibres			
	(D) Polyvinge chloride			
88.	In which of the following below, it is not necessary to remove existing paint to			
	apply a new one?			
	(A) Oil paints			
	(B) Enamel paints			
	(C) Cement paints			
	(D) Aluminium paints			
	r			

89.	Anticorrosive paint in colour is:			
	(A) White			
	B) Blue			
	(C) Black			
	(D) Yellow			
90.	Emulsion Paints contain:			
	(A) Zinc white			
	B) White lead			
	(C) Nitro cotton			
	D) Polyvinyl autate			
91.	n how many layers is oil paint applied to a surface?			
	(A) 1			
	(B) 2			
	(C) 3			
	(D) 4			
92.	Which of the following is the base in a paint?			
	(A) White lead			
	B) Sulphates of zinc and manganese			
	(C) Poppy oil			
	D) Linseed oil			
93.	Red lead, white lead, oxides of zinc and oxides of iron are the substances used in			
	he formation of paints of:			
	(A) Base			
	(B) Drier			
	(C) Vehicle			
	D) Carrier			

0.4	****			
94.	Whe	en paint is applied in three coats, the first coat is called:		
	(A)	Finishing coat		
	(B)	Priming coat		
	(C)	Stopping		
	(D)	Under coat		
95.	What is Distemper?			
	(A)	Drying agent		
	(B)	A paint consisting of powdered chalk, pigments and water		
	(C)	A paint consisting of coloured cement		
	(D)	A water proofing agent		
96.	Formation of bubbles on painted surfaces is called:			
	(A)	Blistering		
	(B)	Flaking		
	(C)	Fading		
	(D)	Bloom		
97.	The	maximum surface drying time (min) for class A type plastic emulsion paint as		
	per Indian Standard is :			
	(A)	240		
	(B)	60		
	(C)	75		
	(D)	45		
98.	In paint, lead is used as:			
	(A)	Carrier		
	(B)	Drier		
	(C)	Base		
	(D)	Pigment		

99. Which of the following is not a vehicle in paints?
(A) Linseed oil
(B) Tung oil
(C) Poppy oil
(D) Turpentine oil
100. The paint contains polystyrene as a base is:
(A) Emulsion
(B) Synthetic rubber
(C) Enamel
(D) Aluminium

Rough Work / रफ कार्य

Rough Work / रफ कार्य

DO NOT OPEN THE QUESTION BOOKLET UNTIL ASKED TO DO SO

- 1. Examinee should enter his / her roll number, subject and Question Booklet Series correctly in the O.M.R. sheet, the examinee will be responsible for the error he / she has made.
- 2. This Question Booklet contains 100 questions, out of which only 75 Question are to be Answered by the examinee. Every question has 4 options and only one of them is correct. The answer which seems correct to you, darken that option number in your Answer Booklet (O.M.R ANSWER SHEET) completely with black or blue ball point pen. If any examinee will mark more than one answer of a particular question, then the first most option will be considered valid.
- 3. Every question has same marks. Every question you attempt correctly, marks will be given according to that.
- 4. Every answer should be marked only on Answer Booklet (O.M.R ANSWER SHEET). Answer marked anywhere else other than the determined place will not be considered valid.
- 5. Please read all the instructions carefully before attempting anything on Answer Booklet(O.M.R ANSWER SHEET).
- 6. After completion of examination please hand over the Answer Booklet (O.M.R ANSWER SHEET) to the Examiner before leaving the examination room.
- 7. There is no negative marking.

Note: On opening the question booklet, first check that all the pages of the question booklet are printed properly in case there is an issue please ask the examiner to change the booklet of same series and get another one.