	Par	oer (Code	प्रश्नपुस्तिका क्रमांक Question Booklet No.
Roll No	3	5	3	Question Booklet No.
	· ·	be filled MR Sho		
O.M.R. Serial No.				प्रश्नपुस्तिका सीरीज Question Booklet Series

BBA (Fourth Semester) Examination, July-2022

BBA 406(N)

Operations Research

Time : 1:30 Hours

Maximum Marks-100

जब तक कहा न जाय, इस प्रश्नपुस्तिका को न खोलें

- निर्देश : 1. परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सीरीज का विवरण यथास्थान सही– सही भरें, अन्यथा मूल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
 - 2. इस प्रश्नपुस्तिका में 100 प्रश्न हैं, जिनमे से केवल 75 प्रश्नों के उत्तर परीक्षार्थियों द्वारा दिये जाने है। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर पत्रक (O.M.R. ANSWER SHEET) में उसके अक्षर वाले वृत्त को काले या नीले बाल प्वांइट पेन से पूरा भर दें। यदि किसी परीक्षार्थी द्वारा किसी प्रश्न का एक से अधिक उत्तर दिया जाता है, तो उसे गलत उत्तर माना जायेगा।
 - प्रत्येक प्रश्न के अंक समान हैं। आप के जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
 - 4. सभी उत्तर केवल ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर ही दिये जाने हैं। उत्तर पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
 - 5. ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाय।
 - परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी ओ०एम०आर० शीट उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
 - 7. निगेटिव मार्किंग नहीं है।
- महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जॉच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीमॉति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्ष निरीक्षक को दिखाकर उसी सीरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।

K-353

- 1. A constraint in an LP model restricts:
 - (A) Value of objective function
 - (B) Value of decision variable
 - (C) Use of available resources
 - (D) All of the above
- 2. Managerial decision are based on:
 - (A) An evaluation of qualitative data
 - (B) The use of qualitative factors
 - (C) Numbers produced by formal models
 - (D) All of the above
- 3. An optimization model:
 - (A) Mathematically provides the best decision
 - (B) Provides decision within its limited context
 - (C) Helps in evaluating various alternatives constantly
 - (D) All of the above
- 4. The qualitative approach to decision analysis relies on:
 - (A) Experience
 - (B) Judgement
 - (C) Intuition
 - (D) All of the above
- 5. Operations research practitioners do not:
 - (A) Take responsibility for solution implementation
 - (B) Collect essential data
 - (C) Predict future actions / operations
 - (D) Build more than one model

- 6. The process of modifying an or model to observe the effect upon its output is called:
 - (A) Sensitivity analysis
 - (B) Cost benefit analysis
 - (C) Model validation
 - (D) Input variation
- 7. The degeneracy in the transportation problem indicates that:
 - (A) Dummy allocation (s) needs to be added
 - (B) The problem has no feasible solution
 - (C) The multiple optimal solution exist
 - (D) Both (A) and (B) but not (C)
- 8. One disadvantage of using NWCM is to fined initial solution to the transportation problem is that:
 - (A) It is complicated to used
 - (B) It leads to degenerate initial solution
 - (C) Both (A) and (B)
 - (D) None of the above
- 9. When total supply is equal to total demand in a transportation problem the problem is said to be:
 - (A) Balanced
 - (B) Unbalanced
 - (C) Degenerate
 - (D) None of the above
- 10. The initial solution of a transportation problem can be obtained by applying any known method. However the only condition is that:
 - (A) the solution be optimal
 - (B) The rim conditions are satisfied
 - (C) The solutions not to be degenerate
 - (D) All of the above

- 11. Maximization assignment problem is transformed into a minimization problem by:
 - (A) Adding each entry in columns from the maximum value in that column
 - (B) Subtracting each entry in a column from the maximum value in that column
 - (C) Subtracting each entry in the table from the maximum value in that table
 - (D) None of the above
- 12. The purpose of dummy row or column in an assignment problem is to:
 - (A) Obtain balance between total activities and total resources
 - (B) Present a solution from becoming degenerate
 - (C) provide a means of representing a dummy problem
 - (D) None of the above
- 13. An assignment problem can be solved by:
 - (A) Simplex method
 - (B) Transportation method
 - (C) Both (A) and (B)
 - (D) None of the above
- 14. An assignment problem is a special case of transportation problem, where?
 - (A) No of rows equal to no. of columns
 - (B) All rim conditions are 1
 - (C) Value of each decision variable is either 0 or 1
 - (D) All of the above
- 15. Which of the following criterion is not applicable to decision making under risk?
 - (A) Maximize expected return
 - (B) Maximize return
 - (C) Minimize expect regret
 - (D) knowledge of likelihood occurrences of each state of nature

- 16. While using Hurwicz criterion, the coefficient of realism (\propto):
 - (A) Represents the degree of optimism
 - (B) Represents the degree of pessimism
 - (C) Is the probability of a state of nature
 - (D) None of the above
- 17. Essential characteristics of a decision model are:
 - (A) States of nature
 - (B) Decision alternative
 - (C) Payoff
 - (D) All of the above
- 18. The decision making creation that should be used to achieve maximum long term pay-off is:
 - (A) EOL
 - (B) EMV
 - (C) Hurwicz
 - (D) All of the above
- 19. In time cost-trade-off function analysis:
 - (A) Cost decreases linearly as time increases
 - (B) Cost at normal time is zero
 - (C) Cost increases linearly as time increases
 - (D) None of the above
- 20. Activity on arrow (AOA) diagram is preferred over activity on node diagram because:
 - (A) AOA diagrams are simple to construct
 - (B) AOA diagrams give a better sense of time throughout a project
 - (C) AOA diagrams do not involve dummy activities
 - (D) All of the above

- 21. The another term commonly used for activity slack time is:
 - (A) Total float
 - (B) Free float
 - (C) Independent float
 - (D) All of the above
- 22. For analyzing a problem, decision-maker moved normally study:
 - (A) Its qualitative aspects
 - (B) Its quantitative aspects
 - (C) Both (A) and (B)
 - (D) Neither (A) nor (B)
- 23. The qualitative approach to decision analysis is a:
 - (A) Logical approach
 - (B) Rational approach
 - (C) Scientific approach
 - (D) All of the above
- 24. The assignment problem:
 - (A) Requires that only one activity be assigned to each resource
 - (B) Is a special case of transportation problem
 - (C) Can be used to maximize resources
 - (D) All of the above
- 25. The concept of utility is used to:
 - (A) Measure the utility to money
 - (B) Take into account aversion of risk
 - (C) Both (A) and (B)
 - (D) None of the above

- 26. The decision-maker's knowledge and experience may influence the decision making process when using the criterion of:
 - (A) Maximax
 - (B) Minimax regret
 - (C) Realism
 - (D) Maximin
- 27. A set of values X_1, X_1, X_n which satisfies the constraints of the LPP is called ____?
 - (A) Solution
 - (B) Variable
 - (C) Linearity
 - (D) All of the above

28. An objective function is maximized when it is a _____ function.

- (A) Passive
- (B) Profit
- (C) Cost
- (D) None of the above
- 29. To find the optimal solution we apply:
 - (A) LPP
 - (B) VAM
 - (C) MODI
 - (D) Rim
- 30. Who defined or as scientific approach to problem solving for executive management?
 - (A) E.L. Arnoff
 - (B) H.M. Wagner
 - (C) P.M.S. Blackett
 - (D) None of the above

- 31. In _____ models there is risk & uncertainity.
 - (A) Deterministic models
 - (B) Probabilistic models
 - (C) Both (A) and (B)
 - (D) None of the above
- 32. _____ models are obtained by enlarging or reducing the size of the item.
 - (A) Iconic models
 - (B) Analogue models
 - (C) Symbolic models
 - (D) None of the above
- 33. Probabilistic models are also known as:
 - (A) Deterministic models
 - (B) Stochastic models
 - (C) Dynamic models
 - (D) Static models
- 34. Who coined the term operation research?
 - (A) J.F. Mccloskey
 - (B) F.N. Trefethen
 - (C) P.F. Adams
 - (D) Both (A) and (B)
- 35. The objective functions and constraints are linear relationship between _____.
 - (A) Variables
 - (B) Constraints
 - (C) Functions
 - (D) All of the above

- 36. The best used of linear programming technique is to find an optimal use of:
 - (A) Money
 - (B) Manpower
 - (C) Machine
 - (D) All of the above
- 37. _____ are the representation of reality:
 - (A) Models
 - (B) Phases
 - (C) Both (A) and (B)
 - (D) None of the above
- 38. Crashing is to be applied on:
 - (A) Critical Activities
 - (B) Non-critical Activities
 - (C) Both (A) and (B)
 - (D) Critical Activities with positive slack
- 39. For an activity the pessimistic, most likely and optimistic time are 10 days, 6 days, and 2 days respectively. The expected duration of activity based on beta distribution will be :
 - (A) 6 days
 - (B) 3 days
 - (C) 2 days
 - (D) 9 days
- 40. Which of the following statement is not true?
 - (A) PERT is probabilistic
 - (B) CPM is deterministic
 - (C) In CPM probability to complete a project in given duration is calculated
 - (D) None of the above

- 41. Pessimistic time and optimistic time of completion of an activity are given as 10 days and 4 days respectively, the variance of the activity will be:
 - (A) 1
 - (B) 6
 - (C) 12
 - (D) 18

42. In a given system of m simultaneous linear equations in n unknowns (m < n) there will be _____.

- (A) n basic variables
- (B) m basic variables
- (C) (n-m) basic variables
- (D) (n+m) basic variables
- 43. The penalty for non taking correct decision is known as :
 - (A) Fine
 - (B) Loss
 - (C) Cost
 - (D) Opportunity cost
- 44. The similarity between assignment problem and transportation problem is_____.
 - (A) Both are rectangular matrices
 - (B) Both are square matrices
 - (C) Both can be solved by graphical method
 - (D) Both have objective function and non negative constraints
- 45. An activity is represented by a/an _____.
 - (A) Arrow
 - (B) Straight line
 - (C) Curve
 - (D) Are

46. The dual of the dual is

- (A) Dual- primal
- (B) Primal dual
- (C) Dual
- (D) Primal
- 47. If an activity has zero slack, it implies that _____.
 - (A) The project is progressing well
 - (B) It is a dummy activity
 - (C) It lies on the critical path
 - (D) It lies on a non-critical path
- 48. If the optimal simplex table Zj Cj = o value indicates:
 - (A) Alternative solution
 - (B) Bounded solution
 - (C) Infeasible solution
 - (D) Unbounded solution
- 49. Graphical method of linear programming is useful when the number of decision variables are _____.
 - (A) 1
 - (B) 2
 - (C) 3
 - (D) 4
- 50. PERT follows a:
 - (A) Beta distribution
 - (B) Poisson distribution
 - (C) Chi square distribution
 - (D) Gamma distribution

- 51. Slack is also known as _____.
 - (A) Float
 - (B) Event
 - (C) Activity
 - (D) Path

52. The difference between free float and tail event slack is _____.

- (A) Total float
- (B) Independent float
- (C) Interference float
- (D) Slack
- 53. An iso-profit line represents _____.
 - (A) A boundary of feasible region
 - (B) An infinite number of solution all of which yield the same cost
 - (C) An infinite number of solutions all of which yield the same profit
 - (D) An infinite number of optimal solution
- 54. A activity in a network diagram is said to be _____ if the delay in its start will further delay the project completion time.
 - (A) Forward pass
 - (B) Backward pass
 - (C) Critical
 - (D) Non-critical
- 55. _____ is used for non-repetitive jobs.
 - (A) Queue
 - (B) Replacement
 - (C) CPM
 - (D) PERT

- 56. In a network diagram an event is denoted by the symbol _____.
 - (A) Arrow
 - (B) Straight line
 - (C) Curve
 - (D) Circle

57. In a transportation table, an ordered set of _____ or more cells is said to form a loop.

- (A) 2
- (B) 3
- (C) 4
- (D) 5

58. The linear programming problem that can be solved by graphical method has _____.

- (A) Linear constraints
- (B) Quadratic constraints
- (C) Non linear constraints
- (D) Bi-quadratic constraints

59. For finding an optimum solution in transportation problem _____ method is used.

- (A) Simple x
- (B) Big M
- (C) Modi
- (D) Hungarian

60. In the network, one activity may connect any _____ nodes.

- (A) 1
- (B) 2
- (C) 3
- (D) 4

- 61. The minimum number of lines covering all zeros in a reduced cost matrix of order n can be _____.
 - (A) At the most n
 - (B) At the least n
 - (C) n-1
 - (D) n+1
- 62. The assignment problem is always a _____ matrix.
 - (A) Circle
 - (B) Square
 - (C) Rectangle
 - (D) Triangle
- 63. The number of time estimates involved in PERT problem is _____.
 - (A) 1
 - (B) 2
 - (C) 3
 - (D) 4
- 64. The coefficient of slack/ surplus variables in the objective functions are always assumed to be:
 - (A) 0
 - (B) 1
 - (C) M
 - (D) M
- 65. To resolve degeneracy at the initial solution, a very small quantity is allocated in
 - ____cell.
 - (A) Occupied
 - (B) Unoccupied
 - (C) No
 - (D) Finite

66. Key element is also known as _____.

- (A) Slack
- (B) Surplus
- (C) Artificial
- (D) Pivot

67. In a linear programming problem functions to be maximized or minimized are called ______.

- (A) Constraints
- (B) Objective function
- (C) Basic solution
- (D) Feasible solution
- 68. A set of feasible solution to a linear programming problem is:
 - (A) Convex
 - (B) Polygon
 - (C) Triangle
 - (D) Bold

69. An optimal assignment requires that the maximum number of lines which can be drawn through squares with zero opportunity cost should be equal to the number

of:

- (A) Rows or columns
- (B) Rows and columns
- (C) Rows + columns -1
- (D) None of the above

70. A feasible solution to a linear programming problem _____.

- (A) Must satisfy all the constraints of the problem simultaneously
- (B) Need not satisfy all of the constraints
- (C) Must optimize the value of the objective questions
- (D) None of the above

- 71. The concept of utility is used to:
 - (A) Measure the utility of money
 - (B) Take into account aversion of risk
 - (C) Both (A) and (B)
 - (D) None of the above
- 72. The difference betⁿ the expected profit under condition of risk and the expected profit with perfect information is:
 - (A) Expected value of perfect information
 - (B) Expected marginal loss
 - (C) Expected opportunity loss
 - (D) None of the above
- 73. The value of coefficient of optimism (\propto) is needed while using the criterion of:
 - (A) Equally Likely
 - (B) Maximin
 - (C) Realism
 - (D) Minimax
- 74. The minimum expected opportunity loss (EOL) is:
 - (A) Equal to EVPI
 - (B) Minimum regret
 - (C) Equal to EMV
 - (D) Both (A) and (B)
- 75. Which of the following criteria is not used for decision making under uncertainity?
 - (A) Maximin
 - (B) Maximax
 - (C) Minimax
 - (D) Minimize the expected loss

- 76. A type of decision-making environment is:
 - (A) Certainty
 - (B) Uncertainty
 - (C) Risk
 - (D) All of the above
- 77. The dummy sources or destination in a transportation problem is added to:
 - (A) Satisfy rim condition
 - (B) Present solution from becoming degenerate
 - (C) Ensure that total cost does not exceed a limit
 - (D) None of the above
- 78. One disadvantage of NWCM is find initial solution to the transportation problem is that:
 - (A) It is complicated to use
 - (B) It does not take into account the cost of transportation
 - (C) It leads to degenerate initial solution
 - (D) All of the above
- 79. The initial solution of a transportation problem can be obtained by applying any known method. However, the only condition is that:
 - (A) The solution be optimal
 - (B) The rim conditions are satisfied
 - (C) The solution not be degenerate
 - (D) All of the above
- 80. The solution to a transportation problem with m rows (suppliers) and n-colounms (destination) is feasible if number of positive allocations are:
 - (A) m + n
 - (B) $m \times n$
 - (C) m+n-1
 - (D) m + n + 1

- 81. Float or slack analysis is useful for:
 - (A) Projects behind the schedule only
 - (B) Projects ahead of the schedule only
 - (C) Both (A) and (B)
 - (D) None of the above
- 82. The slack for an activity is equal to:
 - (A) LF LS
 - (B) EF ES
 - (C) LS ES
 - (D) None of the above
- 83. The critical path satisfy the condition that:
 - (A) Ei = Li and Ej = Lj
 - (B) Lj Ei = li Lj
 - (C) Lj Ei = Li Ej = c (constant)
 - (D) All of the above
- 84. The activity which can be delayed without affecting the execution of the immediate succeeding activity is determined by?
 - (A) Total float
 - (B) Free float
 - (C) Independent float
 - (D) None of the above
- 85. The objective of network analysis is to:
 - (A) Minimize total project duration
 - (B) Minimize total project cost
 - (C) Minimize production delays, interruption and conflicts
 - (D) All of the above

- 86. In PERT the span of time between the optimistic and pessimistic time of an activity is:
 - (A) 3 σ
 - (B) 6 σ
 - (C) 12 σ
 - (D) None of the above
- 87. Decision Nodes are represented by:
 - (A) Disks
 - (B) Squares
 - (C) Circles
 - (D) Triangles
- 88. Dummy activity is used in the network diagram when:
 - (A) Two parallel activities have the same tail and heal events
 - (B) Delaying any activity affects project completion time
 - (C) That activity has not much importance on project completion
 - (D) None of these
- 89. Network model have advantage in terms of project:
 - (A) Planning
 - (B) Scheduling
 - (C) Controlling
 - (D) All of these
- 90. If an activity has zero slack, it implies that:
 - (A) It lies on the critical path
 - (B) It is a dummy activity
 - (C) The project is progressing well
 - (D) None of the these

- 91. The method used for solving an assignment problem is called:
 - (A) Reduced Matrix Method
 - (B) Modi Method
 - (C) Hungarian Method
 - (D) None of the above
- 92. For a salesman who has to visit n cities, following are the ways of his tour plan?
 - (A) n!
 - (B) (n+1)!
 - (C) (n-1)!
 - (D) n
- 93. If there are n workers and n jobs there would be:
 - (A) n! solutions
 - (B) (n-1)! solutions
 - (C) $(n!)^n$ solutions
 - (D) n solutions
- 94. If dual has an unbounded solution, primal has:
 - (A) No feasible solution
 - (B) Unbounded solution
 - (C) Feasible solution
 - (D) None of the above
- 95. Shadow price indicates how much one unit change in the resource value will change the?
 - (A) Optimally range of an objective function
 - (B) Optimal value of the objective function
 - (C) Value of the basic variable in the optimal solution
 - (D) None of the above

- 96. The solution space (region) of an LP problem is unbounded due to:
 - (A) An incorrect formulation of the LP model
 - (B) Objective function is unbalanced
 - (C) Both (A) and (B)
 - (D) Neither (A) nor (B)
- 97. A constraint in an LP Model restricts:
 - (A) Value of objective function
 - (B) Use of the available resources
 - (C) Value of a decision variable
 - (D) All of the above
- 98. A model is:
 - (A) An essence of reality
 - (B) An approximation
 - (C) An idealization
 - (D) All of the above
- 99. Decision variables are:
 - (A) Controllable
 - (B) Uncontrollable
 - (C) Parameters
 - (D) None of the above
- 100. Operation research analysis do not:
 - (A) Predict future operations
 - (B) Collect relevant data
 - (C) Build more than one model
 - (D) Recommend decision and accept

Rough Work / रफ कार्य

DO NOT OPEN THE QUESTION BOOKLET UNTIL ASKED TO DO SO

- Examinee should enter his / her roll number, subject and Question Booklet Series correctly in the O.M.R. sheet, the examinee will be responsible for the error he / she has made.
- 2. This Question Booklet contains 100 questions, out of which only 75 Question are to be Answered by the examinee. Every question has 4 options and only one of them is correct. The answer which seems correct to you, darken that option number in your Answer Booklet (O.M.R ANSWER SHEET) completely with black or blue ball point pen. If any examinee will mark more than one answer of a particular question, then the answer will be marked as wrong.
- 3. Every question has same marks. Every question you attempt correctly, marks will be given according to that.
- Every answer should be marked only on Answer Booklet <u>(O.M.R</u> <u>ANSWER SHEET</u>). Answer marked anywhere else other than the determined place will not be considered valid.
- 5. Please read all the instructions carefully before attempting anything on Answer Booklet (O.M.R ANSWER SHEET).
- After completion of examination, please hand over the <u>O.M.R. SHEET</u> to the Examiner before leaving the examination room.
- 7. There is no negative marking.
- **Note:** On opening the question booklet, first check that all the pages of the question booklet are printed properly in case there is an issue please ask the examiner to change the booklet of same series and get another one.