

Roll No.-----

Paper Code

3 7 4

(To be filled in the
OMR Sheet)

प्रश्नपुस्तिका क्रमांक
Question Booklet No.

O.M.R. Serial No.

--	--	--	--	--	--	--	--

प्रश्नपुस्तिका सीरीज
Question Booklet Series

A

BCA (Fourth Semester) Examination, July-2022

BCA-403(N)

Software Engineering

Time : 1:30 Hours

Maximum Marks-100

जब तक कहा न जाय, इस प्रश्नपुस्तिका को न खोलें

- K-374**
- निर्देश : —**
- परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सीरीज का विवरण यथास्थान सही- सही भरें, अन्यथा मूल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
 - इस प्रश्नपुस्तिका में 100 प्रश्न हैं, जिनमें से केवल 75 प्रश्नों के उत्तर परीक्षार्थियों द्वारा दिये जाने हैं। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर पत्रक (O.M.R. ANSWER SHEET) में उसके अक्षर वाले वृत्त को काले या नीले बाल प्वाइंट पेन से पूरा भर दें। यदि किसी परीक्षार्थी द्वारा किसी प्रश्न का एक से अधिक उत्तर दिया जाता है, तो उसे गलत उत्तर माना जायेगा।
 - प्रत्येक प्रश्न के अंक समान हैं। आप के जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
 - सभी उत्तर केवल ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर ही दिये जाने हैं। उत्तर पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
 - ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाय।
 - परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी ओ०एम०आर० शीट उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
 - निगेटिव मार्किंग नहीं है।
- महत्वपूर्ण : —** प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्ष निरीक्षक को दिखाकर उसी सीरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।

1. What is software Engineering?
 - (A) Testing a software
 - (B) Application of engineering principles to the design a software
 - (C) Designing a software page
 - (D) None of the above
2. Who is the father of software engineering?
 - (A) Watts S. Humphrey
 - (B) Margaret Hamilton
 - (C) Alan Turing
 - (D) Boris Beizer
3. _____ is defined as the process of generating analysis and designing documents?
 - (A) Reverse Engineering
 - (B) Re-engineering
 - (C) Software Re-engineering
 - (D) More than one method with same name, same number of parameters and type but different signature
4. CASE stands for:
 - (A) Control Aided Science and Engineering
 - (B) Computer-Aided Software Engineering
 - (C) Cost Aided system experiments
 - (D) None of the mentioned character
5. What is functional requirement?
 - (A) Specifies the tasks the program should not complete
 - (B) Specifies the tasks the program must complete
 - (C) Specifies the tasks the program must not work
 - (D) All of the mentioned

6. Attributes of good software is_____.
- (A) Development
 - (B) Functionality
 - (C) Maintainability& functionality
 - (D) Maintainability
7. Who proposed the spiral model?
- (A) IBM
 - (B) Pressman
 - (C) Royce
 - (D) Barry Boehm
8. Which of the following the CASE tools?
- (A) Central Repository
 - (B) Integrated case tools
 - (C) Upper case tools
 - (D) All to the mentioned
9. _____is not a fundamental activity for software processes in software development.
- (A) Evolution
 - (B) Design and Implementation
 - (C) Verification
 - (D) Validation
10. _____ is a software development life cycle model that is chosen if the development team has less experience on similar projects.
- (A) Iterative enhancement model
 - (B) RAD
 - (C) Spiral
 - (D) Waterfall

11. _____ is not suitable for accommodating any change?
- (A) Waterfall model
 - (B) RAD model
 - (C) Build & Fix model
 - (D) Prototyping model
12. Which model is most popular for student's small project?
- (A) Waterfall model
 - (B) Spiral model
 - (C) Quick and fix model
 - (D) Prototyping model
13. Which model is not a software life cycle model?
- (A) Waterfall model
 - (B) Spiral model
 - (C) Prototyping model
 - (D) Capability maturity model
14. SDLC stands for:
- (A) Software design life cycle
 - (B) Software development life cycle
 - (C) System development life cycle
 - (D) System design life cycle
15. SRS stands for:
- (A) Software requirement specification
 - (B) Software requirements solutions
 - (C) System requirements specification
 - (D) None of the above
16. Validation is:
- (A) Checking the product with respect to customer expectations
 - (B) Checking the product with respect to specifications
 - (C) Checking the product with respect to the constraints of the project
 - (D) All of the above

17. RAD stands for:
- (A) Rapid application development
 - (B) Relative application development
 - (C) Ready application development
 - (D) Repeated application development
18. RAD model was proposed by:
- (A) Lucent technologies
 - (B) Motorola
 - (C) IBM
 - (D) Microsoft
19. If requirements are easily understandable and defined, which model is best suited?
- (A) Waterfall
 - (B) Prototyping model
 - (C) Spiral model
 - (D) None of the above
20. If requirements are frequently changing which model is to be selected?
- (A) Water fall
 - (B) Prototyping
 - (C) RAD model
 - (D) Iterative
21. If user participation is available, which model is to be chosen?
- (A) waterfall model
 - (B) Iterative enhancement model
 - (C) Spiral model
 - (D) RAD model
22. If limited user participation is available, which model is to be selected?
- (A) Waterfall model
 - (B) Prototyping model
 - (C) Iterative enhancement model
 - (D) Any of the above

23. Which one is the most important features of spiral model?
- (A) Quality management
 - (B) Risk management
 - (C) Performance management
 - (D) Efficiency management
24. Most suitable model for new technology that is not well understood is:
- (A) Waterfall model
 - (B) RAD model
 - (C) Iterative enhancement model
 - (D) Evolutionary development model
25. Which phase is not available in software life cycle?
- (A) Coding
 - (B) Testing
 - (C) Maintenance
 - (D) Abstraction
26. ERD stands for:
- (A) Entity relationship diagram
 - (B) Exit related diagram
 - (C) Entity relationship design
 - (D) Exit related design
27. Which one is not a characteristic of a good SRS?
- (A) Correct
 - (B) Complete
 - (C) Consistent
 - (D) Brief
28. Which of the following is not defined in a good software requirement specification (SRS) document?
- (A) Functional Requirement
 - (B) Algorithm for software implementation
 - (C) Goals of implementation
 - (D) Nonfunctional requirement

29. Which of the following is the understanding of software product limitations, learning system related problems or changes to be done in existing systems beforehand, identifying and addressing the impact of project on organization and personnel etc.?
- (A) Software design
 - (B) Feasibility analysis
 - (C) System analysis
 - (D) Requirement gathering
30. Requirement engineering process includes which of these steps ?
- (A) Feasibility study
 - (B) Requirement gathering
 - (C) Software Requirement specification and validation
 - (D) All mentioned above
31. Software requirement specification (SRS) is also known as specification of:
- (A) Black box testing
 - (B) Acceptance testing
 - (C) Integrated testing
 - (D) White box testing
32. In which elicitation process the developers discuss with the client and end users and know their expectations from the software?
- (A) Organizing requirements
 - (B) Requirements gatherings
 - (C) Negotiation & Discussion
 - (D) Documentation
33. Which document is created by system analyst after the requirement are collected from various stakeholders?
- (A) Software requirement specification
 - (B) Software requirement validation
 - (C) Requirements gathering
 - (D) Feasibility study

34. Which is focused towards the goal of the organization?
- (A) Requirement gathering
 - (B) Feasibility analysis
 - (C) Software requirement specification
 - (D) Software requirement validation
35. What kind of approach was introduced for elicitation and modeling to give a functional view of the system?
- (A) Use cases (by Jacobson)
 - (B) Fusion (by Coleman)
 - (C) Object Oriented Design (by Booch)
 - (D) Object modeling technique (by Rumbaugh)
36. What requirement gathering method developed at IBM in 1970s is used for managing requirement elicitation?
- (A) JAD
 - (B) Traceability
 - (C) FAST
 - (D) Both (A) and (B)
37. Which one is not a non-functional requirement?
- (A) Reliability
 - (B) Efficiency
 - (C) Stability
 - (D) Product features
38. APIs stands for:
- (A) Application Performance Interfaces
 - (B) Application Performance Integration
 - (C) Application Programming Interfaces
 - (D) Application Programming Integration

39. Context Diagram explains:
- (A) The overview of the system
 - (B) The internal view of the system
 - (C) The entities of the system
 - (D) None of the above
40. Outcome of requirements specification phase is:
- (A) Software requirements specification
 - (B) Design document
 - (C) Test document
 - (D) None of the above
41. Which tool is used for structure design?
- (A) Structure chart
 - (B) Program flow chart
 - (C) Data flow diagram
 - (D) Module
42. A step by step instruction is used solve a problem is known as:
- (A) A sequential structure
 - (B) A list
 - (C) An Algorithm
 - (D) A plan
43. Actual programming of software code is done during the _____ step in SDLC.
- (A) Maintenance and evaluation
 - (B) Design
 - (C) Development and Documentation
 - (D) Analysis
44. _____ is the process of translation a task into a series of commands that computer will use to perform that task.
- (A) Programming
 - (B) Project design
 - (C) Installation
 - (D) System analysis

45. In design phase, which is primary area of concern?
- (A) Architecture
 - (B) Data
 - (C) Interface
 - (D) All of the mentioned
46. The importance of software is described in single word:
- (A) Efficiency
 - (B) Accuracy
 - (C) Complexity
 - (D) Quality
47. Cohesion is the qualitative induction of degree to which a module:
- (A) On just one thing
 - (B) Can be written more compactly
 - (C) Is able to complete function in timely manner
 - (D) Is connected to other module
48. The most desirable form of coupling is:
- (A) Data coupling
 - (B) Control coupling
 - (C) Common coupling
 - (D) Content coupling
49. The worst type of coupling is:
- (A) Common coupling
 - (B) Content coupling
 - (C) External coupling
 - (D) Data coupling
50. The most desirable form of cohesion is:
- (A) Content cohesion
 - (B) Functional cohesion
 - (C) Logical cohesion
 - (D) Procedural cohesion

51. Which one is not a strategy for design?
- (A) Bottom up design
 - (B) Top down design
 - (C) Hybrid design
 - (D) Embedded design
52. Temporal cohesion means:
- (A) Cohesion with respect of time
 - (B) Cohesion between local variables
 - (C) Cohesion between temporary variables
 - (D) Coincidental cohesion
53. When two modules refer to the same global data area, they are related as:
- (A) External coupled
 - (B) Common coupled
 - (C) Data coupled
 - (D) Content coupled
54. The relationship of data elements in a module is called:
- (A) Coupling
 - (B) Modularity
 - (C) Cohesion
 - (D) None of the above
55. A system does not interact with external environment is called:
- (A) Closed system
 - (B) Logical system
 - (C) Open system
 - (D) Hierarchal system
56. The extent to which different modules are dependent upon each other is called?
- (A) Cohesion
 - (B) Coupling
 - (C) Modularity
 - (D) Stability

57. Which of the following categories is part of the output of software process?
- (A) Computer programs
 - (B) Documents that describe the computer programs
 - (C) Data
 - (D) All of the mentioned
58. Which is a software configuration management concept that helps us to control change without seriously impeding justifiable change?
- (A) Source code
 - (B) Baselines
 - (C) Data model
 - (D) None of the mentioned
59. Software configuration management can be administered in several ways. These include.
- (A) A single software configuration management team for the whole organization
 - (B) A separate configuration management team for each project
 - (C) Software configuration management distributed among the project members
 - (D) All of the mentioned
60. What combines procedures and tools to manage different versions of configuration objects that are created during the software process?
- (A) Change control
 - (B) SCIs
 - (C) Version control
 - (D) None of the mentioned
61. What complements the formal technical review by assessing a configuration object for characteristics that are generally not considered during review?
- (A) Software configuration management
 - (B) Software configuration audit
 - (C) Baseline
 - (D) None of the mentioned

62. Which of the following option is not tracked by configuration management tools?
- (A) Tracking of change proposals
 - (B) Storing versions of system components
 - (C) Tracking the releases of system versions to customers
 - (D) None of the mentioned
63. Which of the following is not a Software Configuration Management Activity?
- (A) Configuration item identification
 - (B) Release management
 - (C) Risk management
 - (D) Branch management
64. The definition and use of configuration management standards is essential for quality certification in:
- (A) ISO 9000
 - (B) CMM
 - (C) CMMI
 - (D) All of the mentioned
65. What involves preparing software for external release and keeping track of the system versions that have been released for customer use?
- (A) System building
 - (B) Release management
 - (C) Change management
 - (D) Version management
66. CASE tools are used only during the software testing phase.
- (A) True
 - (B) False
 - (C) Ambiguous statement
 - (D) None of the above

67. Which of the following is not a type of CASE tool?
- (A) Lower
 - (B) Classic
 - (C) Middle
 - (D) Real
68. What kind of support is provided by the Code Generation CASE tool?
- (A) Cross referencing queries and requirements tracing
 - (B) Transformation of design records into application software
 - (C) Compiling, interpreting or applying interactive debugging code
 - (D) Transformation of design records into application software AND Compiling, interpreting or applying interactive debugging code
69. Logical design errors can be resolved using both classic and real CASE tools:
- (A) True
 - (B) False
 - (C) Ambiguous statement
 - (D) None of the above
70. CASE-generated updated documentation enables easier and more reliable identification of software failure causes.
- (A) False
 - (B) True
 - (C) Ambiguous statement
 - (D) None of the above
71. Which of the following is a drawback of using CASE tool?
- (A) Standardization of notations and diagrams
 - (B) Communication between development team member
 - (C) Reduction of time and effort
 - (D) Costs associated with the use of the tool

72. CASE tools are mainly used while developing which of the following methodologies?
- (A) RAD
 - (B) JAD
 - (C) OO Approach
 - (D) All of the above
73. Regression testing is related to:
- (A) Maintenance testing
 - (B) Functional testing
 - (C) Data flow testing
 - (D) Development testing
74. Which one is not a category of maintenance
- (A) Corrective maintenance
 - (B) Adaptive maintenance
 - (C) Effective maintenance
 - (D) Perfective maintenance
75. The maintenance initiated by defects in the software:
- (A) Adaptive maintenance
 - (B) Corrective maintenance
 - (C) Perfective maintenance
 - (D) Preventive maintenance
76. Patch is known as:
- (A) Routine fixes
 - (B) Emergency fixes
 - (C) Critical fixes
 - (D) None of the above

77. Which one is software process certification?
- (A) CISCO certified
 - (B) ISO-9000
 - (C) Microsoft certified
 - (D) Java certified
78. During software certification, whom to target:
- (A) Process
 - (B) People
 - (C) Product
 - (D) All of the above
79. Which is not a software characteristic?
- (A) Software is flexible
 - (B) Software is not manufactured
 - (C) Software does not wear out
 - (D) Software is always correct
80. UML is stands for:
- (A) Unified Modeling Language
 - (B) Uniform Modeling Language
 - (C) Unit Modeling Language
 - (D) Universal Modeling Language
81. Which one is not a maintenance model:
- (A) CMM
 - (B) Quick-fix model
 - (C) Iterative enhance model
 - (D) Reuse-oriented model
82. Iterative enhancement model is a:
- (A) Three stage model
 - (B) Four stage model
 - (C) Two stage model
 - (D) Seven stage model

83. In which model, fixes are done without detailed analysis of the long term effects?
- (A) Quick-fix model
 - (B) Reuse oriented model
 - (C) Taute maintenance model
 - (D) None of the above
84. Taute maintenance model has:
- (A) Two phase
 - (B) Eight phase
 - (C) Six phase
 - (D) Ten phase
85. In Boehm model, ACT stands for:
- (A) Actual Change Traffic
 - (B) Actual Change Time
 - (C) Annual Change Traffic
 - (D) Annual Change Time
86. Compilers, Editors software come under which type of software?
- (A) Application software
 - (B) System software
 - (C) Scientific software
 - (D) None of the above
87. What is the simplest model of software development paradigm?
- (A) Big bang model
 - (B) Spiral model
 - (C) Waterfall model
 - (D) V-Model
88. Which design identifies the software as a system with many components interacting with each other?
- (A) Architectural design
 - (B) High-level design
 - (C) Detailed design
 - (D) Both (B) and (C)

89. If every requirements stated in the software requirement specification:
- (A) Consistent
 - (B) Unambiguous
 - (C) Verifiable
 - (D) None of the above
90. Aggregation represents_____.
- (A) Is _ a relationship
 - (B) Part _ of relationship
 - (C) Composed _ of relationship
 - (D) None of the above
91. One of the fault base testing techniques is_____.
- (A) Unit testing
 - (B) Mutation testing
 - (C) Beta testing
 - (D) Stress testing
92. If the objects focus on the problem domain then we concerned with_____.
- (A) Object oriented design
 - (B) Object Oriented analysis
 - (C) Object oriented analysis and design
 - (D) None of the above
93. Alpha and Beta testing are forms of_____.
- (A) Unit testing
 - (B) System testing
 - (C) Integration testing
 - (D) Acceptance testing

94. SRD stands for:
- (A) Software requirements definition
 - (B) Software requirements diagram
 - (C) Structured requirements diagram
 - (D) Structured requirements definition
95. Give the advantages of modularization:
- (A) Smaller components are easier to maintain
 - (B) Program can be divided based on functional aspects
 - (C) Desired level of abstraction can be brought in the program
 - (D) None of the above
96. Which testing is the re-execution of some subset of tests that have already been conducted to ensure the changes that are not propagated?
- (A) Unit testing
 - (B) Integration testing
 - (C) Regression testing
 - (D) Thread-based testing
97. Level-0 DFD is similar to:
- (A) Use case diagram
 - (B) Context diagram
 - (C) System diagram
 - (D) None of the above

98. What is a measure of how well computer system facilities learnings?
- (A) Usability
 - (B) Functionality
 - (C) Reliability
 - (D) None of the above
99. Which coupling is also known as Global Coupling?
- (A) Content coupling
 - (B) Stamp coupling
 - (C) Common coupling
 - (D) Data coupling
100. In OOD, the attributes (data variables and methods are bundled together is called:
- (A) Classes
 - (B) Encapsulation
 - (C) Inheritance
 - (D) Object

Rough Work / रफ कार्य

Rough Work / रफ कार्य

DO NOT OPEN THE QUESTION BOOKLET UNTIL ASKED TO DO SO

1. Examinee should enter his / her roll number, subject and Question Booklet Series correctly in the O.M.R. sheet, the examinee will be responsible for the error he / she has made.
 2. **This Question Booklet contains 100 questions, out of which only 75 Question are to be Answered by the examinee. Every question has 4 options and only one of them is correct. The answer which seems correct to you, darken that option number in your Answer Booklet (O.M.R ANSWER SHEET) completely with black or blue ball point pen. If any examinee will mark more than one answer of a particular question, then the answer will be marked as wrong.**
 3. Every question has same marks. Every question you attempt correctly, marks will be given according to that.
 4. Every answer should be marked only on Answer Booklet (O.M.R ANSWER SHEET). Answer marked anywhere else other than the determined place will not be considered valid.
 5. Please read all the instructions carefully before attempting anything on Answer Booklet (O.M.R ANSWER SHEET).
 6. After completion of examination, please hand over the O.M.R. SHEET to the Examiner before leaving the examination room.
 7. There is no negative marking.
- Note:** On opening the question booklet, first check that all the pages of the question booklet are printed properly in case there is an issue please ask the examiner to change the booklet of same series and get another one.