Roll No	 				Question Booklet Number
O. M. R. Serial No.					

# B. Com. (Honors) (Fourth Semester) EXAMINATION, July, 2022

# OPERATION RESEARCH

Paper	Cod	e		
BCOMH	4	0	0	3

Questions Booklet Series

C

[ Maximum Marks : 100

*Time : 1:30 Hours* ]

### **Instructions to the Examinee:**

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 100 questions. Examinee is required to answer any 75 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 75 questions are attempted by student, then the first attempted 75 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को किन्हीं 75 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 75 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 75 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- 3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा
  OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण
  प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या
  प्रश्न एक से अधिक बार छप गए हों या उसमें किसी
  अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Remaining instructions on the last page)

3. In th	ne optimal simplex table, $Z_j - C_j = 0$	6.	The longest path in the network diagram
3. In th	ne optimal simplex table, $Z_j - C_j = 0$	6.	
(C) (D)	3 4		assignment to zero  (D) reduce total cost of assignment
(B)	2		(C) reduce the cost of that particular
(A)	1		(B) reduce the cost of assignment to zero
varia	able are :		(A) minimize total cost of assignment
is u	seful when the number of decision		because the objective is to
2. Grap	phical method of linear programming		activity is assigned to a resource through a square with zero opportunity cost
(D)	makes use of all the available resources	5.	While solving an assignment problem, an
(C)	yields more than one-way to achieve the objective		<ul><li>(C) have degenerate solution</li><li>(D) have non-degenerate solution</li></ul>
(B)	gives zero value to one or more of the basic variables		<ul><li>(A) have optimal solution</li><li>(B) satisfy the Rim condition</li></ul>
	Linear Programming Problem		programming problem should
(11)	gives an optimum solution to the		has a finite solution, then dual linear

4.

If primal linear programming problem

1.

BCOMH-4003

A degenerate solution is one that :

7.	The shortest time in the PERT is called	11.	The variable added to the LHS of a less
	time.		than or equal to constraint to convert it
	(A) expected		into equality is called variable.
	(B) pessimistic		(A) surplus
	(C) optimistic		(B) artificial
	(D) most likely		(C) slack
8.	Which of these specifies the objective or		(D) additional
	goal of solving the LPP ?	12.	To find initial feasible solution of a
	(A) Objective function		transportation problem the method which
	(B) Decision variables		starts allocation from the lowest cost is
	(C) Constraints		called method.
	(D) Opportunity cost		(A) Vogel's approximation
9.	In linear programming, unbounded		(B) nwcr
	solution means solution:		(C) lcm
	(A) infeasible		(D) Modi
	(B) infinite	13.	Which of the following considers
	(C) unique		difference between two least costs for
	(D) degenerate		each row and column while finding
10.	The intersection value of key column and		initial basic feasible solution in
	key row is called:		transportation ?
	(A) vital element		(A) yarn
	(B) important element		(B) nwcr
	(C) basic element		(C) Modi
	(D) key element		(D) lcm

14.	The time during which a machine	18.	The participants in s game are called:
	remains waiting or vacant in sequencing		(A) invitees
	problem is called time.		(B) players
	(A) processing		(C) contestants
	(B) waiting		(D) clients
	(C) free (D) idle	19.	The outcome of the interaction of selected strategies of opponents in a
15.	In linear programming represents		game is called:
	mathematical equation of the limitations		
	imposed by the problem:		(A) income
	(A) objective function		(B) profit
	(B) decision variables		(C) payoff
	(C) constraints		(D) gains
	(D) opportunity cost	20.	A situation in a game, where in the
16.	The outgoing variable row in the simplex		payoff matrix, maximum of row is equal
	algorithm is called:		to minimax of column is called:
	(A) outgoing row		(A) centre point
	(B) key row		(B) saddle point
	(C) interchanging row		(C) main point
	(D) basic row		(D) equal point
17.	In simplex; a maximization problem is	21.	Operations Research techniques are in
	optimsi when all Della J, i.e. $C_j - Z_j$		nature :
	values are :		(A) qualitative
	(A) either zero or positive		_
	(B) either zero or negative		(B) quantitative
	(C) only positive		(C) judgmental
	(D) only negative		(D) subjective

(4)

Set-C

22.	Operations Research (OR), which is a	26.	Operations Research cannot give perfect
	very powerful tool for		to problems.
	(A) Research		(A) Answers
	(B) Decision-making		(B) Solutions
	(C) Operations		(C) Both (A) and (B)
	(D) None of the above		(D) Decisions
23.	The term 'Operations Research' was	27.	In models, everything is
	coined in the year		defined and the results are certain.
	(A) 1950		(A) Deterministic
	(B) 1940		(B) Probabilistic
	(C) 1978		(C) Both (A) and (B)
	(D) 1960		(D) None of the above
24.	This innovative science of Operations	28.	Which models are obtained by enlarging
	Research was discovered during		or reducing the size of the item?
	(A) Civil War		(A) Iconic Models
	(B) World War I		
	(C) World War II		(B) Analogue Models
	(D) Industrial Revolution		(C) Symbolic Models
25.	Operations Research was known as an		(D) None of the above
	ability to win a war without really going	29.	are the representation of
	into a		reality.
	(A) Battlefield		(A) Models
	(B) Fighting		(B) Phases
	(C) War		(C) Both (A) and (B)
	(D) Both (A) and (B)		(D) None of the above

30.	are called mathematical	34.	Any column or row of a simplex table is
	models.		called a
	(A) Iconic Models		(A) Vector
	(B) Analogue Models		(B) Key column
	(C) Symbolic Models		(C) Key row
	(D) None of the above		(D) None of the above
31.	The objective functions and constraints	35.	As for maximization in assignment
	are linear relationship between		problem, the objective is to maximize the
	(A) Variables		·
	(B) Constraints		(A) Profit
	(C) Functions		(B) Optimization
	(D) All of the above		(C) Cost
			(D) None of the above
32.	All the parameters in the linear	36.	If there are more than one optimum
	programming model are assumed to		solution for the decision variable the
	be		solution is
	(A) Variables		(A) Infeasible
	(B) Constraints		(B) Unbounded
	(C) Functions		(C) Alternative
	(D) None of the above		(D) None of the above
33.	Graphical method can be applied to solve	37.	For analyzing the problem, decision
	a LPP when there are only		makers should normally study:
	variable.		, ,
	(A) One		(A) Its qualitative aspects
	(B) More than one		(B) Its quantitative aspects
	(C) Two		(C) Both (A) and (B)
	(D) Three		(D) Neither (A) nor (B)

38.	The word 'Linear' means that the 41	. Once the initial basic feasible solution
	relationships are represented by	has been computed, what is the next step
	·	in the problem ?
	(A) Diagonal lines	(A) VAM
	(B) Curved lines	(B) Modified distribution method
	(C) Straight lines	(C) Optimality test
	(D) Slanting lines	(D) None of the above
39.	The word 'programming' means taking 42	. Optimal solution is a feasible solution
	decisions	(not necessarily basic) which minimizes
	(A) Systematically	the
	(B) Rapidly	(A) Time taken
	(C) Slowly	(B) Partial cost
	(D) Instantly	(C) Total cost
40.	If the total supply is less than the total	(D) None of the above
	demand, a dummy source (row) is 43	. If demand is lesser than supply, then
	included in the cost matrix	dummy demand node is added to make it
	with	a
	(A) Dummy Demand	(A) Simple problem
	(B) Dummy Supply	(B) Balanced problem
	(C) Zero Cost	(C) Transportation problem
	(D) Both (A) and (B)	(D) None of the above

(7)

Set-C

44.	Any feasible solution to a transportation	48.	An optimization model:
	problem containing $m$ origins and $n$		(A) Mathematically provides the best
	destinations is said to be		decision
	(A) Independent		(D) Duranidas desision mithin its limited
	(B) Degenerate		(B) Provides decision within its limited
	(C) Non-degenerate		context
	(D) Both (A) and (B)		(C) Helps in evaluating various
45.	An optimum solution is considered the		alternatives constantly
	among feasible solutions.		(D) All of the above
	(A) Worst		
	(B) Best	49.	Who developed Linear Programming for
	(C) Ineffective		the purpose of scheduling the
	(D) None of the above		complicated procurement activities of the
46.	All the constraints are expressed as		United States Air Force ?
	equations and the right hand side of each		(A) George B. Dantzig
	constraint and all variables are non-		(B) James B. Dantzig
	negative is called		
	(A) Canonical variable		(C) George B. Dante
	(B) Canonical form		(D) George V. Dantzig
	(C) Canonical solution	50	Which theory concerns making sound
	(D) Both (A) and (B)	50.	Which theory concerns making sound
47.	What are the main questions before a		decisions under conditions of certainty,
	production manager ?		risk and uncertainty?
	(A) Which commodity/commodities to		(A) Game Theory
	produce		(B) Network Analysis
	(B) In what quantities		(C) Decision Theory
	(C) By which process or processes		•
	(D) All of the above		(D) None of the above

(8)

Set-C

51.	Operations Research approach	54.	For any primal problem and its
	is		dual
	(A) Scientific		(A) optimal value of objective function
	(B) Intuitive		is same
	(C) Collect essential data		(B) dual will have an optimal solution
	(D) Multidisciplinary		iff primal does too  (C) primal will have an optimal
52.	A feasible solution to a linear		solution iff dual does too
	programming problem		(D) both primal and dual cannot be
	(A) must satisfy all the constraints of		infeasible
	the problem simultaneously	55.	The difference between total float and
	(B) need not satisfy all of the		head event slack is
	constraints, only some of them		(A) free float
	(C) must be a corner point of the		(B) independent float
	feasible region		(C) interference float
	(D) must optimize the value of the		(D) linear float
	objective function	56.	An optimal assignment requires that the
53.	If any value in XB column of final		maximum number of lines which can be drawn through squares with zero
	simplex table is negative, then the		opportunity cost should be equal to the
	solution is		number of
	(A) infeasible		(A) rows or columns
	(B) feasible		(B) rows and columns
	(C) bounded		(C) rows + columns – 1
	(D) no solution		(D) rows – columns

BCO	MH-40	003 (10	)	Set-C
	(D)	server in the system		(D) surplus variable
	(C)	customers in the system		(C) slack variable
	(B)	servers behavior		(B) opportunity cost
	(A)	customers behavior		(A) shadow cost
	is ch	aracterized by		called
J <b>J.</b>		1 0 1	63.	The non-basic variables are
59.	Same	ice mechanism in a queuing system		
	(D)	Stock out cost is never permitted.		(C) $m-n$ (D) $m/n$
		cost.		(B) $m+n$
	(C)	Total ordering cost equals holding		(A) mn
		Quantity is doubled.		is
		constant, the Economic Order		constraints in the dual problem
		other parameters remaining		and $m$ variables, then the number of
	(B)	If annual demand doubles with all	62.	If the primal problem has $n$ constraints
		paid by the buyer is minimum.		(D) feasible solution
	(A)	EOQ is that quantity at which price		(C) basic solution
58.	Selec	ct the correct statement :		(B) objective function
				(A) constraints
	, ,	n-2		are called:
	(C)	2n - 1	61.	In an Linear Programming Problem functions to be maximized or minimized
	(B)	n-1		
	(A)	n		interruption and conflicts  (D) maximize total project duration
	adde	ed are		(C) minimize production delays,
	num	ber of dummy allocations need to be		(B) minimize toal project cost
	solvi	ing an transportation problem, the		(A) minimize total project duration
	Distr	ribution method algorithm for		to
57.	To	proceed with the Modified	60.	The objective of network analysis is

64.	Key element is also known	68.	The assignment algorithm was developed
	as		by method.
	(A) slack		(A) Hungarian
	(B) surplus		(B) Vogel's
	(C) artificial		(C) Modi
	(D) pivot		(D) Traveling Salesman
65.	The solution to a transportation problem	69.	An assignment problem is a particular
	with $m$ -sources and $n$ -destinations is	0).	case of
	feasible if the numbers of allocations		
	are		(A) transportation problem
	(A) $m+n$		(B) assignment problem
	(B) <i>mn</i>		(C) travelling salesman problem
	(C) $m-n$		(D) replacement problem
	(D) $m + n - 1$	70.	The coefficient of slack\surplus variables
66.	The allocation cells in the transportation		in the objective function are always
	table will be called cell.		assumed to be
	(A) occupied		
	(B) unoccupied		(A) 0
	(C) no		(B) 1
	(D) finite		(C) M
67.	To resolve degeneracy at the initial		(D) – M
	solution, a very small quantity is		
	allocated in cell.	71.	Using method, we can never
	(A) occupied		have an unbounded solution.
	- · · · · · · · · · · · · · · · · · · ·		(A) Simplex
	(B) unoccupied		(B) Dual simplex
	(C) no		(C) Big-M
	(D) finite		(D) Modi

72.	The customers of high priority are given	76.	The number of time estimates involved
	service over the low priority customers		in Program Evaluation Review
	is		Technique problem is
	(A) Pre-emptive		(A) 1
	(B) FIFO		(B) 2
	(C) LIFO		(C) 3
	(D) SIRO		, ,
73.	A queuing system is said to be a		(D) 4
	when its operating	77.	The assignment problem is always a
	characteristic are independent upon time.		matrix.
	(A) pure birth model		(A) circle
	(B) pure death model		(B) square
	(C) transient state		(C) rectangle
	(D) steady state		(D) triangle
74.	An activity which does not consume	78.	The slack variables indicate
	neither any resource nor time is known		(A) excess resource available.
	as		(B) shortage of resource
	(A) predecessor activity		(C) nil resource
	(B) successor activity		(D) idle resource
	(C) dummy activity	79.	If the net evaluation corresponding to
	(D) activity	19.	
75.	The difference between total and free		any non-basic variable is zero, it is an indication of the existence of an
73.	float is		
			(A) initial basic feasible solution
	(A) total		. ,
	(B) free		(B) optimum basic feasible solution
	(C) independent		(C) optimum solution
	(D) interference		(D) alternate optimum solution

80.	Mathematical model of linear	83.	Any solution to a Linear Programming
	programming problem is important		Problem which also satisfies the non-
	because		negative notifications of the problem
	(A) it helps in converting the verbal		has
	description and numerical data into mathematical expression.		(A) solution
	(B) decision makers prefer to work		(B) basic solution
	with formal models.		(C) basic feasible solution
	(C) it captures the relevant relationship		(D) feasible solution
	among decision factors.  (D) it enables the use of algebraic technique.	84.	A Linear Programming Problem have optimal solution.
81.	When the total demand is equal to		(A) 1
	supply, then the transportation problem is		(B) 2
	said to be		(C) more than 1
	(A) balanced		(D) more than 2
	(B) unbalanced	0.5	
	(C) maximization	85.	If an artificial variable is present in the
	(D) minimization		basic variable column of optimal simplex
82.	For finding an optimum solution in		table, then the problem has
	transportation problem method		solution.
	is used.		(A) alternative
	(A) Simplex		(B) no
	(B) Big-M		(C) bounded
	(C) Modi		
	(D) Hungarian		(D) infeasible

86.	The dummy source or destination in	89.	All the basis for a transportation problem
	a transportation problem is added		is
	to		(A) square
	(A) satisfy rim conditions		(B) rectangle
	(B) prevent solution from becoming degenerate		(C) diagonal
			(D) triangle
	(C) ensure that total cost does not	90.	In the transportation table, empty cells
	exceed a limit		will be called
	(D) the solution not be degenerate		(A) occupied
			(B) unoccupied
87.	The problem of replacement is felt when		(C) no
	job performing units fail		(D) finite
	(A) suddenly and gradually	91.	is a completely degenerate
	(B) gradually		form of a transportation problem.
	(C) suddenly		(A) Transportation Problem
	(D) neither gradually nor suddenly		(B) Assignment Problem
88.	A feasible solution of an Linear		(C) Travelling Salesman Problem
			(D) Replacement Problem
	Programming Problem that optimizes the	92.	The linear function to be maximized or
	objective function is called		minimized is called function.
	(A) basic feasible solution		(A) injective
	B) optimum solution		(B) surjective
	(C) feasible solution		(C) bijective
	(D) solution		(D) optimal
			=

93.	The coefficient of an artificial variable in	97.	What type of distribution does a time
	the objective function of penalty method		follow in program evaluation review
	are always assumed to be:		technique model ?
	(A) 0		(A) Poisson
			(B) Exponential
	(B) 1		(C) Normal
	(C) M		(D) Chi-square
	(D) –M	98.	A activity in a network diagram is said to
94.	The process that performs the services to the customer is known as:		be if the delay in its start
			will further delay the project completion
	the customer is known as .		time.
	(A) queue		(A) critical
	(B) service channel		(B) critical path
	(C) customers		(C) crash
	(D) server		(D) non-critical
95.	A quanting system is said to be a	99.	The total opportunity cost matrix is
93.	A queuing system is said to be a		obtained by doing
	when its operating characteristic are		(A) row operation on row opportunity
	dependent upon time.		cost matrix
	(A) pure birth model		(B) column operation on row
	(B) pure death model		opportunity cost matrix
	(C) transient state		(C) column operation on column
			opportunity cost matrix
	(D) steady state		(D) None of the above
96.	Slack is also known as	100.	The Simplex method is also called
	(A) float		the
			(A) Dual simplex method
			(B) Modi method
	(C) activity		(C) Simplex technique
	(D) path		(D) Big-M method

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

# Example:

# Question:

Q.1 (A) (C) (D)
Q.2 (A) (B) (C) (D)
Q.3 (A) (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

# उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।