Roll No	 				Question Booklet Number
O. M. R. Serial No.					

M. Sc. (Biochemistry) (Second Semester) EXAMINATION, July, 2022

PLANT BIOCHEMISTRY

Paper Code					
BCH	2	0	0	3	

Questions Booklet Series

A

[Maximum Marks : 100

Time: 1:30 Hours]

Instructions to the Examinee:

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- 3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा
 OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण
 प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या
 प्रश्न एक से अधिक बार छप गए हों या उसमें किसी
 अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Remaining instructions on the last page)

(Only for Rough Work)

1.	The number of photons needed for the	5	5. To	produce 3 glucose molecules
	evolution of one molecule of oxygen is:			ATP and NADPH ₂
	(A) 8		mol	ecules are required.
	(B) 2			-
	(C) 12		(A)	54, 36
	(D) 18		(B)	54, 30
2.	During light phase of photosynthesis		(C)	36, 60
	is oxidized and is		(D)	18, 12
	reduced.	6	5. Dic	ot which follows C ₄ pathway is
	(A) CO ₂ and Water). Dic	ot which follows C4 pathway is
	(B) Water and CO ₂			·
	(C) Water and NADP		(A)	Wheat
	(D) NADPH ₂ and CO ₂		(B)	Amranthus
	2 2		(C)	Maize
3.	During dark phase of photosynthesis is oxidized and is		(D)	Mango
	reduced.	7	. Wh	ich reaction is catalysed by the
	(A) CO ₂ and Water		enz	yme RuBisCO ?
	(B) Water and CO ₂		(A)	Carboxylation of ribulose
	(C) Water and NADP			bisphosphate (RuBP)
	(D) NADPH ₂ and CO ₂		(B)	Conversion of triose phosphate
4.	The visible product of photosynthesis is		·	(TP) to ribulose phosphate (RuP)
	·		(C)	Oxidation of glycerate-3-phosphate
	(A) glucose		, ,	(GP)
	(B) cellulose		(D)	
	(C) starch		(D)	Reduction of glycerate-3-
	(D) fructose			phosphate (GP)
всн-	2003	(3)		Set-A

всн	-2003	(4	.)	(D) Synthesis of ATP Set-A
	(C) (D)	CO ₂ , ATP, NADPH ₂ NADPH ₂ , H ₂ O, CO ₂		(C) Photoexcitation of chlorophyll
	(B)	ATP, H ₂ O, NADPH		(B) Production of NADPH ₂
				(A) Photolysis of water
11.	(A)	H_2O, CO_2, ATP	15.	In photosynthesis, the first step is:
11.	The	prerequisities of Calvin's cycle are:		(D) RUDP
	(D)	Sugarcane plant		(C) PGA
	(C)	Pea plant		(B) OAA
	(B)	Mango plant		(A) PGAL
	(A)	C ₃ plant		is:
	prob	ably it would be :	14.	
	show	ving photosynthesis with normal rate,		(2) I notophosphorylation
10.	Tem	perature is very high but a plant is		(D) Photophosphorylation
	(D)	All of the above		(C) Photosystem
	(C)	ATP		(A) Photolysis cluster(B) Photoreaction centre
	(B)	$NADPH + H^{+}$		
	(A)	O_2		molecules around a molecule of chlorophyll-a?
	in fo	rmation of		several hundred accessory pigment
9.	Ligh	t reaction of photosynthesis results	13.	Ç
	` '	photosynthesis		(D) Photophosphorylation
	(D)	there are light and dark reaction in		(C) PS-II
	(C)	photorespiration		(B) PS-I
	(B)	plant photophosphorylation		(A) Photolysis
	(A)	concept of two photosystems in		of light ?

12. Which is sensitive to longer wavelength

Emerson effect proves :

8.

16.	Which of the following is not a naturally	20.	is a gaseous plant hormone.
	occurring auxin?		(A) IBA
	(A) Indole 3-acetic acid (IAA)		(B) Ethylene
	(B) Indole 3-butyric acid (IBA)		(C) Abscisic acid
	(C) Phenyl acetic acid (PAA)		(D) NAA
	(D) 2, 4-D	21.	Transport of auxin is:
17.	Name the stress hormone of the plant :		(A) non-polar
	(A) Brassinosteroid		(B) symplast
	(B) Abscissic acid		(C) apoplast
	(C) Cytokines		(D) polar
	(D) Ethylene	22	
18.	Which of the following hormones is	22.	The leaf defoliator utilized in the
	responsible for fruit ripening?		Vietnam war by the U.S.A. known as
	(A) IBA		"Agent Orange" was :
	(B) NAA		(A) 2, 4-D and 2, 4, 5-T
	(C) Abscissic acid		(B) Ethylene
	(D) Ethylene		(C) 2, 4-D and NAA
19.	Indole-3-acetic acid is the most common		(D) 2, 4, 5-T, ethylene and NAA
	naturally occurring plant hormone of	23.	Which of the following is not the
	class.		component of water potential?
	(A) Gibberellin		(A) Osmotic potential
	(B) Auxin		(B) Pressure potential
	(C) Ethylene		(C) Gravitational potential
	(D) Cytokinin		(D) Assimilation potential

(5)

Set-A

24.	Which of the following is not the	28.	Which of the following is not the class of
	development zone of developing roots?		secondary metabolite ?
	(A) Radical zone		
	(B) Meristematic zone		(A) Amino acids
	(C) Elongation zone		(B) Terpenes
	(D) Maturation zone		(C) Phenolics
25.	Name of the protein, which is involved in		(c) Thenones
	the transfer of water across the cellular		(D) Alkaloids
	membrane ?	29.	How many isoprene units are there in
	(A) Keratin		•
	(B) Alanine		sesquiterpenes ?
	(C) Arginine		(A) 1
	(D) Aquaporin		(B) 2
26.	Name the term given to the movement of		(C) 3
	water against gravitational force, from		
	root to the aerial parts of the plant:		(D) 8
	(A) Ascent of sap	30.	Name the class of secondary metabolites
	(B) Root pressure	50.	Traine the class of secondary metabolites
	(C) Radial movement		which is characterized by the presence of
	(D) Field capacity		the hydroxyl group with an aromatic
27.	Metabolic intermediates found in living		ring:
	system which are essential for growth		(A) Glycosides
	and life is called		(11) Cipeosides
	(A) Saponins		(B) Phenolics
	(B) Tannins		(C) Alkaloids
	(C) Secondary metabolites		(D) Terpenes
	(D) Primary metabolites		(D) Terpenes

(6)

Set-A

- 31. Name the phenolic compound present in tea:
 - (A) Flavonoids
 - (B) Lignans
 - (C) Stilbene
 - (D) Neolignans
- 32. This major secondary class of metabolites is among the most pharmacologically active compounds dramatic (many have physiological effects humans) examples on are morphine, cocaine and caffeine:
 - (A) Alkaloids
 - (B) Terpenoids
 - (C) Terpenes
 - (D) Phenolics
- 33. Created through the mevalonic acid pathway; they are composed of isoprene units:
 - (A) Alkaloids
 - (B) Terpenoids
 - (C) Phenolics
 - (D) None of the above

- 34. Created through the shikimic acid pathway; it contains a hydroxyl group attached to an aromatic ring:
 - (A) Alkaloids
 - (B) Terpenoids
 - (C) Phenolics
 - (D) None of the above
- 35. They are modifications of amino acids; they are nitrogenous compounds that are bases:
 - (A) Alkaloids
 - (B) Terpenoids
 - (C) Phenolics
 - (D) None of the above
- 36. Nodulation and the development of an anaerobic environment to facilitate nitrogen fixation is characteristic of which genus:
 - (A) Agrobacterium
 - (B) Escherichia
 - (C) Frankia
 - (D) Rhizobium

- 37. The function of Leghaemoglobin in root nodules in rhizobium legume symbiosis is:
 - (A) to transport oxygen to the nodule formation.
 - (B) to transport nitrogen to the nodule bacterium.
 - (C) to protect the nodule bacterium.
 - (D) to protect the nitrogenase in the nodule bacterium.
- 38. Which of the following genera synthesizes Nod factors in order to activate a plant to allow development of an infection thread?
 - (A) Agrobacterium
 - (B) Escherichia
 - (C) Frankia
 - (D) Rhizobium
- 39. In a young plant, the most active meristems are the :
 - (A) Apical meristems (at stem and root tips)
 - (B) Intercalary meristems
 - (C) Lateral meristems
 - (D) None of the above

- 40. The large vacuoles in plant cells are surrounded by a membrane is known as :
 - (A) apoplast
 - (B) symplast
 - (C) tonoplast
 - (D) protoplast
- 41. The osmotic driving force for water uptake by vacuole, which is required for plant cell enlargement is provided by :
 - (A) active solute accumulation
 - (B) gravitational pull
 - (C) hydrolytic enzymes
 - (D) protein bodies
- 42. Which one of the following is a nitrogen fixing species?
 - (A) Cyanobacteria
 - (B) Azotobacter
 - (C) Rhizobium
 - (D) All of the above

- 43. Number of ATPs required to convert

 1 molecule of nitrogen into 2 molecules
 of ammonia:
 - (A) 6
 - (B) 8
 - (C) 12
 - (D) 16
- 44. Nitrogen fixation is carried out by the enzyme:
 - (A) Ammonia synthetase
 - (B) Ammonia synthase
 - (C) Nitrogenase complex
 - (D) All of the above
- 45. Which of the following is incorrect regarding the 'quiescent zone'?
 - (A) cell division proceeds very slowly or not at all.
 - (B) cells are capable of resuming meristematic activity.
 - (C) cells divide very rapidly.
 - (D) region is located in apical portion of root tip.

- 46. The identity of isolated cell components (organelles) is checked by which of the following?
 - (A) density gradient centrifugation
 - (B) marker enzymes
 - (C) homogenization
 - (D) differential centrifugation
- 47. In a plant cell, the first wall laid down at the end of cell division is known as:
 - (A) Primary cell wall
 - (B) Secondary cell wall
 - (C) Phragmoplast
 - (D) Cellulose microfibrils
- 48. The channels in cell walls of plant cells that connect cytoplasms of adjacent cells are known as:
 - (A) Gap junctions
 - (B) Middle lamella
 - (C) Plasmotubule
 - (D) Plasmodesmata

49. Plant cell wall is made up of: 52. The rupture and fractionation do not usually occur in the water column in (A) Cellulose, hemicelluloses and vessel/tracheids during ascent of sap pectin because of: (B) Cellulose only Cohesion and Adhesion (A) (C) Cellulose, hemicelluloses and (B) Transpiration pull Lignified thick walls (C) chitin Weak gravitational pull (D) Cellulose and chitin Root pressure occurs when there is: 53. 50. Secondary wall increases by: (A) Less transpiration and less Lignification (A) absorption (B) Growth (B) More transpiration and more absorption (C) Saponification transpiration (C) Less and more Calcification (D) absorption Which pathway involves cell wall and (D) More transpiration and 51. less absorption intercellular spaces? 54. The water potential of pure water is: Phragmoplast pathway (A) (A) less than zero (B) Protoplast pathway (B) more than zero, but less than one (C) Symplast pathway (C) zero (D) Apoplast pathway (D) more than one

(10)

Set-A

- 55. Transpiration and root pressure cause water to rise in plants by:
 - (A) pulling and pushing it, respectively
 - (B) pushing and pulling it, respectively
 - (C) pulling it upward
 - (D) pushing it upward
- 56. In the pathway for water uptake by roots, the apoplast pathway is blocked at the:
 - (A) cortex
 - (B) phloem
 - (C) lignified cell wall
 - (D) endodermis by casparian strips
- 57. Movement that is aided by cytoplasmic streaming and occurs from cell to cell through plasmodesmata is called:
 - (A) apoplast
 - (B) symplast
 - (C) active transport
 - (D) translocation

- 58. Which of the following statements is correct?
 - (A) Unlike water, all minerals cannot be passively absorbed by roots.
 - (B) Most of minerals enter the root by active transport.
 - (C) Ions are absorbed from soil both by active and passive transport.
 - (D) All of the above
- 59. A pressure that is responsible for pushing up water to a small height in the stem is called:
 - (A) positive root pressure
 - (B) turgor pressure
 - (C) pressure gradient
 - (D) negative root pressure
- 60. The most powerful deterrent to insect feeding limonoid 'azadirachtin' isolated from neem tree belongs to which category of secondary metabolite?
 - (A) Terpenes
 - (B) Phenolics
 - (C) Alkaloids
 - (D) None of the above

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q.1 (A) (C) (D)
Q.2 (A) (B) (C) (D)
Q.3 (A) (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।