Roll No	 				Question Booklet Number
O. M. R. Serial No.					

M. Sc. (Biochemistry) (Fourth Semester) EXAMINATION, July, 2022 (Elective)

INDUSTRIAL BIOCHEMISTRY

Paper Code					
BCH	4	0	0	3	(A)

Questions Booklet Series

B

[Maximum Marks : 100

Time: 1:30 Hours]

Instructions to the Examinee:

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश:

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- 3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा
 OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण
 प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या
 प्रश्न एक से अधिक बार छप गए हों या उसमें किसी
 अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

1.	Which of the following involves the	5.	Tobacco and tea leaves are fermented to
	formation of nitrate from ammonia:		give flavor and taste. This type of
	(A) Ammonification		fermentation is known as:
	(B) Dentirification		(A) Alcohol fermentation
	(C) Nitrification		(B) Curing
	(D) Nitrogen fixation		(C) Degradation
2.	One of the standard cloning vectors		(D) Lactic acid fermentation
	widely used in gene cloning is:	6.	Vinegar fermentation involves :
	(A) Ti plasmid		(A) Yeasts only
	(B) EMBL 3		(B) Yeasts with lactic bacteria
	(C) pBR 322		(C) Yeasts with acetic acid bacteria
	(D) EMBL 4		(D) Yeasts with butyric acid bacteria
3.	In alcoholic fermentation, CO ₂ is evolved during:	7.	By-product of acetone-butanol
	(A) Decarboxylation of pyruvic acid(B) Formation of acetaldehyde(C) Oxidation of acetaldehyde		fermentation include: (A) Riboflavin (B) Penicillin (C) Isopropanol
	(D) Both (A) and (B)		(D) All of the above
4.	In the industrial production of streptomycin, the secondary metabolite or byproducts is:	8.	Transgenic animals are for improvement of the quality of:
	(A) Vitamin B ₁₂		(A) Milk
	(B) Vitamin C		(B) Meat
	(C) Vitamin B ₆		(C) Eggs
	(D) Ethanol		(D) All of the above

(3)

Set-B

9.	Ther	mal resistant bacteria are important	13.	То	differentiate la	ctose a	and non-
	in th	e preservation of foods by :		lacto	se fermenters,	the	medium
	(A)	Freezing		used	ic		
	(B)	Canning		useu	18 .		
	(C)	Chemicals		(A)	MacConkey's me	edium	
	(D)	Irradiation		(B)	Stuart's medium		
10.	The	fungus used in the industrial		(C)	Sugar medium		
	prod (A)	uction of citric acid: Rhizopus oryzae		(D)	Citrate medium		
	(B)	Fusarium moniliforme	14.	Strep	otokinase is also te	rmed as	:
	(C)	Rhizopus nigricans		(A)	Fibrinolysin		
	(D)	Aspergillus nigricans		(D)	C + 1		
11.	Peni	cillin is commercially produced by:		(B)	Catalase		
	(A)	P. notatum		(C)	Coagulase		
	(B)	P. chrysogenum		(D)	Hyaluronidase		
	(C)	P. citrinum					
	(D)	P. roqueforti	15.	Strep	otokinase is produc	ced by:	
12.	Batc	h fermentation is also called:		(A)	Staphylococcus a	aureus	
	(A)	Closed system		(B)	Streptococcus pn	eumonia	e
	(B)	Open system		(C)	Str. faecalis		
	(C)	Fed-Batch system		(0)	z jacomis		
	(D)	Sub-merger system		(D)	Str. pyogenes		

(4)

Set-B

16.	Large	e vessel containing all the parts and	19.	Over	heating	of	fermenter	during
	cond	ition necessary for the growth of		ferm	entation is	contr	olled by :	
	desir	ed microorganisms is called:		(A)	Cooling	jacket		
	(A)	Bio-reactor		(B)	Steam			
	(B)	Auto reactor		(C)	Cool air			
	(C)	Impeller		(D)	None of	the ab	ove	
	(D)	None of the above	20.	Antif	foam agen	t is:		
				(A)	Silicon c	ompo	und	
17.	For	thorough mixing of medium and		(B)	Corn oil			
	inocu	alum the part of fermenter useful is:		(C)	Soybean	oil		
	(A)	Shaft		(D)	All of the	e abov	re	
	(B)	Headspace	21.	The o	capacity o	f laboı	ratory fermer	nters is:
	(C)	Impeller		(A)	12–15 lit	re		
	(D)	Sparger		(B)	2000 gal	lons		
				(C)	500 litres	S		
18.	In fe	rmenter the top portion left without		(D)	10000 ga	allons		
	broth	is called:	22.	Diffe	erent meth	ods o	f strain impr	ovement
	(A)	Shaft		are:				
	(B)	Head space		(A)	Protopla	st fusi	on	
	(C)	Impeller		(B)	Recombi	nant I	ONA technique	ue
	(C)	Impener		(C)	Genetic 1	recom	bination	
	(D)	Sparger		(D)	All of the	e abov	re	

(5)

Set-B

23.	The purification and recovery of the	27.	Pectinase is industrially produced from:
	production after fermentation is called:		(A) S. cerevisiae
	(A) Upstream process		(B) Trichoderma koningii
	(B) Downstream process		(C) A. niger
	(C) Surface fermentation		(D) None of the above
	(D) None of the above		
24.	Submerged fermentations are :	28.	Cellulose are produced from:
	(A) Batch fermentation		(A) S. cerevisiae
	(B) Continuous fermentation		(B) Trichoderma koningii
	(C) Both (A) and (B)		(C) A. niger
	(D) None of the above		(D) None of the above
25.	If more than one microorganism is used	29.	The penicillin produced in large scale
	to obtain the required product, that type		submerged fermentations is:
	of fermentation is called:		(A) Penicillin-A
	(A) Batch		(B) Penicillin-D
	(B) Continuous		(B) Penicillin-D
	(C) Dual		(C) Penicillin-G
	(D) Fed-batch		(D) None of the above
26.	Methods used to get immobilized	30.	Which one of the following is not a
	enzymes :		monosaccharide sugar :
	(A) Adsorption		(A) glucose
	(B) Encapsulation		(B) sucrose
	(C) Covalent bonding		(C) fructose
	(D) All of the above		(D) galactose

(6)

Set-B

всн-	4003(/	A) (7)			Set-B
	(D)	vitamins and minerals		(D)	potassium
	(C)	glycerol units		(C)	clorine
	(B)	monosaccharides and disaccharides		(B)	fluorine
	(A)	amino acids		(A)	iodine
34.	Prote	eins are made up of :		to he	lp reduce tooth decay?
	, ,			often	added to the water supply in order
	(D)	Sugar	38.	Whic	ch one of the following minerals is
	(C)	Butter		(D)	liver
	(B)	Cheese		(C)	milk
	(A)	Meant		(B)	eggs
	conta	ains fat ?		(A)	meat
33.	Whic	ch one of the following does not		good	source of iron ?
	(D)	oxidise	37.	Whic	ch of the following foods is not a
	(C)	gelatinize		(D)	K
	(B)	coagulate		(C)	thiamin
	(A)	caramelize		(B)	retinol
	cond	itions it may :		(A)	D
32.	Whe			disso	lves in water ?
	, ,		36.	Whic	ch one of the following vitamins
	(D)	water		(D)	boiling an egg
	(C)	protein		(C)	whipping cream
	(B)	fat		(B)	making yoghurt
	(A)	carbohydrate		(A)	frying chips
	nutri	ent:		takin	g place :
	great	test energy value per gram of		proce	esses does not rely on coagulation
31.	Whic	ch one of the following provides the	35.	Whic	ch one of the following cooking

39.	Myoglobin, when combined with oxygen,	42.	Which of the following has a minimum
	as in freshly-cut piece of red meat, will		fat content of 55 percent?
	be:		(A) whipped cream
			(B) single cream
	(A) pink		(C) double cream
	(B) brown		(D) clotted cream
	(C) bright red	43.	Which of the following types of cheese is
	(D) dark red		characterized by mould growth on the
40	Which of the following is likely to		surface?
40.	Which of the following is likely to		(A) Brie
	deteriorate in quality the quickest if not		(B) Gruyere
	frozen or preserved in some other way?		(C) Stilton
	(A) chicken		(D) Cheddar
	(B) kidney	44.	Which of the following does not involve
	(C) pork		micro-organisms as an essential part of its
	(D) herring		production ?
			(A) butter
41.	Which of the following describes the		(B) margarine
	process by which fat droplets are		(C) yoghurt
	dispersed in milk to prevent a cream layer		(D) camembert
	forming?	45.	A suitable temperature for the storage of
	(A) homogenization		most vegetables is:
	(B) hydrogenation		(A) 0°C
			(B) 5°C
	(C) pasteurization		(C) 15°C
	(D) holder process		(D) 20°C

- 46. Which of the following microorganisms produces dextran?
 - (A) Bacillus polymyxa
 - (B) Bacillus thuringiensis
 - (C) Leuconostoc mesenteroides
 - (D) Streptomyces olivaceus
- 47. What is the sequence in which organic compounds are used by the body during prolonged fasting?
 - (A) Carbohydrates first, proteins and then lipids
 - (B) Carbohydrates first, lipids and then proteins
 - (C) Proteins first, lipids and then carbohydrates
 - (D) Fats first, carbohydrates and then proteins
- 48. Which of the following carbohydrates are manly present in whey?
 - (A) Glucose
 - (B) Lactose
 - (C) Fructose
 - (D) Sucrose
- 49. Which vitamin is most likely to be lost from stewing beef if it is boiled for a long time?
 - (A) Vitamin A
 - (B) Nicotinic acid
 - (C) Vitamin C
 - (D) Vitamin D

- 50. Which of the following raw materials are important for the production of glutamic acid?
 - (A) Glycerol
 - (B) Corn-steep liquor
 - (C) Tryptone
 - (D) Biotin
- 51. Which of the following yeast is used for the production of riboflavin?
 - (A) Saccharomycces cerevisiae
 - (B) Eremothecium ashbyi
 - (C) Saccharomyces rouxii
 - (D) Candida utilis
- 52. Which of the following products utilize whey as its raw material?
 - (A) Lactic acid
 - (B) Acetic acid
 - (C) Glutamic acid
 - (D) Lysine
- 53. First genetically engineered and biotechnologically produced vaccine was against:
 - (A) Small pox
 - (B) AIDS
 - (C) Herpes simplex
 - (D) Hepatitis B

54.	The best medium for the production of	57.	Pyruvate decarboxylase acetaldehyde +
	Penicillin is :		CO_2 = This reaction is specially observed
			in:
	(A) Nutrient agar		(A) Lactic acid fermenters
	(B) Corn steep liquor		(B) Ethanol fermenters
	(0) 0.10		(C) Algae
	(C) Sulfite waste liquor		(D) Plants
	(D) Whey	58.	The pyruvate, dehydrogense \rightarrow
55.	Industrially important Antibiotic		multienzyme complex does not occur in:
33.	Industrially important Antibiotic		(A) Aerobic bacteria
	producing organisms shall be isolated		(B) Microphilic bacteria
	by:		(C) Facultative anaerobic bacteria
			(D) Strictly anaerobic bacteria
	(A) Disk plate method	59.	A major ingredient of penicillin
	(B) Direct plate method		production media is :
	(C) Serial dilution method		(A) Corn meal
	(D) Crowded plate method		(B) Corn steep liquor
	(2) ere note plate incline		(C) Cane steep liquor
56.	Industrial alcohol will be produced by		(D) None of the above
	using starter culture :	60.	The outstanding example of
	using summer contine .		traditional microbial fermentation product
	(A) Top yeast		is:
	(B) Middle yeast		(A) Vinegar
			(B) Penicillin
	(C) Bottom yeast		(C) Citric acid
	(D) Feeder yeast		(D) Tetracyclin

(10)

Set-B

(Only for Rough Work)

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q. 1 (A) (C) (D) (Q. 2 (A) (B) (D) (D)

Q.3 $\stackrel{\frown}{(A)}$ $\stackrel{\frown}{(C)}$ $\stackrel{\frown}{(C)}$

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।