Roll No										
O. M. R. Serial No.										



EXAMINATION, July, 2022

(Elective)

HUMAN GENETICS

Paper Code						
BCH	4	0	0	3	(B)	

Time : 1:30 Hours

Instructions to the Examinee :

- Do not open the booklet unless you are 1. asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 the OMR Answer-Sheet questions in provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

Ouestions Booklet Series

Question Booklet Number

[Maximum Marks : 100

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा 1. न जाए।
- प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 2. 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतू सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा 3. OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तूरन्त बदल लें।

(Remaining instructions on the last page)

(Only for Rough Work)

- - (3)

Set-B

- 1. Haemophilia is more common in males of: because it is : Lampbrush chromosomes (A) (A) Recessive character carried by X-chromosome
 - (B) Dominant character carried by Y-chromosome
 - (C) Dominant carried trait by X-chromosome
 - (D) Recessive trait carried by Y-chromosome
- 2. Mutations are induced mostly by :
 - (A) UV radiations
 - Beta rays **(B)**
 - Alpha rays (C)
 - Gamma rays (D)
- 3. Metacentric chromosomes have :
 - (A) Unequal arms
 - Equal arms (B)
 - Only one arm (C)
 - (D) Elongated arm

- 4. Balbiani rings are structural feature
 - **(B)** Potytene chromosomes
 - (C) Allosomes
 - (D) Autosomes
- 5. The small part of chromosomes arm beyond secondary constriction is called :
 - (A) Centromere
 - Satellite **(B)**
 - Chromonemata (C)
 - (D) Kinetochore
- 6. The prevention or treatment of diseases through methods such as genetic testing, abortion of defective embryos, and germline therapy is known as :
 - Positive eugenics (A)
 - **(B)** Negative eugenics
 - **Reverse** genetics (C)
 - **Pro-eugenics** (D)

(4)

Set-B

- 7. Which of the following women is the legal mother of a child ?
 - (A) A woman who commissions a surrogate where the surrogate uses that woman's egg
 - (B) A woman who commissions a surrogate where the surrogate uses her own egg
 - (C) A surrogate mother
 - (D) None of the above
- 8. Research ethics committees are :
 - (A) Committees of scientists and researchers.
 - (B) Convened by organisations to monitor the ethical standards of research projects carried out under their auspices, under their name.
 - (C) Committees of researchers concerned with ethics.
 - (D) Concerned only with research conducted in the medical and paramedical sciences.

- 9. Holandric genes are present on :
 - (A) Salivary gland chromosomes
 - (B) X-chromosomes
 - (C) Y-chromosomes
 - (D) Lampbrush chromosome
- 10. Mitochondria myopathy example :
 - (A) Leigh syndrome
 - (B) Mitochondrial DNA depletion syndrome
 - (C) Mitochondrial encephalomyopathy, lactic acidosis, and stroke-like episodes
 - (D) All of the above
- - (A) Penetrance
 - (B) Expressivity
 - (C) Imprinting
 - (D) Non-penetrance

s : Homomorphic

The functional unit of DNA undergoing

A boy with normal brother and colour-

Father normal, mother colourblind

(D) Father colourblind, mother normal

Drosophila having both male and female

(B) Homozygous

12.

13.

14.

mutation is :

Cistron

Muton

Recon

Genophore

blind sister has his parents :

Both normal

Both colourblind

(A)

(B)

(C)

(D)

(A)

(B)

(C)

trait is :

(A)

- (C) Gynandromorph
- (D) Hemizygous
- 15. Extranuclear chromosomes in eukaryotes are present in :
 - (A) All organelles
 - (B) Membraneless organelles
 - (C) Semiautonomous organelles
 - (D) Plasmids

- 16. Enzymes used to regulate de novo methylation :
 - (A) DNMT1
 - (B) DNMT3a
 - (C) DNMT3b
 - (D) Both (B) and (C)
- 17. A man receives X-chromosome from his :
 - (A) Mother
 - (B) Father
 - (C) Partially from mother and partially from father
 - (D) Either from mother or from father
- 18. Chromosome cohesion :
 - (A) established during S phase
 - (B) dissolved in metaphase
 - (C) cohesion close to the centromerefacilitates bi-orientation ofchromosomes
 - (D) All of the above

	1110	mst complete, gapless sequence of a	25.	** 111	
	human genome came through :				
	(A)	T2F consortium		(A)	F
	(B)	T3T consortium		(B)	F
	(C)	T2T consortium		(C)	
	(D)	T2Q consortium			
20.	The	chemical composition of		(D)	F
	chro	mosome is :	24.	Expr	es
	(A)	DNA, histonic protein, non-histonic		(A)	S
		protein, ions		(B)	N
	(B)	RNA, histonic protein, ions		(C)	F
	(C)	DNA, lipids, carbohydrates		(D)	(
	(D)	DNA, RNA, pectin			
			25	~	
21.	Whi	ch of these is dominant genetically?	25.	Opp	on
21.	Whie (A)	ch of these is dominant genetically ? Haemophilia	25.	Oppo (A)	
21.			25.		
21.	(A) (B)	Haemophilia	25.	(A)	(
21.	(A) (B) (C)	Haemophilia Colourblindness	25.	(A) (B)	(
21.22.	(A)(B)(C)(D)	Haemophilia Colourblindness Albinism	25.	(A) (B) (C)	C C F
	 (A) (B) (C) (D) Y-ch 	Haemophilia Colourblindness Albinism Polydactyly	25. 26.	(A) (B) (C)	C F F
	 (A) (B) (C) (D) Y-ch sex of 	Haemophilia Colourblindness Albinism Polydactyly aromosomes which determine male		 (A) (B) (C) (D) 	C F F r
	 (A) (B) (C) (D) Y-ch sex of (A) 	Haemophilia Colourblindness Albinism Polydactyly rromosomes which determine male of the individual are :		(A)(B)(C)(D)Hete	C F F r
	 (A) (B) (C) (D) Y-ch sex of (A) (B) 	Haemophilia Colourblindness Albinism Polydactyly aromosomes which determine male of the individual are : Androgen		 (A) (B) (C) (D) Hete (A) 	C F F r r r r r r
	 (A) (B) (C) (D) Y-ch sex (C) (A) (B) (C) 	Haemophilia Colourblindness Albinism Polydactyly aromosomes which determine male of the individual are : Androgen Androsome		 (A) (B) (C) (D) Hete (A) (B) 	C F F TO TO

The first complete, gapless sequence of a

- 23. Which of the following is not a site on et for alignment of sequence pairs ?
 - **BLASTN**
 - **BCM Search Launcher**
 - SIM
 - BLASTX
- ession of genes can be analyzed by :
 - Southern analysis
 - Northern analysis
 - RNA interference techniques
 - Comparative genomics
- nents of gene therapy insist that :
 - Germ-line therapy is permissible
 - Gene therapy is harmless
 - Reproductive freedom has limits
 - Reproductive freedom is a personal right
- ochromatin is :
 - Darkly Stained band
 - Genetically inactive DNA
 - Replicating late in the S phase
 - All of the above (D)

BCH-4003(B)

19.

- 27. Exchange of segment between non-sister chromatids of homologous chromosome is :
 - (A) Non-disjunction
 - (B) Crossing over
 - (C) Translocation
 - (D) Transition
- 28. The extrachromosomal, circular DNA having genes for sexuality are :
 - (A) Plasmids
 - (B) Plastids
 - (C) Nucleoid
 - (D) Mesosomes
- 29. Protein coding genes can be identified by :
 - (A) ORF scanning
 - (B) Transposon scanning
 - (C) Zoo-tan blotting
 - (D) Nuclease S22 mapping
- 30. All sex-linked traits always show :
 - (A) Linkage
 - (B) Crossing over
 - (C) Criss-cross inheritance
 - (D) Dominance

- 31. Chromosome walking :
 - (A) is used in FISH
 - (B) is important component of genetic mapping
 - (C) requires a genomic DNA library
 - (D) occurs in mitosis
- 32. Holocentric condition of chromosomes is commonly present in :
 - (A) Bugs
 - (B) Insects
 - (C) Plants
 - (D) All vertebrates
- 33. Which of the following statements is not true ?
 - (A) Homologous recombination can be used to disrupt genes
 - (B) Transposons can be directed to disrupt specific genes
 - (C) Transcriptomes can be characterized by Serial Analysis of Gene Expression (SAGE)
 - (D) Open reading frames are only found in protein-coding genes

34.	Limnaea	shell	coiling	is	due	to	:
2	Linnaea	onen	coming	10			•

- (A) Maternal inheritance
- (B) Cytoplasmic inheritance
- (C) Extranuclear inheritance
- (D) All of the above
- 35. Microarrays are :
 - (A) used for analysis of transcriptomes
 - (B) made up of only glass and silica
 - (C) very much smaller than DNA chip
 - (D) can often be detected by histochemical assays
- 36. A codon bias :
 - (A) is not found in prokaryotes
 - (B) is found in genome mapping
 - (C) is found in functional RNA
 - (D) is used to identify genes
- 37. Mark the correct statement :
 - (I) Holocentric chromosomes have hole in the centre
 - (II) Histonic proteins initiate RNA transcription

- (III) Chiasmata are the results, not a cause of crossing over
- (IV) Females can act as carrier of sexlinked traits.

Codes :

- (A) I, IV
- (B) II, III
- (C) III, IV
- (D) II, IV
- 38. Fluorescent in-situ hybridization (FISH) :
 - (A) requires a DNA polymerase
 - (B) requires a labelled probe
 - (C) can be used in physical mapping of the genome
 - (D) Both (B) and (C)
- 39. Which of the following is a co-dominant marker ?
 - (A) RAPD
 - (B) RFLP
 - (C) AFLP
 - (D) RFLP and RAPD

BCH-4003(B)

- 40. Mapping technique used to determine the position of restriction sites in a DNA molecule is
 - (A) DNA markers
 - (B) Biochemical markers mapping
 - (C) Restriction mapping
 - (D) Genetic map
- 41. Two linked genes a and b show 20% recombination. The individuals of a dihybrid cross between ++/++ × ab/ab show gametes :
 - (A) ++ 80 : ab 20
 - (B) ++ 50 : ab 50
 - (C) ++40 ab: 40: +a10: +b10
 - (D) ++30: ab 30: +a20: +b20
- 42. Genetic variation can be introduced into bacteria by all of the following methods except :
 - (A) mutation
 - (B) DNA amplification
 - (C) transformation
 - (D) transduction

- 43. Somatic hybridization is achieved through
 - (A) Grafting
 - (B) Protoplast fusion
 - (C) Conjugation
 - (D) Recombinant DNA technology
- 44. The cloning that has provoked the most public consternation and media attention is :
 - (A) Research cloning
 - (B) Animal/plant cloning
 - (C) Intervention cloning
 - (D) Reproductive cloning
- 45. Which one of the following is a mutagen?
 - (A) Oxygen
 - (B) Acetic acid
 - (C) Mustard gas
 - (D) Pectin

obtained is same? (A) Incomplete dominance

- (B) Multiple alleles
- Polygeny (C)

(D) Pleotropism

Which is the non-Mendelian cross when

both phenotypic and genotypic ratio

- (B) Phenotype

- (C) Genome
- (D) Linkage

49.

- 48. A haploid set of all the genes present in a gamete is called : (A) Genotype
- (D) Test cross

The term 'allele' was proposed by :

46.

47.

(A)

(B)

(C)

(B)

(C)

Morgan

Bateson

(D) Mendel

Johannsen

the recessive parents is :

Reciprocal cross

Monohybrid cross

(A) Back cross

A cross between F1 generation and one of

- 50. The concept of phenotype and genotype was given by :
 - (A) Bateson
 - **(B)** Morgan
 - (C) Johannsen
 - (D) Punnet
 - 51. Gamete normally contains :
 - Many alleles of a gene (A)
 - **(B)** Two alleles of a gene
 - (C) All alleles of a gene
 - One alleles of a gene (D)
 - 52. Inhibiting genes which suppress the other genes are called :
 - (A) Epistatic genes
 - **(B)** Hypostatic genes
 - (C) Recessive genes
 - (D) Complementary genes
 - 53. Gene pool is the sum total of genes present in :
 - (A) Cell
 - **(B)** Organism
 - Population (C)
 - (D) Ecosystem


- 54. Intragenic non-Mendelian inheritance includes :
 - (A) Dominance, codominance, incomplete dominance
 - (B) Codominance, multiple alleles, incomplete dominance
 - (C) Epistasis, multiple alleles,dominance
 - (D) Polygene, pleotropism, codominance
- 55. A pair of white sheep are mated and the offspring is black. What is the probability for next generation being black ? (White is dominant to black).
 - (A) 25%
 - (B) 50%
 - (C) 75%
 - (D) 0%
- 56. The ultimate source of variation is :
 - (A) Mitosis
 - (B) Mutation
 - (C) Fertilization
 - (D) Meiosis

- 57. Marriages between close relatives are avoided because. It induces more :
 - (A) Blood group abnormalities
 - (B) Multiple births
 - (C) Mutations
 - (D) Recessive alleles to come together
- 58. Human skin colour is controlled by three separate genes. What will be the genotype of intermediate (Mulatto) skin colour organism ?
 - (A) AABbCc
 - (B) AaBbCc
 - (C) AABBCC
 - (D) aabbcc
- 59. Informosome is :
 - (A) mRNA + protein
 - (B) rDNA + Histone
 - (C) DNA + Histone
 - (D) RNA + DNA
- 60. Which is a sex-linked trait ?
 - (A) Colourblindness, haemophilia
 - (B) Nightblindness, albinism
 - (C) Myxoedema, beri-beri
 - (D) Deafness tylosis

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction :

Example :

Question :




Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- **Impt.** : On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर – A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है। उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में निम्न प्रकार भरना है :

उदाहरण :

प्रश्न :



अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को साक्धानीपूर्वक पढ़ लिया जाये।
- परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।
- महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीमाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।