Roll No								Question Booklet	Number	
O. M. R. Serial No.										

# M. Sc. (Electronics) (Fourth Semester) EXAMINATION, July, 2022

(Elective Course)

### ARTIFICIAL INTELLIGENCE

Paper Code							
ELC	4	0	4	(G)			

Questions Booklet Series

C

[ Maximum Marks : 100

Time: 1:30 Hours ]

### **Instructions to the Examinee:**

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश:

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- उ. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

## (Only for Rough Work)

1.	How the bucke	ets are stored in predicate	3.	Following is/are the component(s) of the
	indexing?			partial order planning:
	(A) Lists			(A) Bindings
	(B) Stack			(B) Goal
	(C) Hashes			(C) Causal links
	(D) None of t	he above		(D) All of the above
2.	In partial order	nlan ·	4.	A plan that describe how to take action
2.	-	-		in levels of increasing refinement and
	(a) Relations	Relationships between the actions		specificity is
	of the bel	naviour are set prior to the		(A) Problem solving
	actions.			(B) Planning
	(b) Relations	hips between the actions		(C) Non-hierarchical plan
	of the be	ehaviour are not set until		(D) Hierarchical plan
	absolutel	y necessary.	5.	A constructive approach in which no
	Choose the corn	rect option :		commitment is made unless it i
	(A) (a) is true			necessary to do so, is
	(B) (b) is true	<i>.</i> .		(A) Least commitment approach
	(C) Either (a	a) or (b) can be true		(B) Most commitment approach
	dependin	g upon situation.		(C) Non-linear planning
	(D) Neither (a	a) nor (b) is true.		(D) Opportunistic planning

(3)

Set-C

6.	Uncertainty arises in the Wumpus world	9.	What are present in the planning
	because the agent's sensors give		graph?
	only		(A) Sequence of levels
			(B) Literals
	(A) Full and Global Information		(C) Variables
	(B) Partial and Global Information		(D) Heuristic estimates
	(C) Partial and Local Information	10.	What is the starting level of planning
	(D) Full and Local Information		graph?
	(b) I an and Boom morniumon		(A) Level 3
7.	Which data structure is used to give		(B) Level 2
	better heuristic estimates ?		(C) Level 1
			(D) Level 0
	(A) Forwards state-space	11.	What are present in each level of
	(B) Backward state-space	11.	planning graph?
	(C) Planning graph algorithm		(A) Literals
	(D) None of the above		(B) Actions
	(b) None of the above		(C) Variables
8.	Which is used to extract solution directly		(D) Both Literals and Actions
	from the planning graph?	12.	What is meant by persistence actions?
	(A) Planning algorithm		(A) Allow a literal to remain false
	(B) Graph plan		(B) Allow a literal to remain true
	(b) Graph plan		(C) Allow a literal to remain false and
	(C) Hill-climbing search		true
	(D) All of the above		(D) None of the above

(4)

Set-C

13.	What is called inconsistent	16.	Where does the degree of belief is
	support ?		applied ?
	(A) If two literals are not negation of		(A) Propositions
	other.		(B) Literals
	(B) If two literals are negation of other.		(C) Variables
	(C) Mutually exclusive.		(D) Statements
		17.	How many types of random variables are
	(D) None of the above		available ?
14.	What is used for probability theory		(A) 1
	sequences?		(B) 2
	(A) Conditional logic		(C) 3
	(B) Logic		(D) 4
	(C) Extension of propositional logic	18.	Which is the complete specification of
	(D) None of the above		the state of the world?
	(D) None of the above		(A) Atomic event
15.	Where does the dependance of		(B) Complex event
	experience is reflected in prior		(C) Simple event
	probability sentences ?		(D) None of the above
	(A) Syntactic distinction	19.	Which variable cannot be written in
	(B) Semantic distinction		entire distribution as a table ?
	(C) Both Syntactic and Semantic		(A) Discrete
	•		(B) Continuous
	distinction		(C) Both Discrete and Continuous
	(D) None of the above		(D) None of the above

(5)

Set-C

20.	What is meant by probability density	23.	The values of the set membership is
	function?		represented by:
	(A) Duchahility distailantions		(A) Discrete set
	(A) Probability distributions		(B) Degree of truth
	(B) Continuous variable		(C) Probabilities
	(C) Discrete variable		(D) Both Degree of truth and Probabilities
	(D) Probability distributions for	24.	Fuzzy set theory defines fuzzy operators.
	continuous variables		Choose the fuzzy operators from the
21.	The truth values of traditional set theory		following:
21.	The truth values of traditional set theory		(A) AND
	is and that of fuzzy set is		(B) OR
	<del>.</del>		(C) NOT
	(A) Either 0 or 1, between 0 and 1		(D) All of the above
		25.	There are also other operators, more
	(B) Between 0 and 1, either 0 or 1		linguistic in nature, is called
	(C) Between 0 and 1, between 0 and 1		that can be applied to
	(D) Either 0 or 1, either 0 or 1		fuzzy set theory.
			(A) Hedges
22.	The room temperature is hot. Here the		(B) Lingual Variable
	hot (use of linguistic variable is used) can		(C) Fuzzy Variable
	be represented by		(D) None of the above
	·	26.	Fuzzy logic is usually represented as:
	(A) Fuzzy Set		(A) IF-THEN-ELSE rules
	(B) Crisp Set		(B) IF-THEN rules
	(C) Fuzzy and Crisp Set		(C) Both IF-THEN-ELSE rules and
	(D) None of the above		IF-THEN rules
	(D) None of the above		(D) None of the above

(6)

Set-C

27.	is/are the way(s) to represent	31.	Artificial Intelligence is about
	uncertainty.		(A) Playing a game on computer
	(A) Fuzzy logic		(D) Making a machina intelligent
	(B) Probability		(B) Making a machine intelligent
	(C) Entropy		(C) Programming on machine with
	(D) All of the above		your own intelligence
28.	are algorithms that learn from		(D) Putting your intelligence in
	their more complex environments (hence		machine
	eco) to generalize, approximate and		
	simplify solution logic.	32.	What is the goal of Artificial
	(A) Fuzzy Relational DB		Intelligence ?
	(B) Ecorithms		(A) To solve artificial problems
	(C) Fuzzy Set		(B) To extract scientific causes
	(D) None of the above		(C) To explain various sorts of
29.	In LISP, the function returns t		intelligence
	if <integer> is even and nil</integer>		(D) To solve real-world problems
	otherwise		
	(A) (evenp <integer>)</integer>	33.	Which of the following is an application
	(B) (even <integer>)</integer>		of Artificial Intelligence ?
	(C) (numeven <integer>)</integer>		(A) It helps to exploit vulnerabilities to
	(D) (numevenp <integer>)</integer>		secure the firm.
30.	Which of the following is an advantage		(B) Language understanding and
	of using an expert system development		problem-solving (Text analytics
	tool?		and NLP).
	(A) Imposed structure		
	(B) Knowledge engineering assistance		(C) Easy to create a website.
	(C) Rapid prototyping		(D) It helps to deploy applications on
	(D) All of the above		the cloud.

(7)

Set-C

34.	In how many categories process of	38.	What is the name of the Artificial
	Artificial Intelligence is categorized?		Intelligence system developed by Daniel
	(A) categorized into 5 categories		Bobrow ?
	(B) processes are categorized based on		(A) program known as BACON
	the input provided		(B) system known as STUDENT
	(C) categorized into 3 categories		(C) program known as SHRDLU
	(D) process is not categorized		(D) system known as SIMD
35.	Which of the following is a component	39.	Which of the following is not an
	of Artificial Intelligence ?		application of artificial intelligence ?
	(A) Learning		(A) LIDAR
	(B) Training		(B) Face recognition system
	(C) Designing		(C) Chatbots
	(D) Puzzling		(D) DBMS
36.	Which of the following is not a type of Artificial Intelligence agent?	40.	Which of the following machine requires input from the humans but can interpret
	(A) Learning AI agent		the outputs themselves ?
	(B) Goal-based AI agent		<ul><li>(A) Actuators</li><li>(B) Sensor</li></ul>
	(C) Simple reflex AI agent		(C) Agents
	(D) Unity-based AI agent		(D) AI system
37.	Which of the following is not the	41.	number of informed search
	commonly used programming language		method are there in Artificial
	for Artificial Intelligence ?		Intelligence.
	(A) Perl		(A) 4
	(B) Java		(B) 3
	(C) PROLOG		(C) 2
	(D) LISP		(D) 1

(8)

Set-C

42.	The total number of proposition symbols	46.	A search algorithm takes as
	in AI are		an input and returns as an
	<ul><li>(A) 3 proposition symbols</li><li>(B) 1 proposition symbol</li></ul>		output.
	(C) 2 proposition symbols		(A) Input, output
	(D) No proposition symbols		(B) Problem, solution
43.	Which of the following are the		(C) Solution, problem
	approaches to Artificial Intelligence?		(D) Parameters, sequence of actions
	(A) Applied approach	47	
	(B) Strong approach	47.	The is a touring problem in
	(C) Weak approach		which each city must be visited exactly
	(D) All of the above		once. The aim is to find the shortest tour.
44.	What is the main task of a problem-		(A) Finding short path between a
	solving agent ?		source and a destination
	(A) Solve the given problem and reach to goal		(B) Travelling Salesman problem
	(B) To find out which sequence of		(C) Map coloring problem
	action will get it to the goal state		(D) Depth first search traversal on a
	(C) Both of the above		given map represented as a graph
	(D) None of the above		
45.	What is state space ?	48.	A production rule consists of
	(A) The whole problem		(A) A set of rule
	(B) Your definition to a problem		(B) A sequence of steps
	(C) Problem you design		(C) Set of rule and sequence of steps
	(D) Representing your problem with		(C) Set of full and sequence of steps
	variable and parameter		(D) Arbitrary representation to problem

(9)

Set-C

49.	w ni	ch is the best way to go for game	52.	$ \alpha  = \beta$ (to mean that the sentence $\alpha$
	play	ing problem?		entails the sentence $\beta$ ) if and only if, in
	(A)	Linear approach		every model in which $\alpha$ is $\beta$ is
	(B)	Heuristic approach (some		also
		knowledge is stored)		
	(C)	Random approach		(A) true, true
	(D)	An optimal approach		(B) true, false
				(C) false, true
50.	Kno	wledge and reasoning also play a		(D) false, false
	cruc	ial role in dealing with		
	envi	ronment.	53.	Inference algorithm is complete only if
	(A)	Completely Observable		·
	(B)	Partially Observable		(A) It can derive any sentence.
	(C)	Neither Completely nor Partially		(B) It can derive any sentence that is an
		Observable		entailed version.
	(D)	Only Completely and Partially		(C) It is truth preserving.
		Observable		(D) It can derive any sentence that is an
51.	Trea	tment chosen by doctor for a patient		entailed version and it is truth
	for a	disease is based on		preserving.
	(A)	Only current symptoms	54.	The statement comprising the limitations
	(B)	Current symptoms plus some		-
		knowledge from the text-books		of FOL is/are
	(C)	Current symptoms plus some		(A) Expressiveness
		knowledge from the text-books		(B) Formalizing Natural Languages
		plus experience		(C) Many-sorted Logic
	(D)	All of the above		(D) All of the above

(10)

Set-C

55.	First Order Logic is also known as	58.	Which process makes different logical
	·		expression looks identical?
	(A) First Order Predicate Calculus		(A) Lifting
	(B) Quantification Theory		(B) Unification
	(C) Lower Order Calculus		(b) Chimeaton
	(D) All of the above		(C) Inference process
56.	Ais used to demonstrate, on		(D) None of the above
	a purely syntactic basis, that one formula	59.	Which algorithm takes two sentences and
	is a logical consequence of another		returns a unifier ?
	formula.		(A) Inference
	(A) Deductive Systems		(A) Interence
	(B) Inductive Systems		(B) Hill-climbing search
	(C) Reasoning with Knowledge Based		(C) Depth-first search
	Systems		(D) Unify algorithm
	(D) Search Based Systems	60.	Where did all the facts are stored
57.	What is the process of capturing the		to implement store and fetch
	inference process as a single inference		function 2
	rule ?		function?
	(A) Ponens		(A) Database
	(B) Clauses		(B) Knowledge base
	(C) Generalized Modus Ponens		(C) Datamart
	(D) Variables		(D) All of the above

(11)

Set-C

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

### **Example:**

### Question:

Q. 1 (A) (C) (D) (Q. 2 (A) (B) (C) (D) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

### उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।