Roll No	 				Question Booklet Number
O. M. R. Serial No.					

M. Sc. (Microbiology) (Second Semester) EXAMINATION, July, 2022

BACTERIAL METABOLISM & PHYSIOLOGY

Paper Code				
MIC	2	0	0	1

Questions Booklet Series

A

[Maximum Marks : 100

Time: 1:30 Hours]

Instructions to the Examinee:

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- 3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा
 OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण
 प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या
 प्रश्न एक से अधिक बार छप गए हों या उसमें किसी
 अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

- Gases such as carbon dioxide and oxygen cross the cell membrane by :
 - (A) Primary active transport
 - (B) Secondary active transport
 - (C) Passive diffusion through lipid bilyer
 - (D) Gas transport protein
- 2. Aquaporins and glucose transporter are examples of :
 - (A) Simple diffusion
 - (B) Osmosis
 - (C) Facilitated diffusion
 - (D) Active transport
- 3. In what case, the transporters are known as antiporters ?
 - (A) when 2 substances move in same direction
 - (B) when 2 substances move in same direction and 1 in opposite
 - (C) when 3 substances move in same direction
 - (D) when 2 substances move in opposite direction

- 4. The biological reduction of di-nitrogen to ammonia is catalysed by how many types of nitrogenase enzyme complex ?
 - (A) Three types
 - (B) Four types
 - (C) Five types
 - (D) Six types
- 5. Which statement is correct about ABC transporters?
 - (A) use the energy of ATP hydrolysis
 - (B) can transport include ions, amino acids, peptides, sugars
 - (C) None of the above
 - (D) Both of the above
- 6. What is the first reaction of the pentose-phosphate pathway ?
 - (A) Oxidation of glucose 6-phosphate to 6-phosphoglucono-δ-lactone
 - (B) Oxidation of 6-phosphogluconateto ketopentose ribulose5-phosphate
 - (C) Reduction of 6-phosphogluconoδ-lactone to glucose 6-phosphate
 - (D) Reduction of ketopentose ribulose5-phosphate to 6-phosphogluconate

- 7. Electrochemical gradient exists whenever there is:
 - (A) A net difference in charges
 - (B) Excess liquids
 - (C) No difference in charges
 - (D) None of the above
- 8. Which statement is not true for PEP-PTS?
 - (A) Phosphorylation of molecule while transportation
 - (B) Oxidation of molecule while transportation
 - (C) Involves two enzymes
 - (D) Heat-stable protein is a part of PEP-PTS
- 9. In EMP pathway, the process by which ATP is formed from ADP is:
 - (A) Reduction
 - (B) Oxidative phosphorylation
 - (C) Substrate-level phosphorylation
 - (D) Photophosphorylation

- 10. Which statement is not true about passive diffusion?
 - (A) The rate of passive diffusion is dependent on the size of the concentration gradient
 - (B) The rate of uptake decreases as more nutrient is acquired
 - (C) ATP required
 - (D) Larger molecules, ions, and polar substances do not cross membranes by passive diffusion
- 11. What is the similarity between active transport and facilitated diffusion?
 - (A) Both face saturation effect
 - (B) Requires transporters
 - (C) Depend upon H⁺ gradient across membrane
 - (D) Both (A) and (B)
- 12. Which of the following statements is correct about oxidative pentose phosphate pathway?
 - (A) It generates NADH
 - (B) It oxidizes NADPH to NADP⁺
 - (C) The pathway supplies ribose 5phosphate and NADPH in the quantities the cell requires
 - (D) Glucose 6-phosphatase catalyzes the rate limiting reaction of the pathway

13.	Dras	tic variations in cytoplasmic pH can	16.	Besides their role in transport, which		
	harm	microorganisms by:		protein can act as chemoreceptors for		
	(A)	disrupting the plasma membrane		chemotaxis?		
	(B)	inhibiting the activity of enzmes		(A) PTS proteins		
	(C)	inhibiting the activity of transport		(B) Solute binding protein		
		proteins		(C) Heat resistant protein		
	(D)	All of the above		(D) Both (A) and (B)		
14.	Nitro	ogenase can reduce a variety of	17.	Cleavage of Fructose 1, 6-biophosphate		
	mole	cules other than N_2 :		yields:		
	(A)	Acetylene		(A) Two aldoses		
	(B)	Cyanide		(B) Two ketoses		
	(C)	None of the above		(C) An aldose and a ketose		
	(D)	Both (A) and (B)		(D) Only a ketose		
15.	Grou	up translocation system is a method	18.	Bioluminescence is created by enzyme		
	of:			luciferase on chemical reaction of fatty		
	(A)	transport of nutrients in		aldehyde and FMNH ₂ with :		
		prokaryotes		(A) CO ₂		
	(B)	transport of nutrients in eukaryotes		(B) Methane		
	(C)	transport ions		(C) O_2		
	(D)	energy-independent transport		(D) Hydrogen		

(5)

Set-A

MIC-2001

19.	Which of the following is the uphill	23.	In primary active transport, solute			
	process ?		accumulation is coupled directly to an			
	(A) Passive transport		exergonic chemical reaction:			
	(B) Diffusion		(A) ATP to ADP and Pi			
	(C) Osmosis		(D) MADIA MAD ⁺			
	(D) Active transport		(B) NADH to NAD ⁺			
20.	Secondary active transport depends	(C) Glucose oxidation				
	upon:	(D) None of the above				
	(A) ATP	24.	Which of the following are			
	(B) H ⁺ and Na ⁺ gradient		characteristics of active transport ?			
	(C) NADH		(A) Uphill process			
	(D) FMNH ₂		(B) Require energy			
21.	ED pathway first reported in:		(B) Require energy			
21.			(C) Against electrochemical gradient			
	(A) Pseudomonas saccharophila		(D) All of the above			
	(B) Bacillus subtilis					
	(C) Salmonella typhimurium	25.	The activity of this enzyme			
	(D) Xanthomonas campestris		increases when the ATP supply of a cell			
22.	Nitrifying bacteria belongs to the		depletes:			
	nutritional class of		(A) Glucokinase			
	(A) Chemoorganoautotrophy		(B) Phosphofructokinase-l			
	(B) Photolithoautrophy		(C) Hexokinase			
	(C) Chemolithoautotrophy					
	(D) Photoorganoheterotrophy		(D) Pyruvate kinase			

(6)

Set-A

MIC-2001

26.	Phenomenon of plasmolysis cannot be 29.			Which is a wrong statement for bacterial				
	seen in :			transport system ?				
	(A)	Bacteria		(A)	Often a microorganism has more			
	(B)	Animal cells			than one transport system for each			
	(C)	Plant cells			nutrient			
	(D)	Fungal cells		(B)	A proton gradient can power active			
25					transport either directly or			
27.		mber of pressures may have selected			indirectly			
	for m	nulticellularity, including:		(C)	linked transport of two substances			
	(A)	physicochemical stress			in one direction is called antiport			
	(B)	nutrient scarcity		(D)	Active transport is			
	(C)	predation			thermodynamically unfavorable			
	(D)	All of the above			(endergonic) process			
28.	ABC	transporters employ special	30.	The	enzyme responsible for production			
	subst	rate binding proteins :		of p	pyruvate and glyceraldehyde 3-			
	(A)	(A) Present in the periplasmic space of		phosphate:				
		Gram-negative bacteria		(A)	6-phosphogluconate dehydratase			
	(B)	Present in the cytoplasm		(B)	KDPG aldolase			
	(C)	None of the above		(C)	glucose-6-phosphate			
	(D)	Both (A) and (B)			dehydrogenase			
	(1)			(D)	PEP kinase			
MIC-2	2001	(7)			Set-A			

- 31. The membrane potential produces a force :
 - (A) opposing ion movements that increase V_m
 - (B) driving ion movements that reduce $V_{\rm m}$
 - (C) Both (A) and (B)
 - (D) None of the above
- 32. In Calvin cycle, 1 molecule of glucose is formed from :
 - (A) 6CO2 + 30ATP + I2NADPH
 - (B) 6CO2 + 12ATP
 - (C) 6CO2 + 18ATP + 12NADPH
 - (D) 6CO2 + 18ATP + 30NADPH
- 33. Gene expression in Nif operons is dependent on :
 - (A) RNA polymerase σ 54 factor
 - (B) Nif A and Nif L
 - (C) Only (B)
 - (D) Both (A) and (B)
- 34. Where are bacteriochlorophyll present in the cell?
 - (A) Chloroplast
 - (B) Cytoplasm
 - (C) Mitochondria
 - (D) Membrane

- 35. Mention the part that is not involved in Kreb's cycle:
 - (A) Acetylation
 - (B) Dehydrogenation
 - (C) Oxidative Phosphorylation
 - (D) Decarboxylation
- 36. The free-energy change for transport, G_t is:

$$\Delta G_t = RT \ln \frac{C_2}{C_1}$$

If there is a tenfold difference in concentration between two compartments, the cost of moving 1 mol of an uncharged solute at 25°C across a membrane separating the compartments is therefore:

- (A) 5.7 kJ/mol
- (B) 6.9 kJ/mol
- (C) 10 kJ/mol
- (D) 15 kJ/mol

- 37. Instead of $-CH_3$ group at the third C of the side group of Chla, Chlb has:
 - (A) COOH group
 - (B) CO group
 - (C) CHO group
 - (D) OH group
- 38. Iron-transport molecules are:
 - (A) Hydroxamates
 - (B) Catecholates
 - (C) Both (A) and (B)
 - (D) None of the above
- 39. Na⁺ glucose transporter is an example of:
 - (A) Symport
 - (B) Antiport
 - (C) Facilitated diffusion
 - (D) ATP driven active transport
- 40. Which of the following is a chlorophyll molecule lacking central Mg²⁺ ion?
 - (A) Chla
 - (B) Bacteriochlorophyll
 - (C) Chlc
 - (D) Pheophytin
- 41. The statement correct about rTCA cycle:
 - (A) Key enzymes are ATP citrate lyase, α -ketoglutarate synthase, fumarate reductase
 - (B) It is a reductive pathway
 - (C) Pathway present in Archaea
 - (D) All of the above

- 42. Hydrogen-oxidizing microorganism:
 - (A) Can oxidize hydrogen gas to produce energy
 - (B) Donate electrons either to an electron transport chain or to NAD, depending on the hydrogenase
 - (C) Only (A)
 - (D) Both (A) and (B)
- 43. The region in which bacteriochlorophyll can absorb light is :
 - (A) Ultraviolet region
 - (B) Infrared region
 - (C) Visible region
 - (D) Microwave region
- 44. Phycobilins (phycoerythrin and phycocyanin) are accessory pigments found in :
 - (A) Green plants
 - (B) Cyanobacteria and red algae
 - (C) Blue green algae and diatoms
 - (D) Red algae and brown algae
- 45. Name the physiochemical process in which chemical energy is produced by light energy:
 - (A) Photosynthesis
 - (B) Respiration
 - (C) Oxidative decarboxylation
 - (D) Oxidative phosphorylation

- 46. Which statement is not correct about the effect of presence of reduced nitrogen sources on nitrogenase enzyme complex:
 - (A) Nitrogenase enzyme synthesis is regulated at transcriptional level
 - (B) Reversibly inactivated by ADP-ribosylation of Fe protein
 - (C) Reversibly inactivated by ADP-ribosylation of Mo-Fe protein
 - (D) Interfering with the supply of reductant to nitrogenase
- 47. Which of the following statements are true regarding Photosystems?
 - (A) Photosystems are arrangements of chlorophyll and other pigments packed into mebrane.
 - (B) Many prokaryotes have only one photosystem.
 - (C) Both (A) and (B) are correct
 - (D) Only (A) is correct.
- 48. Which of the following is an anoxygenic photosynthetic organism?
 - (A) Plants
 - (B) Photosynthetic protists
 - (C) Cyanobacteria
 - (D) Green and Purple photosynthetic organism

- 49. Anoxygenic photosynthetic bacteria are:
 - (A) Photoautotrophs
 - (B) Photoheterotrophs
 - (C) Detritivores
 - (D) Omnivores
- 50. Which statement is not true about nitrifying bacteria?
 - (A) Biological ammonia oxidation to nitrate
 - (B) Reduction of nitrate to ammonia
 - (C) Use proton motive force to reverse the flow of electrons and reduce NAD
 - (D) Make ATP by oxidative phosphorylation
- 51. Solutes that are compatible with metabolism and growth at high intracellular concentrations:
 - (A) choline, betaine, proline
 - (B) arabitol, glycerol and mannitol
 - (C) potassium ions
 - (D) All of the above
- 52. Some anoxygenic phototrophs use hydrogen sulfide instead of water to do photosynthesis. Finish the following equation: $CO_2 + 2H_2S + \text{photons} \longrightarrow$
 - (A) $H_2O + 2S + neutrons$
 - (B) $CH_2O + H_2O + 2S$
 - (C) $CH_2S + O_2 + energy$
 - (D) $CH_2S + SO + light$

- 53. Cyclic photophosphorylation results in the formation of :
 - (A) ATP
 - (B) NADPH
 - (C) ATP + NADPH
 - (D) ATP + NADPH and O_2
- 54. The cell yield of type I organisms from a given amount of methane or methanol is higher than the cell yield of type II organisms because:
 - (A) Lower energy requirement of RuMP pathway
 - (B) Less production of ATP during

 Serine pathway
 - (C) Both (A) and (B)
 - (D) None of the above
- 55. Quorum sensing is used by bacterial cells to determine which of the following?
 - (A) the size of the population
 - (B) the availability of nutrients
 - (C) the speed of water flow
 - (D) the density of the population

- 56. Manganese is required in:
 - (A) Chlorophyll synthesis
 - (B) Nucleic acid synthesis
 - (C) Plant cell wall formation
 - (D) Photolysis of water during photosynthesis
- 57. The final product of Calvin cycle is:
 - (A) RuBP
 - (B) Glucose
 - (C) Dihydroxy acetone phosphate
 - (D) Glyceraldehyde-3-phosphate
- 58. Reduction of NADP occurs in:
 - (A) Oxidative photophosphorylation
 - (B) Cyclic photophosphorylation
 - (C) Non-cyclic photophosphorylation
 - (D) None of the above
- 59. Sulfur oxidizing chemolithotrophs can not oxidize:
 - (A) SO_3^-
 - (B) SO_4^{2-}
 - (C) H₂S
 - (D) S^0
- 60. Electrons from the excited chlorophyll molecules of PS-II are first accepted by :
 - (A) Pheophytin
 - (B) Ferredoxin
 - (C) Cytochrome f
 - (D) Cytochrome b

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q. 1 (A) (C) (D) (Q. 2 (A) (B) (C) (D) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।