Roll No	 				Question Booklet Number
O. M. R. Serial No.					

M. Sc. (Microbiology) (Second Semester) EXAMINATION, July, 2022

FUNDAMENTALS OF MOLECULAR BIOLOGY

Paper Code				
MIC	2	0	0	2

Questions Booklet Series

B

[Maximum Marks : 100

Time: 1:30 Hours]

Instructions to the Examinee:

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

- 1. Which of the following is not a characteristic of nucleotide bases ?
 - (A) Planar
 - (B) Heterocyclic
 - (C) Aliphatic
 - (D) Ubiquitous
- 2. Pick the correct pair with respect to primers used in DNA replication:
 - (A) RNA primer–for prokaryotes only
 - (B) DNA primer–for eukaryotes only
 - (C) DNA primer–for both prokaryotes and eukaryotes
 - (D) RNA primer-for both prokaryotes and eukaryotes
- 3. Which of the following is correctly matched with its subsequent role?
 - (A) Topoisomerase II-can remove both positive and negative supercoil in the DNA duplex
 - (B) Polymerase I-larger fragment responsible for exonuclease activity

- (C) DnaA protein–responsible for "melting" of the DNA double helix during replication
- (D) DnaB protein-attaches to the newly unwounded single strand of DNA to prevent folding of the strand
- 4. Replication fork is the junction between the two ______.
 - (A) Unreplicated DNA
 - (B) Newly synthesized DNA
 - (C) Newly separated DNA strands and newly synthesized DNA strands
 - (D) Newly separated DNA strands and the unreplicated DNA
- 5. Who was the first person to analyse the process of replication and on which organism?
 - (A) Arthur Kornberg: E. coli
 - (B) John Cairns : E. coli
 - (C) Arthur Kornberg: Bacillus subtilis
 - (D) John Cairns: Bacillus subtilis

6.	Which of the following is main enzyme	9.	When we compare the structure of DNA
	used in prokaryotic replication ?		polymerase to the structure of a body
	(A) DNA polymerase I		part, it resembles to
	(B) DNA polymerase II		(A) Right hand
	(C) DNA polymerase III		(B) Left hand
	(D) DNA polymerase δ		(C) Right foot
7.	Which of the following is false about		(D) Left foot
	klenow fragment?	10.	Which of the following is not true about
	(A) Polymerization activity		nucleotides ?
	(B) $3' \rightarrow 5'$ exonuclease activity		(A) Monomeric units
	(C) $5' \rightarrow 3'$ exonuclease activity		(B) Ubiquitous substances
	(D) $324 \rightarrow 928$ residue of polymerase I		(C) Energy rich molecules
8.	Which of the following types of DNA		(D) Non-enzymatic molecules
	polymerase does not take part in DNA	11.	How many polymerases are present in a
	repair ?		replication fork in eukaryotes ?
	(A) DNA polymerase I		(A) 2
	(B) DNA polymerase II		(B) 3
	(C) DNA polymerase III		(C) 4
	(D) DNA polymerase IV		(D) 5

(4)

Set-B

MIC-2002

12.	Length of Okazaki fragments in	16.	The E. coli DNA polymerase adds
	eukaryotes ranges between		nucleotides per second.
	nucleotides.		nucleotides per second.
	(A) 100—400		(A) 200
	(B) 400—800		(B) 300
	(C) 800—1200		(b) 300
	(D) 1200—1600		(C) 500
13.	How is the genetic material expressed ?		(D) 1000
	(A) By replication and transcription		
	(B) By transcription and translation	17.	The RNA polymerase holoenzyme has
	(C) By translation and modification		the structural formula of in
	(D) By mutation and transposition		prokaryotes.
14.	Which of the following RNA		proximy occs.
	polymerases is responsible for the		(Α) α2ββ'ωσ
	production of 5S rRNA?		(Β) αβ2β'ωσ
	(A) RNA polymerase I		(_,,,,,,,,
	(B) RNA polymerase II		(C) α2ββ'ω
	(C) RNA polymerase III		(D) α2ββ'σ
	(D) RNA polymerase IV		(b) w2pp o
15.	Which RNA polymerase deals with the	18.	The transcription process carried out by
	production of mRNA ?		the RNA polymerase is very accurate but
	(A) RNA polymerase I		less accurate than replication.
	(B) RNA polymerase II		(A)
	(C) RNA polymerase III		(A) True
	(D) RNA polymerase IV		(B) False

MIC-2002 (5) Set-B

	strand of the DNA template.		the RNA polymerase core enzyme?
	(A) True		(A) α
	(B) False		(B) β
20.	The complex formed by the polymerase and the promoter DNA is known as the		(C) ω(D) σ
		24.	Protein kinases transfer phosphate groups
	(A) λ complex		to the side chains of which of the following?
	(B) γ complex		(A) Serine
	(C) Open complex		(B) Valine
	(D) Closed complex		(C) Glutamate(D) Lysine
21.	Which of the following is not a feature of	25.	mRNA of which of the following
	the genetic code?		organisms does not undergo processing?
	(A) Triplet		(A) Human
	(B) Degenerate		(B) Yeast
	(C) Non-overlapping		(C) Bacteria(D) Fungi
	(D) Ambiguous	26.	Which of the following is not a type of
22.	The distribution of codon is made in such		RNA processing?
	a way to minimize mutation effect.		(A) Polyadenylation at the 3' end
	(A) True		(B) Capping of 5' end
			(C) Removal of exons
	(B) False		(D) Splicing
MIC-	2002 (6)	Set-B

23. Which of the following is not a part of

The Pribnow box is present on the coding

19.

27.	The	first RNA processing event	31.	In the	case of transcription regulation
	is	·		what	is the function of enhancer
	(A)	Capping		moleci	ules ?
	(B)	Tailing		moree	ures .
	(C)	Splicing		(A) 1	Helps initiate transcription
	(D)	Editing		(D) '	Transariation alongation
28.		at how many "A" are added to the ent RNA in the 5' end during			Transcription elongation Stimulates the rate of transcription
		adenylation?		(C)	Sumulates the rate of transcription
	(A)	100		(D) 1	mRNA stability enhancement
	(B)	200			
	(C)	300	32.	Acetyl	ation of histone increases
	(D)	0		transcı	ription of gene due to :
29.		oing is done by the addition		(A)]	Increase in the DNA-histone
	(A)	Methylated A		i	interaction.
	(B)	Methylated T		(D) 1	
	(C)	Methylated G		(B)]	It loosens the DNA-histone
	(D)	Methylated C		(complex thus making it accessible
30.		ch of the following about the ncers is false?		t	to RNA polymerase.
	(A)	They function in any orientation.		(C)	It induces DNA blending which is
	(B)	They function as promoter sequences.		1	recognized by RNA polymerase.
	(C)	They work as both cis and trans-		(D)	The acetyl groups are recognizable
		acting sequences.		1	by RNA polymerase.
	(D)	They are tissue specific.		'	of 14 11 polymoruso.
MIC-	-2002	(7	·)		Set-B

33.	The	most commonly observed	35.	How many major components are used			
	mod	ification in the histone		for the process of translation?			
	inclu	des		(A) 1			
	(A)	Acetylation of lysine and		(B) 2			
		phosphorylation of serine		(C) 3			
	(B)	Acetylation of lysine and		(D) 4			
		phosphorylation of threonine	36.	Which of the following is not a property			
	(C)	Acetylation of arginine and		of open reading frame?			
	(-)	phosphorylation of threonine		(A) Contiguous			
	(D)			(B) Non-overlapping			
	(D)	Acetylation of arginine and		(C) Encodes a single protein			
		phosphorylation of serine		(D) Starts and ends at either end of the			
34.	Whi	ch of the following about the		mRNA			
	diffe	rences between the prokaryotic and	37.	The start codon has a vital role to play in			
	euka	ryotic genes is true ?		incorporating the specific amino acids in			
	(A)	Prokaryotic genes are large,		the peptide chains.			
		polycistronic and contain		(A) True			
		enhancers.		(B) False			
	(B)	Eukaryotic genes are large,	38.	Shine-Dalgarno sequence is also known			
		polycistronic and contain	50.	as the			
		enhancers.					
	(C)	Prokaryotic genes are large,		(A) ORF			
		monocistronic and contain introns.		(B) RBS			
	(D)	Eukaryotic genes are large,		(C) Stop codon			
	,	monocistronic and contain introns.		(D) Start codon			

39.	Which component of the rRNA binds to	42.	Ribosome has two subunits with 4 rRNA
	the mRNA?		molecules. Which of these four rRNAs is
	(A) 16S (B) 5S		found in the decoding center of the ribosome?
	(C) 28S (D) 23S		(A) 5S (B) 23S (C) 28S
40.	Which of the following about the enhancer sequence is incorrect? (A) They are required for	43.	(D) 16S The 3' end of tRNA is (A) 3' CCA 5'
	transcriptional regulation of some genes.		(B) 3' ACC 5'(C) 3' CCG 5'(D) 3' GCC 5'
	(B) They can work in both directions.(C) They can work when present in any position of the DNA.	44.	With respect to tRNA which of the following is not its characteristic?
41.	(D) They are not responsible for specificity of tissues. The large ribosomal subunit in		(A) Complementary region(B) Double helix molecule(C) Highly conserved pattern of fold(D) Variable loop
	prokaryotes has the sedimentation velocity of (A) 30S (B) 40S (C) 50S	45.	What is the angle between the D loop and the anticodon loop? (A) 45° (B) 90° (C) 135°
	(D) 60S		(D) 180°

46.	Blen	der experiment proved that DNA is	50.	Whic	h RN	A]	polymerase	e in	the		
	the g	enetic material performed by:		produ	action of	mRN	NA in eukaı	yotes?			
	(A)	Griffith experiment		(A)	RNA po	olyme	erase I				
	(B)	The Hershey-Chase experiments		(B)	RNA po	olyme	erase II				
	(C)	Avery, McCarthy experiment and		(C) RNA polymerase III							
	` /	MacLeod		(D)	RNA po	olyme	erase IV				
	(D)	Messelson-Stahl experiment	51.		bacterial polymer	-					
47.	Who	prove that DNA replication is semi-			1						
	conse	ervative ?		(B)	2						
	(A)	Griffith experiment		(C)	3						
	(B)	The Hershey-Chase experiment		(D)	4						
	(C)	Avery, McCarthy and MacLeod	52.	Whic	ch of	the	following	g has	no		
	(D)	Messelson-Stahl experiment		contr	ibution to	o the	stability of	tRNA '	?		
48.	First	DNA polymerase is isolated by:		(A) (B)	Hydroge Hydropl		onding c interaction	ns			
	(A)	Arthur Kornberg		(C)	Base	an		ır-phosp	hate		
	(B)	Watson-Crick			backbor	ne int	eraction				
	(C)	Griffith		(D)	Base pa	iring					
	(D)	Avery and McCarthy	53.	Who	recogn	izes	oriC seq	uences	for		
49.	5′-3′	exonuclease activity is present in:		initia	tion of re	plica	ntion ?				
	(A)	DNA polymerase I		(A)	DnaA						
	(B)	DNA polymerase II		(B)	DanB						
	(C)	DNA polymerase III		(C)	DnaC						
	(D)	DNA polymerase IV		(D)	DnaG						

54.	Function of DanB is:	58.	Which of the following functions of
	(A) helicase		DNA is necessary for the purpose of
	(B) recognizes oriC		
	(C) topoisomerase		evolution ?
	(D) ssb protein		(A) Mutation
55.	Which enzyme seal nicks between adjacent nucleotides by employing an		(B) Replication
	enzyme-AMP intermediate ?		(C) Translation
	(A) Topoisomerase		(D) Transcription
	(B) Primase		
	(C) DNA ligase	59.	Which of the following is not a
56.	(D) None of the aboveTwo replication fork meets at terminator		component of the nucleic acid backbone?
	recognizing sequences, called as a/an:		(A) Nucleotide
	(A) Ter		(B) Phosphate group
	(B) Tus		
	(C) Ori c		(C) Pentose sugar
57.	(D) <i>Ori V</i> Which of the following is RNA made up		(D) Phosphodiesterase bond
31.	of?	60.	Which of the following does not take part
	(A) Adenine, Cytosine, Guanine and Uracil		in gene expression ?
	(B) Adenine, Guanine, Cytosine and Thymine		(A) Transcription
	(C) Adenine, Guanine, Uracil and		(B) RNA processing
	Thymine (D) Adenine, Uracil, Cytosine and		(C) Replication
	Thymine		(D) Translation

(11)

Set-B

MIC-2002

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q. 1 (A) (C) (D) (Q. 2 (A) (B) (D) (D)

Q.3 $\stackrel{\frown}{(A)}$ $\stackrel{\frown}{(C)}$ $\stackrel{\frown}{(C)}$

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।