Roll No					Question Booklet Number
O. M. R. Serial No.					

M. Sc. (Microbiology) (Fourth Semester) EXAMINATION, July, 2022 (Elective)

FOOD MICROBIOLOGY

Paper Code								
MIC	4	0	0	3	(A)			

[Maximum Marks : 100

Questions Booklet Series

Time: 1:30 Hours]

Instructions to the Examinee:

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश:

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- उ. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

1.	The substrate used in the production of	5.	A bacterial food intoxication refers to:
	SCP is		(A) illness caused by presence of
	(A) molasses		pathogens
	(B) acid hydrolystate of wood		(B) food borne illness caused by the
	(C) fruit wastes		presence of a bacterial toxin formed
	(D) All of the above		in food
2.	Which of the following toxin causing		(C) Both (A) and (B)
	botulism is less toxic to human beings?		
	(A) Type A		(D) None of the above
	(B) Type B	6.	The method of successful treatment of
	(C) Type C		botulism prior to appearance of botulism
	(D) Type D		symptoms involve administration of:
3.	Which of the following is a food infection?		(A) antibiotic
	(A) Salmonellois		(B) analgesic
	(B) Botulism		(C) antitoxin
	(C) Staphylococcal intoxication		(D) antipyretic
	(D) None of the above		(-)
4.	The staphylococcal intoxication refers to	7.	Botulism is caused by the presence of
4.	presence of :		toxin developed by :
	(A) an enterotoxin		(A) Salmonella sp
	(B) neurotoxin		(B) Bacillus
	(C) mycotoxin		(C) Clostridium
	(D) All of the above		(D) None of the above

(3)

Set-B

MIC-4003(A)

- 8. Which of the following is true to prevent botulism from smoked fish?
 - (A) The fish should be heated at its coolest part to at least 82°C for 30 min. during or after smoking
 - (B) Fish should be immediately frozen after packaging and kept frozen
 - (C) Good sanitation should be maintained throughout production and handling
 - (D) All of the above
- 9. The botulism intoxication occurs due to:
 - (A) an enterotoxin
 - (B) neurotoxin
 - (C) mycotoxin
 - (D) All of the above
- 10. Staphylococcal intoxication is caused by the toxin, the food from:
 - (A) S. aureus
 - (B) S. cerevisiae
 - (C) S. thermophillus
 - (D) None of the above
- 11. An excessively high temperature in the fermentation of sauerkraut may inhibit the growth of :
 - (A) Leuconostoc
 - (B) Saccharomyces cerevisiae
 - (C) Geotrichum
 - (D) None of the above

- 12. Proteolytic organisms utilize hydrolysis products of :
 - (A) proteins
 - (B) peptides
 - (C) amino acids
 - (D) All of the above
- 13. Osmophilic organisms like yeasts grow best in :
 - (A) low concentrations of sugar
 - (B) high concentrations of sugar
 - (C) low concentrations of salt
 - (D) high concentrations of salt
- 14. Too long fermentation of sauerkraut may favour the growth of :
 - (A) Lactobacillus lactis
 - (B) Lactobacillus brevis
 - (C) Bacillus subtilis
 - (D) Clostridium
- 15. Microorganism used in the fermentation of soy-sauce :
 - (A) P. halophilus
 - (B) L. delbrueckii
 - (C) S. rouxii
 - (D) All of the above

MIC-	4003(A)	(5)	
	(D)	None of the above		
	(C)	Both (A) and (B)		
	(B)	putridity		
	(A)	rancidity		
	as:			
	Pseu	domonas putrefaciens is also called		
19.	Surfa	ace taint in butter which is blamed on		23
	` ′	None of the above		
		Lactobacillus acidophilus		
		Streptococcus thermophilus		
		Lactobacillus bulgaricus		
	pure	culture of:		
		rders requires for its manufacture a		22
	thera	apeutic properties in intestinal		
18.	Acid	lophilus milk which is used for its		
	(D)	Paneer		
	(C)	Yogurt		
	(B)	Milk		
	(A)	Butter		21
17.	Whi	ch of these are not easily spoilt?		
	(D)	Fusarium venenatum		
	(C)	S. rouxii		
	(B)	Lactobacillus brevis		

Mycoprotein is produced by:

(A) P. halophilus

16.

- 20. Ropiness caused by Enterobacter usually is:
 - (A) Red coloration
 - (B) Gray colouration
 - (C) Stringy or slimy milk
 - (D) All of the above
- 21. Microorganism abundant in raw milk and are commonly used as probiotics.
 - (A) Lactobacillus casei
 - (B) L. rhamnosus
 - (C) Streptococcus thermophilus
 - (D) All of the above
- 22. Fishiness in butter is caused by:
 - (A) Aeromonas hydrophila
 - (B) Pseudomonas synxantha
 - (C) Pseudomonas syncyanea
 - (D) None of the above
- 23. The chief type of spoilage in sweetened condensed milk may be:
 - (A) gas formation by sucrose fermenting yeasts
 - (B) thickening caused by micrococci
 - (C) mold colonies growing on the surface
 - (D) All of the above

24.	The	water activity (a _w) for pure water is :	28.	Comp	pound used in the Reduction test of
	(A)	1.00		the m	nilk is:
	(B)	9.99		(A)	Methylene blue
	(C)	0.9823		(B)	Alkaline phosphatase
	(D)	0.1		(C)	Disodium para-nitro phenyl
25.	Orga	nisms that grow over a wide range of			phosphate
	pH a	re:		(D)	Methyl Red
	(A)	bacteria	29.	Whic	ch compound is utilized in the
	(B)	yeasts			ine phosphatase test of milk?
	(C)	thermophilic anaerobes		urkun	
	(D)	molds		(A)	Methylene blue
26	A · 1			(B)	Alkaline phosphatase
26.	Avia	in is present in :		(C)	Disodium para-nitro phenyl
	(A)	meat			phosphate
	(B)	fish		(D)	
	(C)	eggs		(D)	Methyl Red
	(D)	fruits	30.	Preve	ention of self-decomposition can be
27.	Meth	ood used in milk drying is:		accor	nplished by:
	(A)	Spray		(A)	Blanching
	(B)	Drum		(B)	Washing
	(C)	Freeze		(C)	Chemicals
	(D)	All of the above		(D)	Heat

31.	The rapid and constant rate of	35.	Meat, fish, etc., are grouped under:
	multiplication of an organism occurs		(A) low-acid foods
	during the :		(B) medium-acid foods
	(A) lag phase		(C) acid foods
	(B) exponential phase		(D) high-acid foods
	(C) stationary phase	2.5	
	(D) survival phase	36.	An exposure at 60°C for 10 to 15 minutes kills:
32.	The widely used application of asepsis is:		
02.			(A) ascospores
	(A) clean handling		(B) oospores
	(B) decontamination		(C) basidiospores
	(C) packaging		(D) None of the above
	(D) radiation		(_,
33.	Berries and Sauerkraut are classified as:	37.	99% of bacteria are removed by:
	(A) high-acid foods		(A) blanching
	(B) acid foods		(B) sweating
	(C) medium-acid foods		(C) smoking
	(D) low-acid foods		(D) sun drying
34.	The 'Father of Canning is':	38.	Sulfuring helps:
	(A) Nicholas Appert		(A) conserve vitamin C
	(B) Spallanzani		(B) maintain an attractive color
	(C) Lopez		(C) repel insects
	(D) Peter Durand		(D) All of the above

(7)

Set-B

MIC-4003(A)

39.	'Swe	eating' is storage for:		43.	Acid	dipping for apples and pears is done
	(A)	re-addition of moisture to a desired			to pr	event browning using:
	(D)	level			(A)	ascorbic acid
	(B)	reduces moisture			(B)	malic acid
	(C)	increases moisture			(G)	D 1 (1) 1 (D)
	(D)	None of the above			(C)	Both (A) and (B)
40.	Prop	ionic acid is found naturally in:			(D)	None of the above
	(A)	Butter		44.	Spoil	lage in foods may be due to:
	(B)	Milk			(A)	insects
	(C)	Malt extract			(P)	physical changes
	(D)	Swiss cheese			(B)	physical changes
41.	The	organic acid used in drinks, jams,			(C)	growth and activity of
71.						microorganisms
	jeme	es and syrups is :			(D)	All of the above
	(A)	oxalic acid			(D)	7111 of the above
	(B)	tartaric acid		45.	Crite	eria for the assurance of fitness in
	(C)	citric acid			foods	s is :
	(D)	acetic acid				
42.	Sodi	um carbonate is used as an alkali din			(A)	freedom from pollution at any stage
42.	Sodium carbonate is used as an alkali dip					in production and handling
	befor	re sun drying for :			(B)	the desired stage of development or
	(A)	cereals			` '	,
	(B)	nuts				maturity
	(C)	vegetables			(C)	Both (A) and (B)
	(D)	grapes			(D)	None of the above
MIC-	4003(<i>A</i>	A)	(8)			Set-B

46.	An example of semi-perishable food	50. TDT is:
	is:	(A) thermal death transfer
	(A) potatoes	(B) transferred death time
	(B) sugar	(C) thermal death time
	(C) meat	(D) thermal delayed time
	(D) eggs	51. The principal microorganism for yoghur
47.	Streptococcus lactis causes:	is
	(A) solar shores in mills	(A) Lactobacillus bulgaricus
	(A) color change in milk	(B) Streptococcus thermophilus
	(B) no color change in milk	(C) S. cremoris
	(C) no spoilage of milk	(D) mixed culture of (A) and (B)
	(D) production of antibiotics	52. Shredded cabbage is the starting produc
48.	A dry food like bread is most likely to be	for which of the following fermented
	spoilt by:	food?
	(A) molds	(A) Sauerkraut
	(B) mesophilic bacteria	(B) Pickles
		(B) Pickles(C) Green olives
	(B) mesophilic bacteria	
	(B) mesophilic bacteria(C) yeasts(D) thermophilic bacteria	(C) Green olives
49.	(B) mesophilic bacteria(C) yeasts	(C) Green olives(D) Sausage
49.	(B) mesophilic bacteria(C) yeasts(D) thermophilic bacteria	(C) Green olives(D) Sausage53. Which of the following microorganisms
49.	(B) mesophilic bacteria(C) yeasts(D) thermophilic bacteriaFreezing prevents :	(C) Green olives(D) Sausage53. Which of the following microorganisms has high vitamin content?
49.	 (B) mesophilic bacteria (C) yeasts (D) thermophilic bacteria Freezing prevents: (A) concentration of solutes 	(C) Green olives(D) Sausage53. Which of the following microorganisms has high vitamin content?(A) Bacteria

Whic	ch of the following enzymes cut the	57.	The	most important organism in the	
DNA	molecule at a particular nucleotide		prod	uction of amylase is:	
seque	ence ?		(A)	Bacillus subtilis	
(A)	restriction endonuclease		(B)	Candida pulcherima	
(B)	exonuclease		(C)	Geotrichum candidum	
(C)	ligase		(D)	Saccharomyces cerevisiae	
			Addition of which acid makes milk more		
、 /			digestible to infants?		
The	microorganisms added to Swiss		(A)	Citric acid	
chees	se to improve flavor and assist eye		(B)	Gluconic acid	
form	ation is:		(C)	Amino acid	
(A)	Lactobacillus cremoris		(D)	Lactic acid	
(B)	Lactobacillus bulgaricus	59.	Sea f	foods and sea water may contain:	
(C)	Streptococcus thermophilus		(A)	Vibrio vulnificus	
(D)	Propionibacterium freudenreichii		(B)	Streptococcus faecalis	
Bacto	erial cultures have been preserved for		(C)	Aeromonas hydrophilia	
mont	ths at room temperature on agar		(D)	Vibrio parahaemolyticus	
slant	s which contain:	60.	Pecti	inases are used in food industries to:	
(A)	5% NaCl		(A)	enhance flavor	
(B)	1% NaCl		(B)	clarify fruit juices	
(C)	2% NaCl		(C)	enhance color of juices	
	sequence (A) (B) (C) (D) The cheer form (A) (B) (C) (D) Bacter month (A) (B) (A) (B)	(B) exonuclease (C) ligase (D) polymerase The microorganisms added to Swiss cheese to improve flavor and assist eye formation is: (A) Lactobacillus cremoris (B) Lactobacillus bulgaricus (C) Streptococcus thermophilus (D) Propionibacterium freudenreichii Bacterial cultures have been preserved for months at room temperature on agar slants which contain: (A) 5% NaCl (B) 1% NaCl	DNA molecule at a particular nucleotide sequence? (A) restriction endonuclease (B) exonuclease (C) ligase (D) polymerase The microorganisms added to Swiss cheese to improve flavor and assist eye formation is: (A) Lactobacillus cremoris (B) Lactobacillus bulgaricus (C) Streptococcus thermophilus (D) Propionibacterium freudenreichii Bacterial cultures have been preserved for months at room temperature on agar slants which contain: (A) 5% NaCl (B) 1% NaCl	DNA molecule at a particular nucleotide sequence? (A) restriction endonuclease (B) exonuclease (C) ligase (C) ligase (D) polymerase (D) polymerase (E) streptococcus thermophilus (D) Propionibacterium freudenreichii (D) Propionibacterium freudenreichii (E) Streptococcus thermophilus (D) Propionibacterium freudenreichii (D) Ractobacillus which contain: (C) Streptococcus thermophilus (D) Propionibacterium freudenreichii (E) Streptococcus thermophilus (D) Propionibacterium freudenreichii (E) Streptococcus thermophilus (D) Propionibacterium freudenreichii (D) Robert Streptococcus thermophilus (C) Streptococcus thermophilus (C) Streptococcus thermophilus (D) Propionibacterium freudenreichii (D) Robert Streptococcus thermophilus (C) Streptococcus thermophilus (C) Streptococcus thermophilus (D) Propionibacterium freudenreichii (D) Robert Streptococcus thermophilus (C) Streptococcus thermophilus (C) Streptococcus thermophilus (D) Propionibacterium freudenreichii (D) Robert Streptococcus thermophilus (D) Propionibacterium freudenreichii	

(D) 4% NaCl

(D) retain freshness of juices

(Only for Rough Work)

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q. 1 (A) (D) (D) (Q. 2 (A) (B) (D) (D)

Q.3 \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।