Roll No							Question Booklet Number		
O. M. R. Serial No.									

M. Sc. (Industrial Chemistry) (Fourth Semester) EXAMINATION, July, 2022

FOOD SCIENCE AND AGROCHEMICALS

Paper Code			
MSIC	4	0	2

Questions Booklet Series

A

[Maximum Marks : 100

Time: 1:30 Hours]

Instructions to the Examinee:

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 100 questions. Examinee is required to answer any 75 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 75 questions are attempted by student, then the first attempted 75 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को किन्हीं 75 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 75 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 75 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- 3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा
 OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण
 प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या
 प्रश्न एक से अधिक बार छप गए हों या उसमें किसी
 अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

1.	Insecticides are substances used to kill:	5.	DDT is:
	(A) Insect		(A) Carbamate
	(B) Pest		(B) Organophosphate
	(C) Herbs		(C) Organochlorine
	(D) All of the above		(D) Triazine
2.	Which one of the following is both	6.	Pesticides generally attack :
	systemic and contact herbicides?		(A) Muscular system
	(A) Glyphosate		(B) Respiratory system
	(B) Triazine		(C) Nervous system
	(C) Fenec		(D) Circulatory system
	(D) Atrazine	7.	The common mode of action of
3.	Which of the following is not a	7.	herbicides is:
	pesticide?		neroretees is .
	(A) BHC		(A) Blocking of xylem channels
	(B) Aldrin		(B) Blocking of phloem
	(C) DDT		(C) Blocking of photosystem II
	(D) Ephedrine		(D) Blocking of photosystem I
4.	Insecticides kill:	8.	Calcium arsenate is a :
	(A) Harmful insects		(A) Stomach poison
	(B) Both harmful and useful insects		(B) Contact insecticide
	(C) Specific insects		(C) Fumigant
	(D) Only plant pest		(D) None of the above

MSIC-	-402		(4)			Set-A
	(D)	None of the above			(D)	Tetra ethyl polyphosphate
	(C)	Both (A) and (B)			(C)	Tetra ethyl pyrophosphate
	(B)	Fungicides			(B)	Tetra ethyl phosphorous
	(A)	Insecticides			` /	• • •
13.	Dinit	rophenols is used as:			(A)	Tetra ethyl phosphate
	(D)	Stem cell		17.	TEPI	P is :
	(C)	Coconut plant			(D)	Four
	(B)	Pyrethrum plant			(C)	Three
	(A)	Neem plant			(B)	Two
12.	Pyret	thrine is found in:			(A)	One
	(D)	All of the above			is inv	volved in the preparation of BHC?
	(C)	Insecticide		16.	How	much number of chlorine molecules
	(B)	Herbicide			(D)	1001
	(A)	Pesticide			(D)	Four
11.	Lead	arsenate is a:			(C)	Three
	(D)	None of the above			(B)	Two
	(C)	Fumigant			(A)	One
	(B)	Contact insecticide			of D	DT ?
	(A)	Stomach poison			mole	cules are involved in the preparation
10.	CS ₂	is a:		15.	How	much number of benzene-derivative
	(D)	Inorganic insecticide			(D)	Carbomate
	(C)	Stomach poison			(C)	Aldrin
	(B)	Contact insecticide			(B)	ВНС
	(A)	Fumigant			(A)	DDT

14. Chloral is used for the preparation of :

TEPP is a/an:

9.

18.	The formula of phosphorous oxychloride	22.	Sort the way which the general
	is:		population can be exposed to pesticides:
	(A) PCl ₃		(A) Vector control
	(B) POCl ₃		(B) Residues in the environment
	(C) PO ₂ Cl ₂		(C) Residues in the food
	(D) POCl ₄		(D) All of the above
19.	The compound ethyl maleate is used for	23.	Action of herbicides is:
	the preparation of :		(A) Plant sex cell killer
	(A) Parathion		(B) A growth inhibitor
	(B) Malathion		(C) Plant growth regulators cum weed
	(C) BHC		killer
	(D) DDT		(D) All of the above
20.	The hazards associated with pesticide residues depend mainly on two factors :	24.	The name of DDE is:
	(A) Concentration of residues		(A) Dinitrotriphenol
	(B) Concentration of level of residues		(B) Dinitro dichloro ethane
	(C) Toxicity to human or other life		(C) Dichloro diphenyl dichloroethane
	forms		(D) Dinitro tripheno acetic acid
	(D) Both (B) and (C)	25.	Difference between parathion and
21.	Which type of agrochemical causing		paraoxon is:
	mutation or genes or cancer diseases ?		(A) S = O
	(A) Herbicides		(B) $N = O$
	(B) Pesticides		
	(C) Insecticides		(C) O = P
	(D) None of the above		(D) $S = T$

MSIC-	-402	(6)		Set-A
	(D)	Five		(D) None of the above
	(C)	Six		(C) Proteins
	(B)	Four		(B) Water
	(A)	Two		(A) Oil
	is inv	volved in Atrazine ?		body?
28.	How	much number of nitrogen molecules		nutrients and wastes throughout the
	(D)	None of the above		medium for transporting dissolved
	(C)	Herbicides	31.	Which of the following serve as an ideal
	(B)	Insecticides		(D) Seed of mustard oil
	(A)	Pesticides		(C) Seed of palm
				(B) BHC
	respi	ratory poison are the mode of action		(A) Neem
27.	Phys:		30.	Nimbidin is the constituent of:
	(D)	Moon light		(D) $C_8H_{16}Cl$
	(C)	Night Magn light		(C) $C_8H_{16}N_5$
	(B)	Day time		(B) $C_8H_{14}ClN_5$
	, ,	·		
	(A)	Rainy season		(A) $C_8H_{12}CIN_5$
		ssible in :		is:
26.	Photo	ochemical degradation of pesticides	29.	The molecular formula of Atrazine

32.	Which of the following is an	36.	Which of the following is a fat soluble
	oligosaccharide ?		vitamin ?
	(A) Glucose		(A) A
	(B) Fructose		(B) B
	(C) Lactose		(C) C
	(D) Starch		(D) All of the above
33.	Gelatinization occurs in:	37.	'Pellagra' disease is due to the deficiency
	(A) Starch	57.	of:
	(B) Maltose		OI.
	(C) Lactose		(A) Niacin
	(D) Glucose		(B) Thiamin
34.	Which of the following is called as "fuel		(C) Biotin
	molecules"?		(D) Folic acid
	(A) Lipids	38.	Deficiency of Vitamin E leads to:
	(B) Proteins		(A) Lack of blood clotting
	(C) Vitamins		
	(D) Minerals		(B) Scurvy
35.	The process in which fat in contact with		(C) Muscle and nerve damage
	air, reacts with oxygen producing		(D) Rickets
	products with undesirable flavour and	39.	Full form of AGMARK is:
	odour, is known as:		(A) Agricultural Certificate
	(A) Oxidative rancidity		-
	(B) Hydrolytic rancidity		(B) Agricultural Mark
	(C) Fermentation		(C) Agricultural Marketing Act
	(D) None of the above		(D) None of the above

40.	'AGMARK' is related to:	44.	Salmonellosis involves:
	(A) Packaging		(A) A cytotoxin and neurotoxin
	(B) Production		(B) An enterotoxin and neurotoxin
	(C) Quality		(C) An enterotoxin and cytotoxin
	(D) Processing		(D) None of the above
41.	Most suitable pH for the growth of most	45.	Milk protein is called as :
	food poisoning organism:	10.	Time protein is curied us.
	(A) 4–5		(A) Casein
	(B) 4–6		(B) Globulin
	(C) 5		(C) Myosin
	(D) Above 6		(D) None of the above
42.	Red colour of meat is due to the pigment :	46.	How many types of amino acids are
	(A) Haemoglobin		commonly found in proteins ?
	(B) Myoglobin		(A) 15
	(C) Chloroplast		(B) 20
	(D) Anthocyanin		(C) 25
43.	Which of the following is a water soluble	;	(D) 30
	vitamin that can be stored in the liver for		
	many years ?	47.	The protein found in egg white is:
	(A) Vitamin K		(A) Casein
	(B) Vitamin C		(B) Oxytocin
	(C) Vitamin B-12		(C) Ovalbumin
	(D) Vitamin A		(D) Keratin

48.	Which of the following food products are	51.	Rich sources of phosphorus in foods are:
	high in protein content ?		(A) Meat and poultry
	(A) Tofu and eggs		(B) Pulses and rice
	(B) Green leafy vegetables		(C) Oils(D) Fruits
	(C) Rice	52.	Which of the following is a
	(D) Milk		micronutrient ?
49.	Which of the following is not an essential		(A) Mg
	β		(B) Ca
	protein (amino acids) ?		(C) Fe
	(A) Tryptophan		(D) Na
	(B) Leucine	53.	Deficiency of which mineral leads to the
	(C) Tyrosine		enlargement of thyroid gland?
	(D) Lysine		(A) Fluorine
			(B) Sulphur
50.	The best source of vitamin K		(C) Iodine
	is:		(D) Copper
	(A) Spinach	54.	Anthocyanins are:
	(B) Carrot		(A) Polyphenols
	(C) Rice		(B) Acids(C) Aldehydes
	(D) Egg		(D) None of the above

MSIC	E-402 (10))	Set-A
	(D) Methyl salicilate		(D) Phenolase
	(C) Pentylvalerate		
	(B) Octylacetate		(C) Lipoxygenase
	(A) Pentylacetate		(B) Chlorophyllase
	of apple is:		(A) Lactase
59.	The compound responsible for the flavour		due to action of enzyme:
	(D) None of the above		surfaces of apple, banana and potatoes is
	(C) Lemonene	63.	Formation of bronen colour on the cut
	(B) Naringin		(D) Notic of the above
	(A) Allicin		(D) None of the above
	to:		(C) Aldehydes
58.	The characteristic odour of garlic is due		(B) Esters
	(D) Hesperidine		(A) Alcohols
	(C) Sulphur compounds	62.	Flavour of butter is due to:
	(B) Phenols		(D) Pineapple
	(A) Terpenoids		` '
51.	due to the presence of :		` '
57.	Aroma of onion, garlic and cauliflower is		(B) Banana
	(D) None of the above		(A) Chocolate
	(C) Neral		compounds?
	(B) Hesperidine		by the use of a large number of
	is: (A) Naringin	61.	Which food's aroma can be reproduced
56.	Flavonoid present in oranges and lemon		(D) Pentylvalerate
			(C) Octylacetate
	(C) Brinjal(D) Banana		(B) Pentylacitate
	(B) Pokebenies		(A) Ethylbutyrate
	(A) Spinach		
	(1)		of strawberries is:

60.

The compound responsible for the flavour

Rich source of Betalains is:

55.

64.	Enzy	me used in cheese and beer	68.	The	value of a_w for dried fruits is in the
	manı	afacture is:		range	e of:
	(A)	Lipase		(A)	0.93-0.98
	(B)	Protease		(B)	0.85-0.93
				(C)	0.60-0.85
	(C)	Invertase		(D)	below 0.60
	(D)	None of the above	69.	The	water activity (a_w) is:
65.	Enzy	mes that hydrolyze ester linkages in		(A)	Water present in food
	glyce	erides are :		(B)	Amount of water needed for growth
	(A)	Lipases			of microorganism
	(B)	Proteases		(C)	Water of crystallization
	` ′			(D)	All of the above
	(C)	Lymase	70.	a_w	value for sweetened condensed milk
	(D)	None of the above		is:	
66.	Lipo	xygenases bring about the:		(A)	0.98 and above
	(A)	Oxidation of ascorbic acid		(B)	0.93-0.98
	(B)	Oxidation of organic peroxide		(C)	0.85-0.93
	, ,			(D)	0.60-0.85
	(C)	Oxidation of essential fatty acids	71.	Botu	lism is caused by bacteria:
	(D)	Oxidation of glucose to gluconic		(A)	Staphylococcus
		acid		(B)	Clostridium
67.	Whic	ch of the following factors does not		(C)	Salmonella
	favoi	ur the growth of microorganism?		(D)	None of the above
	(A)	Moisture	72.	Stap	hylococcus aureus is responsible for:
	(B)	Hydrogen ion concentration		(A)	Food infection
	(C)	Oxidation-reduction potential		(B)	Food intoxication
		-		(C)	Both (A) and (B)
	(D)	None of the above		(D)	None of the above
MSIC-	-402	(11)			Set-A

- 73. Salmonellosis is due to:
 - (A) Gram positive-non spore forming bacteria
 - (B) Gram positive-spore forming bacteria
 - (C) Gram negative-non spore forming bacteria
 - (D) Gram negative—spore forming bacteria
- 74. Leavening agents in food industry are:
 - (A) bleaching and maturing agents
 - (B) moisture retention agents
 - (C) used to produce light and fluffy bakery goods
 - (D) nutrient supplements
- 75. Which organism of Clostridium is responsible for botulism in human?
 - (A) Type A, B and C
 - (B) Type A, D and F
 - (C) Type A, B and E
 - (D) Type C, D and E

- 76. Foods involved in causing
 Staphylococcus food poisoning is:
 - (A) Custard and cream sauces
 - (B) Pickles
 - (C) Juices
 - (D) Completely cooked vegetables
- 77. Bacteria 'Clostridium perfringens' release :
 - (A) Neurotoxin
 - (B) Enterotoxin
 - (C) Cytotoxin
 - (D) None of the above
- 78. During 'Botulism' disease, the bacteria releases:
 - (A) Neurotoxin
 - (B) Enterotoxin
 - (C) Cytotoxin
 - (D) None of the above
- 79. Diethyl pyrocarbonate is used as an antimicrobial food additive for :
 - (A) Milk
 - (B) Chocolate
 - (C) Fruit juices and carbonated beverages
 - (D) None of the above

MSIC-402 (12) Set-A

80.	Most bacteria, yeasts and moulds show a	83.	Additives which are used to presence
	growth optimum between:		meat and give them desirable colour and
	(A) 5°-15°C		flavour are called as:
	(B) 16°–38°C		(A) Flavour enhancers
	(C) 10°–25°C		(B) Flour improvers
	(D) 20°–42°C		(C) Curing agents
0.1			(D) Emulsions
81.	In air blast freezing, food packages are	84.	Food additives which retain moisture in
	carried at a temperature of :		foods are called as:
	(A) $4^{\circ}-10^{\circ}$ C		(A) Humecants
	(B) -4°-4°C		(B) Leavening agents
	(C) (-10°)–(-22°C)		(C) Emulsions
	(D) (-29°) - $(-46^{\circ}C)$		(D) None of the above
82.	'Explosive puffing' is a process of		
	drying :	85.	Aspartame, sucralose, and cyclamate are
	drying.		used as:
	(A) Vegetables		(A) Anticaking agents
	(B) Spices		(B) Pigments
	(C) Cereals and grains		(C) Sweeteners
	(D) None of the above		(D) Chelating agents

(D) Chelating agents

MSIC	-402	(14)			Set-A		
	(D)	Olive oil		(D)	Fortification		
	(C)	Green vegetables		(C)	Flavouring		
	(B)	Starch and sugar		(B)	Pasteurization		
	(A)	Pulses		(A)	Sterilization		
	diet is:		knov	known as:			
89.	The	main source of carbohydrates in the	93.	Proc	ess of adding vitamins to milk is		
	(D)	None of the above		(D)	None of the above		
	(C)	(-1°)-(-4°C)		(C)	bleaching action		
	(B)	1°–4°C		(B)	characteristic aroma		
	(A)	4°–8°C		(A)	characteristic flavour		
88.	Tem	perature range for chill storage is:		colo	ured juices because of its:		
	(D)	None of the above	92.	SO_2	cannot be used to preserve naturally		
	(C)	Chill storage		(D)	Benzoic acid		
	(B)	Cold treatment		(C)	Boric acid		
	(A)	Heat treatment		(B)	Hydrochloric acid		
87.		nching' is:		(A)	Sulphuric acid		
o =	` '		91.	Acid	used in food preservation includes :		
	(D)	Calcium chloride		(D)	All of the above		
	(C)	Acetic acid		(C)	Minerals		
	(B)	Sugar		(B)	Proteins		
	(A)	Sodium chloride		(A)	Vitamins		
	food	food preservative ?		"acc	"accessory nutrients"?		

90. Which of the following is also known as

Which of the following is not used as

86.

94.	The removal of moisture from the food materials for preservation is known		97.	Which of the following is true for nitrate	
				and r	nitrite for meat processing?
	as:			(A)	Increases juiciness
				(B)	Improves colour
	(A)	Heat processing		(C)	Increases tenderness
	(B)	Freezing		(D)	None of the above
	(C)	Dehydration	98.	The	time of heating at a temperature to
	(D)	Chilling		cause	e 90% reduction in count of viable
	, ,			spore	es is called:
95.	Sausa	age is:		(A)	Lethal rate
	(A)	a solution		(B)	Z value
	(11)			(C)	D value
	(B)	a precipitate		(D)	F value
	(C)	a highly viscous liquid	99.	Wha	t is the strength of brine solution for
	(D)	an emulsion		the c	anning of vegetables ?
				(A)	40%
96.	Whic	ch of the following preservatives		(B)	32%
	is	not recommended in food		(C)	12%
	application ?			(D)	2%
	(A)	Sorbic acid	100.	Lecithin is used as a/an:	
				(A)	Anticaking agent
	(B)	Vinegar		(B)	Emulsifier
	(C)	Formaldehyde		(C)	Stabilizer
	(D)	Benzoic acid		(D)	Leavening agent

(15)

Set-A

MSIC-402

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q.1 (A) (C) (D)
Q.2 (A) (B) (C) (D)
Q.3 (A) (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।