

Roll No.

Question Booklet Number

O. M. R. Serial No.

--	--	--	--	--	--	--	--

M. Sc. (Microbiology) (Fourth Semester)
EXAMINATION, 2025-26
(New Syllabus Effective from 2023)
INDUSTRIAL MICROBIOLOGY

Paper Code								
L	0	4	1	0	0	1	T	(N)

Questions Booklet
Series

B

Time : 1:30 Hours]

[Maximum Marks : 75

Instructions to the Examinee :

1. Do not open the booklet unless you are asked to do so.
2. The booklet contains 100 questions. Examinee is required to answer 75 questions in the OMR Answer-Sheet provided and not in the question booklet. All questions carry equal marks.
3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

1. प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
2. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को 75 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। सभी प्रश्नों के अंक समान हैं।
3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(Remaining instructions on the last page)

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

1. Moisture content in biofertilizer carrier material should be :
 - (A) 10%
 - (B) ~ 30-40%
 - (C) 80%
 - (D) Zero
2. Lager beer fermentation differs from ale because of :
 - (A) Temperature only
 - (B) pH difference
 - (C) Oxygen requirement
 - (D) Top vs. bottom fermentation yeast
3. In wine production, must refers to :
 - (A) Fermented liquid
 - (B) Crushed grape juice with skins
 - (C) Yeast culture
 - (D) Clarified wine
4. Industrial enzyme production is commonly carried out using :
 - (A) Submerged fermentation
 - (B) Batch culture only
 - (C) Solid fermentation only
 - (D) Continuous filtration
5. Hops in beer production primarily contribute to :
 - (A) Sugar
 - (B) Bitterness and antimicrobial compounds
 - (C) Ethanol
 - (D) Oxygen
6. Why is oxygen supplied at the beginning of beer fermentation ?
 - (A) To sterilize medium
 - (B) To reduce sugar
 - (C) To increase ethanol
 - (D) For yeast growth and sterol synthesis
7. Enzyme production yield is enhanced by :
 - (A) Excess nutrients always
 - (B) Sterilization
 - (C) Low temperature
 - (D) Inducers in medium
8. What is the protein content range in barley grains for conventional beers ?
 - (A) Between 10% and 12%
 - (B) More than 15%
 - (C) Less than 10%
 - (D) Between 5% and 9.5%

9. Which type of container is commonly used for bulk storage during wine aging ?
- (A) Plastic containers
 - (B) Glass bottles
 - (C) Concrete tanks
 - (D) White oak barrels
10. Riboflavin production is commonly carried out by :
- (A) *Clostridium*
 - (B) *Ashbya gossypii*
 - (C) *Pseudomonas*
 - (D) *Lactobacillus*
11. L-glutamic acid is produced mainly by :
- (A) *Corynebacterium glutamicum*
 - (B) *E. coli*
 - (C) *Aspergillus*
 - (D) *Saccharomyces*
12. Best economic substrate for citric acid is :
- (A) Pure glucose
 - (B) Molasses
 - (C) Protein
 - (D) Lipid
13. Which phase of microbial growth is preferred for the production of secondary metabolites ?
- (A) Log phase
 - (B) Stationary phase
 - (C) Lag phase
 - (D) Acceleration phase
14. Which fermentation method is used for the production of L-lysine ?
- (A) Solid surface fermentation
 - (B) Triple fermentation
 - (C) Dual fermentation
 - (D) None of the above
15. Lysine production involves regulation of :
- (A) Glycolysis only
 - (B) Pentose pathway
 - (C) TCA cycle only
 - (D) Aspartate pathway
16. Vaccine production involves :
- (A) Only chemical synthesis
 - (B) Antigen preparation
 - (C) Only fermentation
 - (D) Only purification

17. Industrial penicillin production is typically carried out using :
- (A) Continuous fermentation
 - (B) Solid-state fermentation
 - (C) Fed-batch fermentation
 - (D) Batch without aeration
18. If plasmid loss occurs in recombinant insulin production :
- (A) Yield increases
 - (B) Yield decreases
 - (C) No effect
 - (D) Purity increases
19. The role of a “priming dose” in interferon production is to :
- (A) Kill cells
 - (B) Reduce contamination
 - (C) Enhance interferon yield upon induction
 - (D) Stop protein synthesis
20. Adjuvants in vaccines are used to :
- (A) Kill microbes
 - (B) Increase shelf life
 - (C) Enhance immune response
 - (D) Increase contamination
21. Penicillin production is enhanced by addition of :
- (A) Glucose
 - (B) Oxygen
 - (C) Nitrogen
 - (D) Phenylacetic acid
22. Biopharmaceutical production success depends on :
- (A) Integration of expression + fermentation + purification
 - (B) Only upstream
 - (C) Only sterilization
 - (D) Only media
23. The sequence in interferon production using induction method is :
- (A) Induction → priming → harvesting
 - (B) Inhibitor addition → priming → growth
 - (C) Harvesting → induction → priming
 - (D) Priming → induction → inhibitor removal → production

24. In early insulin production, A and B chains are combined by :
- (A) Hydrogen bonds
 - (B) Disulfide bond formation
 - (C) Ionic interaction
 - (D) Covalent ester bond
25. Example of vaccine stabilizer is :
- (A) Gelatin or sugars
 - (B) Antibiotics
 - (C) Oxygen
 - (D) CO₂
26. The most common reaction in steroid biotransformation is :
- (A) Hydroxylation
 - (B) Reduction only
 - (C) Polymerization
 - (D) Decarboxylation
27. The primary objective of SCP production is :
- (A) Antibiotic production
 - (B) Vitamin synthesis
 - (C) Enzyme extraction
 - (D) Biomass production for protein source
28. Nucleic acid reduction in SCP is achieved by :
- (A) Heating or enzymatic treatment
 - (B) Cooling
 - (C) Filtration only
 - (D) Aeration
29. Casing layer is added to :
- (A) Maintain moisture and induce fruiting
 - (B) Increase nutrients
 - (C) Reduce contamination
 - (D) Increase temperature
30. Substrate for dextran production is :
- (A) Glucose
 - (B) Lactose
 - (C) Sucrose
 - (D) Molasses
31. High CO₂ levels in mushroom cultivation leads to :
- (A) Better fruiting
 - (B) Poor development of fruit bodies
 - (C) Increased yield
 - (D) No effect
32. Major challenge in xanthan fermentation is :
- (A) Low yield
 - (B) No oxygen
 - (C) Low substrate
 - (D) High viscosity of broth

33. First licensed drug produced using rDNA technology is :
- (A) Insulin
 - (B) Vaccine
 - (C) Interferon
 - (D) Growth hormone
34. The head space of fermentor left unfilled with medium to allow for :
- (A) Aeration
 - (B) foaming
 - (C) Both (A) and (B)
 - (D) None of the above
35. Recovery of dextran involves :
- (A) Distillation
 - (B) Filtration only
 - (C) Precipitation using alcohol
 - (D) Heating
36. Foaming in fermentation is mainly due to :
- (A) Proteins and agitation
 - (B) Lipids
 - (C) Oxygen
 - (D) Temperature
37. PHA accumulation occurs under :
- (A) Carbon excess and nutrient limitation
 - (B) Balanced growth
 - (C) Oxygen limitation only
 - (D) High nitrogen
38. Carrier material in biofertilizer is used to :
- (A) Kill microbes
 - (B) Increase pH
 - (C) Support microbial survival
 - (D) Increase temperature
39. Shelf life of biofertilizers depends on :
- (A) Temperature and carrier
 - (B) Oxygen only
 - (C) pH only
 - (D) Pressure
40. What is the main sugar required by *Gluconobacter oxydans* for the production of dextran ?
- (A) Glucose
 - (B) Fructose
 - (C) Sucrose
 - (D) Dextrin
41. Blue-green algae are chiefly used as biofertilizer in the crop of :
- (A) Mustard
 - (B) Paddy
 - (C) Gram
 - (D) Wheat

42. Curing helps in :
- Killing cells
 - Uniform distribution and adaptation
 - Reducing moisture
 - Increasing pH
43. Which one is an example of bottom fermenting yeast ?
- Saccharomyces cerevisiae*
 - Saccharomyces carlsbergensis*
 - Saccharomyces thermophilus*
 - None of the above
44. Which is not the carrier material used for biofertilizer development ?
- Peat
 - Lignite
 - Vermiculite
 - Jaggery
45. What is the constant core region found in all penicillins ?
- R-group
 - Side chain
 - β -lactam ring
 - 6-APA
46. Which factor decreases with an increase in scale ?
- Temperature
 - Degree of mixing
 - Pressure
 - pH
47. Which group of Streptomycin is essential for its antibiotic activity ?
- Guanido groups of streptidine
 - Hydroxyl groups of streptidine
 - Carboxyl groups of streptidine
 - Aldehyde group of streptose
48. Which enzyme opens the β -lactam ring of penicillin and deprives it of all antibacterial activity ?
- Cephalosporinase
 - Penicillinase
 - Amidase
 - Acylase
49. Mealworm-based biological recovery techniques are employed for :
- PHA
 - Xanthan
 - Dextran
 - All of the above
50. Which method of virus inactivation involves attacking the viral envelope and rendering it dysfunctional ?
- Ultraviolet (UV) inactivation
 - Pasteurization
 - Acidic pH inactivation
 - Solvent/detergent inactivation

51. Microorganisms are commonly isolated from :
- (A) Only clinical samples
 - (B) Only air
 - (C) Natural habitats like soil and water
 - (D) Only fermenters
52. Primary screening does not give information about :
- (A) Detection
 - (B) Yield potential
 - (C) Presence of metabolite
 - (D) Initial selection
53. Strain improvement helps in :
- (A) Reducing productivity
 - (B) Enhancing metabolic efficiency
 - (C) Killing microbes
 - (D) Avoiding screening
54. Maintenance of microorganisms ensures :
- (A) Genetic stability
 - (B) Mutation
 - (C) Sterilization
 - (D) Contamination
55. Strain improvement vs. screening differs in :
- (A) Selection vs. enhancement
 - (B) Both are same
 - (C) Both reduce yield
 - (D) Both preserve strains
56. Mutation vs. recombination differs in :
- (A) Both are identical
 - (B) Both reduce yield
 - (C) Random vs. targeted changes
 - (D) Both preserve strains
57. A strain producing unwanted by-products should be :
- (A) Selected
 - (B) Modified or rejected
 - (C) Preserved
 - (D) Ignored
58. Clear zone formation in agar indicates :
- (A) Mutation
 - (B) Enzyme activity
 - (C) Contamination
 - (D) Sporulation

59. Scale-down studies are mainly used to :
- (A) Mimic industrial conditions at lab scale
 - (B) Increase volume
 - (C) Sterilize media
 - (D) Improve mutation
60. Economic feasibility depends mainly on :
- (A) Yield and cost of substrate
 - (B) Color of culture
 - (C) Shape of colony
 - (D) Size of cell
61. Scale-up is important for :
- (A) Preservation
 - (B) Industrial production
 - (C) Isolation
 - (D) Lab experiments only
62. Immobilization improves :
- (A) Mutation
 - (B) Sterility
 - (C) Reusability of enzymes
 - (D) Contamination
63. A researcher selecting microbes from oil-contaminated soil is applying :
- (A) Random selection
 - (B) Preservation
 - (C) Sterilization
 - (D) Targeted isolation
64. Oxygen transfer is critical during scale-up because :
- (A) It causes mutation
 - (B) It sterilizes media
 - (C) It reduces yield
 - (D) It affects microbial growth
65. Entrapment vs adsorption differs in :
- (A) Temperature
 - (B) Mutation
 - (C) Binding strength
 - (D) Sterility
66. A fermenter is defined as :
- (A) Storage vessel
 - (B) Sterilization chamber
 - (C) Special vessel for microbial growth
 - (D) Cooling system

67. Air sterilization in fermenters is commonly done by :
- (A) Heating
 - (B) Filtration
 - (C) Radiation
 - (D) Centrifugation
68. Best system for continuous production is :
- (A) Free cells
 - (B) Dead cells
 - (C) Mutated cells
 - (D) Immobilized cells
69. Scale-down helps in :
- (A) Eliminating microbes
 - (B) Studying large-scale problems in lab
 - (C) Preservation
 - (D) Sterilization
70. Continuous sterilization is preferred because it :
- (A) Uses more energy
 - (B) Saves energy and time
 - (C) Reduces yield
 - (D) Causes contamination
71. Heat-sensitive media components should be sterilized by :
- (A) Autoclaving
 - (B) Radiation
 - (C) Boiling
 - (D) Filtration
72. Excessive heating of media can cause :
- (A) Sterility
 - (B) Mutation
 - (C) Increased oxygen
 - (D) Caramelization of sugars
73. Batch fermentation occurs in :
- (A) Open system
 - (B) Continuous system
 - (C) Closed system
 - (D) Semi-open system
74. Maintaining constant $k_L a$ during scale-up ensures :
- (A) Mutation
 - (B) Same oxygen transfer
 - (C) Preservation
 - (D) Sterility

75. In situ sterilization means :
- (A) Sterilization inside fermenter
 - (B) Sterilization outside fermenter
 - (C) Filtration
 - (D) Dry heat
76. The device used for aeration is :
- (A) Impeller
 - (B) Sparger
 - (C) Baffle
 - (D) Jacket
77. A fermenter designed without mechanical agitation is :
- (A) Stirred tank
 - (B) Air lift fermentor
 - (C) Bubble column
 - (D) Photobioreactor
78. Airlift fermenters are preferred because they :
- (A) Use high energy
 - (B) Have low shear stress
 - (C) Require impellers
 - (D) Produce foam
79. Batch vs. continuous fermentation differs in :
- (A) Oxygen
 - (B) Input/output of nutrients
 - (C) Temperature
 - (D) Sterility
80. Baffles in a fermenter are used to :
- (A) Prevent vortex formation
 - (B) Increase foaming
 - (C) Reduce oxygen
 - (D) Heat media
81. Best fermenter for large-scale industrial production is :
- (A) Packed bed
 - (B) Stirred tank fermenter
 - (C) Tray fermenter
 - (D) Flask
82. Light is an essential factor in :
- (A) Trickling filter
 - (B) Stirred tank
 - (C) Photobioreactor
 - (D) Packed bed
83. Selection of fermenter type depends mainly on :
- (A) Color of media
 - (B) Type of microorganism and process requirement
 - (C) Size only
 - (D) Shape only

84. For large-scale astaxanthin production, the best reactor is :
- (A) Trickling filter
 - (B) Tray fermenter
 - (C) Packed bed
 - (D) Photobioreactor
85. Immobilized enzyme reactions are best performed in :
- (A) Stirred tank
 - (B) Packed bed reactor
 - (C) Bubble column
 - (D) Airlift fermenter
86. Downstream processing begins after :
- (A) Sterilization
 - (B) Media preparation
 - (C) Inoculation
 - (D) Fermentation completion
87. Hygiene in fermentation industries mainly refers to :
- (A) Mutation
 - (B) Cleanliness and contamination control
 - (C) Growth rate
 - (D) Yield
88. Sterility is important to :
- (A) Increase mutation
 - (B) Increase cost
 - (C) Reduce yield
 - (D) Prevent contamination
89. Trickling filters are mainly used in :
- (A) Food industry
 - (B) Sterilization
 - (C) Pharmaceutical production
 - (D) Wastewater treatment
90. For intracellular enzyme recovery, first step is :
- (A) Drying
 - (B) Cell disruption
 - (C) Packaging
 - (D) Sterilization
91. Most critical step affecting final cost is :
- (A) Isolation
 - (B) Inoculation
 - (C) Downstream processing
 - (D) Sterilization
92. If impurities differ in solubility, use :
- (A) Extraction
 - (B) Filtration
 - (C) Heating
 - (D) Sterilization

93. A membrane bioreactor combines :
- (A) Anaerobic digestion + Sedimentation
 - (B) Activated sludge + membrane filtration
 - (C) Reverse osmosis + chlorination
 - (D) Trickling filter + UV disinfection
94. If product is protein requiring high purity, best technique is :
- (A) Evaporation
 - (B) Chromatography
 - (C) Filtration
 - (D) Sedimentation
95. If recovery yield increases from 50% to 80%, cost per unit will :
- (A) Increase
 - (B) Double
 - (C) Remain same
 - (D) Decrease
96. Which oil is mentioned as a natural antifoaming agent ?
- (A) Polyglycols
 - (B) Silicones
 - (C) Phosphates
 - (D) Soybean oil
97. What is the temperature range at which photo-bioreactors are usually operated ?
- (A) 25-40°C
 - (B) 10-20°C
 - (C) 40-60°C
 - (D) Above 60°C
98. What is the objective of occupational hygiene ?
- (A) Preventing workplace accidents
 - (B) Promoting environmental conservation
 - (C) Enhancing workplace productivity
 - (D) Protecting worker health and well-being
99. Formulation of fermentation products includes :
- (A) Crystallization, desiccation, and drying
 - (B) Sugars, salts, polymers
 - (C) Removal of most of the water
 - (D) All of the above
100. The goal of ergonomics (the study of people at work), is to reduce stress and eliminate injuries associated with :
- (A) Bad posture, overuse of muscles, and repeated tasks
 - (B) Excessive workload and overtime
 - (C) Gasoline
 - (D) High temperature

(Only for Rough Work)

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the correct answer and mark the same in the OMR Answer-Sheet as per the direction :

Example :

Question :

Q. 1 (A) ● (C) (D)

Q. 2 (A) (B) ● (D)

Q. 3 (A) ● (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
6. All answers are to be given on OMR Answer Sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
9. There will be no negative marking.
10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

Impt. : On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is any discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से सही उत्तर छँटना है। उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में निम्न प्रकार भरना है :

उदाहरण :

प्रश्न :

प्रश्न 1 (A) ● (C) (D)

प्रश्न 2 (A) (B) ● (D)

प्रश्न 3 (A) ● (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
9. निगेटिव मार्किंग नहीं है।
10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।