

Roll No.

Question Booklet Number

O. M. R. Serial No.

--	--	--	--	--	--	--	--

--

M. Sc. (Microbiology) (Second Semester)

EXAMINATION, 2025-26

(Old Syllabus Effective from 2022)

(Only Back Paper Students)

FUNDAMENTALS OF MOLECULAR BIOLOGY

Paper Code							
L	0	4	0	8	0	2	T

Questions Booklet
Series

A

Time : 1:30 Hours]

[Maximum Marks : 75

Instructions to the Examinee :

1. Do not open the booklet unless you are asked to do so.
2. The booklet contains 100 questions. Examinee is required to answer 75 questions in the OMR Answer-Sheet provided and not in the question booklet. All questions carry equal marks.
3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

1. प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
2. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को 75 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। सभी प्रश्नों के अंक समान हैं।
3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(Remaining instructions on the last page)

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

1. Which experiment provided direct evidence that DNA is the genetic material ?
 - (A) Hershey-Chase experiment
 - (B) Meselson-Stahl experiment
 - (C) Griffith transformation
 - (D) Avery-MacLeod-McCarty
2. The hyperchromic effect during DNA denaturation is due to :
 - (A) Hydrogen bond formation
 - (B) Base stacking disruption
 - (C) Phosphodiester bond cleavage
 - (D) RNA contamination
3. Supercoiling in circular DNA is primarily regulated by :
 - (A) Helicase
 - (B) Ligase
 - (C) Topoisomerase
 - (D) Primase
4. In Z-DNA, the helix is :
 - (A) Right-handed with 10 bp/turn
 - (B) Linear structure
 - (C) Right-handed with 11 bp/turn
 - (D) Left-handed with zig-zag backbone
5. DNA renaturation kinetics depends on :
 - (A) Protein content
 - (B) Genome complexity
 - (C) Lipid content
 - (D) RNA length
6. Cot curve analysis is used to determine :
 - (A) DNA replication rate
 - (B) RNA splicing
 - (C) Protein synthesis rate
 - (D) Genome complexity
7. Which bond stabilizes DNA secondary structure most significantly ?
 - (A) Covalent bonds
 - (B) Ionic bonds
 - (C) Hydrogen bonds + base stacking
 - (D) Peptide bonds
8. A nick in DNA refers to :
 - (A) Double-strand break
 - (B) Missing base
 - (C) Single-strand break
 - (D) RNA insertion

9. Denaturation temperature increases with :
- (A) AT content
 - (B) GC content
 - (C) RNA contamination
 - (D) Protein binding
10. DNA hybridization specificity depends on :
- (A) Sequence complementarity
 - (B) Length only
 - (C) Temperature only
 - (D) Enzymes
11. Which metal ion is critical for the catalytic activity and fidelity of DNA polymerases ?
- (A) Calcium (Ca^{2+})
 - (B) Magnesium (Mg^{2+})
 - (C) Sodium (Na^+)
 - (D) Potassium (K^+)
12. Meselson-Stahl experiment proved :
- (A) Conservative replication
 - (B) Dispersive replication
 - (C) Semi-conservative replication
 - (D) Random replication
13. DNA melting is monitored by :
- (A) Fluorescence
 - (B) Mass spectrometry
 - (C) Infrared
 - (D) UV absorbance at 260 nm
14. Palindromic sequences are important in :
- (A) Replication only
 - (B) Translation
 - (C) Restriction enzyme recognition
 - (D) Splicing
15. DNA reassociation rate is fastest in :
- (A) Unique sequences
 - (B) Repetitive sequences
 - (C) Introns
 - (D) Exons
16. Where does DNA replication begin in a prokaryotic cell ?
- (A) At telomeres
 - (B) At centromeres
 - (C) At origins of replication (oriC)
 - (D) At random locations along the chromosome

17. Ethidium bromide intercalates into DNA causing :
- (A) Shortening
 - (B) Methylation
 - (C) Breaking
 - (D) Unwinding
18. DNA helicity changes during :
- (A) Replication
 - (B) Transcription
 - (C) Supercoiling
 - (D) All of the above
19. B-DNA has :
- (A) 8 bp/turn
 - (B) 10 bp/turn
 - (C) 12 bp/turn
 - (D) 14 bp/turn
20. DNA hybridization requires :
- (A) Denaturation and annealing
 - (B) Translation
 - (C) Replication
 - (D) Mutation
21. Replicon is defined as :
- (A) Protein complex
 - (B) Whole genome
 - (C) RNA segment
 - (D) DNA segment replicated from one origin
22. Fidelity of DNA replication is mainly due to :
- (A) Ligase
 - (B) Primase
 - (C) Proofreading activity
 - (D) Helicase
23. Okazaki fragments are synthesized on :
- (A) Leading strand
 - (B) Lagging strand
 - (C) Both strands
 - (D) RNA
24. Which enzyme removes RNA primers ?
- (A) Topoisomerase
 - (B) DNA pol III
 - (C) Helicase
 - (D) DNA polymerase I

25. Origin recognition complex (ORC) is found in :
- (A) Prokaryotes
 - (B) Eukaryotes
 - (C) Viruses
 - (D) Mitochondria
26. Telomerase contains :
- (A) DNA template
 - (B) RNA template
 - (C) Protein only
 - (D) Lipid
27. Nucleotide excision repair removes :
- (A) Single mismatch
 - (B) Double-strand breaks
 - (C) Bulky lesions
 - (D) RNA
28. Homologous recombination requires :
- (A) RecA protein
 - (B) Ligase
 - (C) Primase
 - (D) Helicase
29. Rolling circle replication occurs in :
- (A) Bacteriophage T4
 - (B) Eukaryotes
 - (C) Ribosomes
 - (D) Lysosomes
30. Leading strand synthesis is :
- (A) Bidirectional
 - (B) Discontinuous
 - (C) Continuous
 - (D) Random
31. DNA ligase forms :
- (A) Hydrogen bonds
 - (B) Ionic bonds
 - (C) Phosphodiester bonds
 - (D) Peptide bonds
32. Mismatch repair recognizes :
- (A) Old strand
 - (B) New strand
 - (C) RNA
 - (D) Protein

33. Replication fork is :
- (A) Protein complex
 - (B) Circular
 - (C) Linear
 - (D) Y-shaped structure
34. Primase synthesizes :
- (A) DNA
 - (B) Protein
 - (C) RNA primer
 - (D) Lipid
35. Topoisomerase I cuts :
- (A) Both strands
 - (B) One strand
 - (C) RNA
 - (D) Protein
36. Site-specific recombination involves :
- (A) Homologous sequences
 - (B) Specific sequences
 - (C) Random sequences
 - (D) RNA
37. Helicase unwinds DNA using :
- (A) ATP
 - (B) GTP
 - (C) CTP
 - (D) UTP
38. Beta clamp increases :
- (A) Speed
 - (B) Processivity
 - (C) Accuracy
 - (D) Stability
39. SOS response is triggered by :
- (A) Protein damage
 - (B) RNA damage
 - (C) DNA damage
 - (D) Lipid damage
40. RecBCD pathway is involved in :
- (A) Replication
 - (B) Repair
 - (C) Recombination
 - (D) Transcription
41. RNA polymerase binds to :
- (A) Terminator
 - (B) Enhancer
 - (C) Operator
 - (D) Promoter

42. TATA box is recognized by :
- (A) TFIID
 - (B) RNA pol II
 - (C) TBP
 - (D) Ligase
43. mRNA capping occurs at :
- (A) 3' end of mRNA
 - (B) 5' end of mRNA
 - (C) Middle of mRNA
 - (D) Random
44. Spliceosome consists of :
- (A) DNA
 - (B) Proteins only
 - (C) snRNPs + Protein
 - (D) Lipids
45. RNA pol I synthesizes :
- (A) rRNA
 - (B) mRNA
 - (C) tRNA
 - (D) snRNA
46. Polyadenylation occurs at :
- (A) 5' end of mRNA
 - (B) 3' end of mRNA
 - (C) Middle of mRNA
 - (D) Random
47. Transcription termination in prokaryotes involves :
- (A) Primase
 - (B) Ligase
 - (C) Helicase
 - (D) Rho factor
48. Enhancers act :
- (A) Inside gene
 - (B) Only upstream
 - (C) Only downstream
 - (D) Upstream or downstream
49. hnRNA is :
- (A) Pre-mRNA
 - (B) Mature RNA
 - (C) tRNA
 - (D) rRNA
50. RNA editing modifies :
- (A) DNA
 - (B) Lipid
 - (C) Protein
 - (D) RNA sequence

51. Introns are removed by :
- (A) Mutation
 - (B) Translation
 - (C) Replication
 - (D) Splicing
52. Alternative splicing produces :
- (A) Multiple proteins
 - (B) Same protein
 - (C) DNA
 - (D) Lipid
53. RNA transport occurs through :
- (A) Golgi
 - (B) Ribosomes
 - (C) Lysosomes
 - (D) Nuclear pores
54. Transcription inhibitors target :
- (A) DNA
 - (B) RNA polymerase
 - (C) Protein
 - (D) Lipid
55. Sigma factor is involved in transcription :
- (A) Initiation
 - (B) Elongation
 - (C) Termination
 - (D) Splicing
56. snRNA function is :
- (A) Translation
 - (B) Replication
 - (C) Splicing
 - (D) Mutation
57. RNA pol III synthesizes :
- (A) tRNA
 - (B) rRNA
 - (C) mRNA
 - (D) DNA
58. Promoter strength depends on :
- (A) Sequence
 - (B) Length
 - (C) Protein
 - (D) Lipid

59. Cap structure is :
- (A) UTP
 - (B) ATP
 - (C) GTP
 - (D) m7G
60. Rho independent transcription termination signal includes :
- (A) Hairpin loop
 - (B) Protein
 - (C) Lipid
 - (D) DNA
61. Ribosome has :
- (A) rRNA + protein
 - (B) DNA
 - (C) Lipid
 - (D) Carbohydrate
62. Start codon is :
- (A) UAA
 - (B) UAG
 - (C) AUG
 - (D) UGA
63. Aminoacyl-tRNA synthetase ensures :
- (A) Speed of translation
 - (B) Stability of mRNA
 - (C) Accuracy of translation
 - (D) Folding of protein
64. Shine-Dalgarno sequence is in :
- (A) Eukaryotes
 - (B) Prokaryotes
 - (C) Viruses
 - (D) Mitochondria
65. Peptidyl transferase activity is by :
- (A) Lipid
 - (B) Protein
 - (C) DNA
 - (D) rRNA
66. Elongation factor EF-Tu binds :
- (A) ATP
 - (B) GTP
 - (C) CTP
 - (D) UTP

67. Stop codon is recognized by :
- (A) tRNA
 - (B) Ribosome
 - (C) Release factor
 - (D) Ligase
68. Wobble hypothesis explains :
- (A) Splicing
 - (B) Mutation
 - (C) Replication
 - (D) Codon degeneracy
69. The post-translational modification includes :
- (A) Phosphorylation
 - (B) Replication
 - (C) Transcription
 - (D) Splicing
70. Signal peptide directs protein to :
- (A) Nucleus
 - (B) ER
 - (C) Cytoplasm
 - (D) Golgi
71. tRNA structure is :
- (A) Cloverleaf
 - (B) Linear
 - (C) Circular
 - (D) Helical
72. Genetic code is :
- (A) Overlapping
 - (B) Non-overlapping
 - (C) Ambiguous
 - (D) Variable
73. Initiation factors (IF-I, IF-II, IF-III) help in :
- (A) Mutation
 - (B) DNA synthesis
 - (C) RNA synthesis
 - (D) Ribosome assembly
74. Chemical Proofreading in translation occurs by :
- (A) Ribosome
 - (B) DNA
 - (C) tRNA synthetase
 - (D) RNA

75. Polysome refers to :

- (A) Multiple ribosomes
- (B) Single ribosome
- (C) DNA
- (D) RNA

76. Protein trafficking involves :

- (A) Lipid
- (B) DNA
- (C) RNA
- (D) Signal sequences

77. Codon is composed of :

- (A) 5 bases
- (B) 2 bases
- (C) 4 bases
- (D) 3 bases

78. Anticodon is present on :

- (A) mRNA
- (B) tRNA
- (C) rRNA
- (D) DNA

79. Ribosomal sites are :

- (A) A, P, E
- (B) X, Y, Z
- (C) L, M, N
- (D) None of the above

80. Translation requires :

- (A) ATP/GTP
- (B) DNA
- (C) Lipid
- (D) Protein

81. Lac operon is inducible by :

- (A) Fructose
- (B) Glucose
- (C) Galactose
- (D) Lactose

82. Trp operon is :

- (A) Inducible
- (B) Repressible
- (C) Constitutive
- (D) Inactive

83. CAP protein binds when :
- (A) Glucose is high
 - (B) Lactose is absent
 - (C) Glucose is low
 - (D) RNA is present
84. Operator site of Lac Operon binds :
- (A) Activator
 - (B) Repressor
 - (C) Polymerase
 - (D) Ribosome
85. Ara operon regulation involves gene :
- (A) AraC
 - (B) CAP
 - (C) LacI
 - (D) TrpR
86. Enhancers bind :
- (A) Polymerase
 - (B) Repressors
 - (C) Activators
 - (D) Ribosome
87. Chromatin remodeling involves :
- (A) Protein synthesis
 - (B) DNA cleavage
 - (C) RNA synthesis
 - (D) Histone modification
88. Gene silencing occurs via :
- (A) DNA methylation
 - (B) Replication
 - (C) Translation
 - (D) Mutation
89. Epigenetics involves :
- (A) DNA sequence change
 - (B) Protein change
 - (C) Histone modification
 - (D) Lipid change
90. siRNA functions in :
- (A) Mutation
 - (B) Replication
 - (C) Translation
 - (D) Gene silencing

91. Operon concept was proposed by :
- (A) Mendel
 - (B) Watson and Crick
 - (C) Darwin
 - (D) Jacob and Monod
92. Histone acetylation generally leads to :
- (A) Repression
 - (B) Activation
 - (C) Mutation
 - (D) Deletion
93. Response (Promoter) elements bind :
- (A) DNA
 - (B) RNA
 - (C) Transcription factors
 - (D) Protein
94. Euchromatin is :
- (A) Active
 - (B) Inactive
 - (C) Condensed
 - (D) Silent
95. Heterochromatin is :
- (A) Active
 - (B) Inactive
 - (C) Open
 - (D) Transcribed
96. Insulators block :
- (A) Mutation
 - (B) Replication
 - (C) Translation
 - (D) Enhancer action
97. miRNA regulates :
- (A) DNA repair
 - (B) Replication
 - (C) Translation
 - (D) Recombination
98. CpG islands are associated with :
- (A) tRNA
 - (B) Introns
 - (C) Exons
 - (D) Promoters
99. Zinc finger proteins bind :
- (A) DNA
 - (B) RNA
 - (C) Lipid
 - (D) Protein
100. Gene expression is controlled at :
- (A) Multiple levels
 - (B) Single level
 - (C) DNA only
 - (D) RNA only

(Only for Rough Work)

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the correct answer and mark the same in the OMR Answer-Sheet as per the direction :

Example :

Question :

- Q. 1 (A) ● (C) (D)
 Q. 2 (A) (B) ● (D)
 Q. 3 (A) ● (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
6. All answers are to be given on OMR Answer Sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
9. There will be no negative marking.
10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

Impt. : On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is any discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से सही उत्तर छँटना है। उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में निम्न प्रकार भरना है :

उदाहरण :

प्रश्न :

- प्रश्न 1 (A) ● (C) (D)
 प्रश्न 2 (A) (B) ● (D)
 प्रश्न 3 (A) ● (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
9. निगेटिव मार्किंग नहीं है।
10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।