

Roll No.

Question Booklet Number

O. M. R. Serial No.

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

| |
|-------------------------|
| Question Booklet Number |
|-------------------------|

M. Sc. (Microbiology) (Fourth Semester)
EXAMINATION, 2025-26
(Old Syllabus Effective from 2022)
(Only Back Paper Students)
NANOBIOTECHNOLOGY

| Paper Code | | | | | | | |
|------------|---|---|---|---|---|---|---|
| L | 0 | 4 | 1 | 0 | 0 | 6 | T |

| Questions Booklet Series |
|--------------------------|
| C |

Time : 1:30 Hours]

[Maximum Marks : 75

Instructions to the Examinee :

परीक्षार्थियों के लिए निर्देश :

1. Do not open the booklet unless you are asked to do so.
2. The booklet contains 100 questions. Examinee is required to answer 75 questions in the OMR Answer-Sheet provided and not in the question booklet. All questions carry equal marks.
3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

1. प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
2. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को 75 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। सभी प्रश्नों के अंक समान हैं।
3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(Remaining instructions on the last page)

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

1. Which is a major concern with nanomaterials ?
 - (A) Low production
 - (B) Toxicity and environmental impact
 - (C) Lack of applications
 - (D) High availability

2. Nanoparticles used in imaging often exhibit :
 - (A) Low contrast
 - (B) Reduced sensitivity
 - (C) High density
 - (D) Enhanced optical properties

3. Cancer nanotherapy improves treatment by :
 - (A) Increasing side effects
 - (B) Reducing drug activity
 - (C) Increasing toxicity
 - (D) Targeting tumor cells

4. Which property makes nanoparticles effective in drug delivery ?
 - (A) Large size
 - (B) High surface area
 - (C) Low reactivity
 - (D) High density

5. Nanotechnology for clean environment includes :
 - (A) Pollutant generation
 - (B) Water purification
 - (C) Fossil fuel use
 - (D) Waste increase

6. Containment strategies in nanotechnology are used to :
 - (A) Increase production
 - (B) Improve conductivity
 - (C) Reduce cost
 - (D) Prevent environmental release

7. Fate of nanomaterials in environment depends on :
 - (A) Size, shape, and surface chemistry
 - (B) Color
 - (C) Density only
 - (D) Temperature only

8. Life Cycle Assessment (LCA) evaluates :
 - (A) Only production stage
 - (B) Entire life span of nanomaterials
 - (C) Only disposal
 - (D) Only usage

9. Ecotoxicity studies focus on :
 - (A) Human health only
 - (B) Chemical synthesis
 - (C) Environmental organisms
 - (D) Industrial processes

10. Cytotoxicity of nanomaterials refers to :
- (A) Environmental impact
 - (B) Chemical stability
 - (C) Thermal resistance
 - (D) Toxicity to cells
11. Biomotors in engineered devices are inspired by :
- (A) Mechanical engines
 - (B) Electrical circuits
 - (C) Thermal systems
 - (D) Biological molecular motors
12. Nanocarbon balls act as deodorizers due to :
- (A) Chemical reactivity
 - (B) Magnetic properties
 - (C) Adsorption properties
 - (D) Electrical conductivity
13. Microbial nanoparticles are synthesized using :
- (A) Physical force
 - (B) Heat only
 - (C) Pressure
 - (D) Microorganisms
14. Radioactive fullerene cages are useful because they :
- (A) Increase radiation leakage
 - (B) Encapsulate radioactive atoms
 - (C) Reduce radioactivity
 - (D) Destroy isotopes
15. Nanomaterials used in joint replacement improve :
- (A) Weight only
 - (B) Biocompatibility and durability
 - (C) Color
 - (D) Density only
16. Interior artery expansion using nanotechnology refers to :
- (A) Nanoparticle injection
 - (B) Drug synthesis
 - (C) Gene therapy
 - (D) Stent development
17. Nanodiagnostics improves detection sensitivity due to :
- (A) High surface area
 - (B) Bulk properties
 - (C) Low density
 - (D) Large size

18. Which nanomaterial is widely used in cancer therapy due to photothermal effects ?
- (A) Silica nanoparticles
 - (B) Gold nanoparticles
 - (C) Polymer beads
 - (D) Liposomes
19. Targeted drug delivery using nanoparticles relies on :
- (A) Random diffusion
 - (B) Gravity
 - (C) Temperature gradient
 - (D) Ligand-receptor interactions
20. Nanotechnology enhances drug solubility primarily by :
- (A) Increasing molecular weight
 - (B) Reducing particle size
 - (C) Increasing density
 - (D) Decreasing polarity
21. DNA nano-printing enables :
- (A) Bulk synthesis
 - (B) Mechanical shaping
 - (C) Random gene expression
 - (D) Controlled molecular patterning
22. Which factor disrupts protein nanostructure formation ?
- (A) Optimal pH
 - (B) Stable ionic conditions
 - (C) Extreme temperature
 - (D) Controlled environment
23. Self-assembled protein structures are typically :
- (A) Disordered
 - (B) Highly ordered
 - (C) Randomly arranged
 - (D) Amorphous
24. Which property is enhanced in nanoscale biosensors ?
- (A) Size
 - (B) Weight
 - (C) Volume
 - (D) Sensitivity
25. Nano-biochips are mainly used for :
- (A) Mechanical testing
 - (B) Heat transfer
 - (C) Molecular detection and diagnostics
 - (D) Structural support

26. Which protein is responsible for muscle contraction-based nanomotion ?
- (A) Actin
 - (B) Myosin
 - (C) Tubulin
 - (D) Collagen
27. Biomolecular nanomotors are examples of :
- (A) Active nanosystems
 - (B) Passive systems
 - (C) Static structures
 - (D) Bulk materials
28. Protein self-assembly is influenced by :
- (A) pH and ionic strength
 - (B) Gravity
 - (C) Magnetic field only
 - (D) Pressure only
29. LOC devices primarily reduce :
- (A) Sensitivity
 - (B) Analysis time and sample volume
 - (C) Accuracy
 - (D) Selectivity
30. Lab-on-a-chip devices integrate :
- (A) Multiple laboratory functions
 - (B) Only chemical reactions
 - (C) Only biological samples
 - (D) Only physical processes
31. Biochemical specificity in biosensors is due to :
- (A) Physical adsorption
 - (B) Thermal conductivity
 - (C) Electrical resistance
 - (D) Molecular recognition
32. Which technique is commonly used for nano-printing DNA ?
- (A) Dip-pen nanolithography
 - (B) Ball milling
 - (C) Electrolysis
 - (D) Spray pyrolysis
33. Nano-printing of biomolecules requires :
- (A) High temperature
 - (B) Random deposition
 - (C) Mechanical pressure only
 - (D) Precise spatial control

34. Which component is essential in a nanobiosensor ?
- (A) Transducer
 - (B) Catalyst only
 - (C) Polymer matrix
 - (D) Solvent
35. Nanobiosensors operate based on :
- (A) Bulk properties
 - (B) Mechanical cutting
 - (C) Biological recognition elements
 - (D) High temperature reactions
36. Self-assembly in protein nanostructures is governed by :
- (A) Random aggregation
 - (B) Thermodynamic minimization
 - (C) External force only
 - (D) High pressure
37. Myosin-based nanomotors move along :
- (A) Microtubules
 - (B) DNA strands
 - (C) Actin filaments
 - (D) Lipid membranes
38. The motility mechanism of bacterial nanomotors (e.g., flagella) is driven by :
- (A) ATP hydrolysis
 - (B) Light absorption
 - (C) Proton motive force
 - (D) Mechanical stress
39. Biomolecular nanomotors derive their energy mainly from :
- (A) ATP hydrolysis
 - (B) Light energy
 - (C) Electrical energy
 - (D) Thermal energy
40. Protein-based nanostructures are primarily stabilized by :
- (A) Ionic bonds only
 - (B) Weak intermolecular interactions
 - (C) Nuclear forces
 - (D) Metallic bonding
41. Biological synthesis often uses which agents ?
- (A) Metals
 - (B) Plastics
 - (C) Ceramics
 - (D) Microorganisms or enzymes
42. Which method involves nucleation and growth processes ?
- (A) Chemical reduction
 - (B) Ball milling
 - (C) Mechanical grinding
 - (D) Thermal cutting

43. In sol-gel method, drying leads to formation of :
- (A) Sol
 - (B) Gel
 - (C) Xerogel
 - (D) Aerosol
44. A key challenge in chemical synthesis methods is :
- (A) Lack of control over composition
 - (B) Low scalability
 - (C) No reaction control
 - (D) Agglomeration of nanoparticles
45. Spray pyrolysis is most suitable for producing :
- (A) Nanowires
 - (B) Thin films and powders
 - (C) Bulk metals
 - (D) Polymers
46. In electro-deposition, the deposition rate depends on :
- (A) Current density
 - (B) Light intensity
 - (C) Pressure
 - (D) Sound frequency
47. Which synthesis method is best for producing highly pure nanomaterials ?
- (A) Ball milling
 - (B) Biological synthesis
 - (C) Sol-gel process
 - (D) Spray pyrolysis
48. DNA-templated nanostructures are based on :
- (A) Random aggregation
 - (B) Ionic bonding
 - (C) Metallic bonding
 - (D) Base-pair specificity
49. Protein-based nanostructure formation relies on :
- (A) Self-assembly
 - (B) Covalent polymerization
 - (C) Mechanical deformation
 - (D) Thermal evaporation
50. Biological synthesis of nanoparticles is advantageous due to :
- (A) High toxicity
 - (B) High temperature requirement
 - (C) Eco-friendliness
 - (D) Expensive setup

51. Which parameter control crystal size in solvothermal synthesis ?
- (A) Temperature and pressure
 - (B) Gravity
 - (C) Sound waves
 - (D) Magnetic field
52. Solvothermal synthesis is carried out in :
- (A) Open atmosphere
 - (B) High-pressure sealed vessels
 - (C) Vacuum chambers
 - (D) Ambient condition
53. Metal nanocrystals by reduction require :
- (A) Reducing agents
 - (B) Oxidizing agent
 - (C) Catalysts only
 - (D) UV radiation
54. In sol-gel synthesis, hydrolysis and condensation reaction lead to :
- (A) Crystal defects
 - (B) Network formations
 - (C) Phase separation
 - (D) Evaporation
55. Sol-gel process involves transition from :
- (A) Solid to gas
 - (B) Gel to solid
 - (C) Solution (sol) to gel
 - (D) Gas to liquid
56. Thermal evaporation is commonly used to produce :
- (A) Bulk crystals
 - (B) Polymers
 - (C) Nanocomposites
 - (D) Thin films
57. Spray pyrolysis involves :
- (A) Liquid droplet decomposition at high temperature
 - (B) Solid-state diffusion
 - (C) Gas phase condensation
 - (D) Mechanical grinding
58. Electro-deposition is based on :
- (A) Thermal energy
 - (B) Chemical reduction without current
 - (C) Electric current-driven reduction
 - (D) Mechanical force

59. The major imitation of ball milling in
- (A) Low yield
 - (B) High cost
 - (C) Contamination from milling media
 - (D) Low energy input
60. Ball milling is primarily classified as :
- (A) Bottom-up-approach
 - (B) Top-down approach
 - (C) Biological synthesis
 - (D) Chemical vapour process
61. Fullerene molecules are also known as :
- (A) Buckyballs
 - (B) Nanorods
 - (C) Nanocluster
 - (D) Quantum wells
62. Which nanostructure provides the largest surface area-to-volume ratio ?
- (A) Nanospheres
 - (B) Nanorods
 - (C) Nanowires
 - (D) Quantum dots
63. The mechanical strength of carbon nanotubes is due to :
- (A) Ionic bonding
 - (B) Hydrogen bonding
 - (C) Metallic bonding
 - (D) Covalent sp^2 bonding
64. Which nanostructure is used extensively in drug delivery due to tunable size ?
- (A) Nanorods
 - (B) Quantum dots
 - (C) Nanowires
 - (D) Nanosheets
65. Bio-inspired nanomaterials are designed based on :
- (A) Natural biological systems
 - (B) Industrial processes
 - (C) Synthetic polymers
 - (D) Metallic alloys
66. In nanosheets, which dimension is confined ?
- (A) Length
 - (B) Width
 - (C) Thickness
 - (D) All dimensions
67. Which factor most strongly influences nanoscale properties ?
- (A) Color
 - (B) Temperature only
 - (C) Pressure only
 - (D) Shape and size
68. Nanowires differ from nanotubes primarily in :
- (A) Composition
 - (B) Hollow vs. solid structure
 - (C) Size
 - (D) Conductivity

69. Which of the following is a natural nanomaterial ?
- (A) DNA
 - (B) Carbon nanotube
 - (C) Quantum dot
 - (D) Nanowire
70. The electronic properties of graphene are characterized by :
- (A) Insulating behavior
 - (B) Superconductivity at room temperature
 - (C) Large band gap
 - (D) Zero band gap
71. Quantum dots exhibit size-dependent properties due to :
- (A) Quantum confinement
 - (B) Surface tension
 - (C) Thermal conductivity
 - (D) Density variation
72. Which nanostructure exhibits anisotropic properties ?
- (A) Nanospheres
 - (B) Quantum dots
 - (C) Nanorods
 - (D) Fullerenes
73. Nanocomposites are materials composed of :
- (A) Only nanoscale materials
 - (B) Only bulk materials
 - (C) Combination of nano and bulk phases
 - (D) Only polymers
74. Fullerene C₆₀ has what geometry ?
- (A) Planar hexagonal
 - (B) Cylindrical
 - (C) Spherical
 - (D) Cubic
75. Which of the following has the highest aspect ratio ?
- (A) Quantum dots
 - (B) Nanorods
 - (C) Nanowires
 - (D) Nanospheres
76. Carbon nanotubes are formed by rolling :
- (A) Fullerene sheets
 - (B) Graphene sheets
 - (C) Diamond lattice
 - (D) Amorphous carbon

77. Graphene is best described as :
- (A) 2D single layer of sp^2 carbon atoms
 - (B) 3D crystalline carbon
 - (C) 1D tubular structure
 - (D) 0D spherical molecule
78. Which property change is primarily due to quantum confinement in nanomaterials ?
- (A) Mechanical strength
 - (B) Optical absorption spectrum
 - (C) Density
 - (D) Thermal expansion
79. One-dimensional nanostructures are characterized by :
- (A) All three dimensions in nanoscale
 - (B) Two dimensions in nanoscale
 - (C) One dimension outside nanoscale
 - (D) Only length in nanoscale
80. Which nanostructure is classified as a zero-dimensional (0D) material ?
- (A) Nanowires
 - (B) Nanotubes
 - (C) Quantum dots
 - (D) Nanosheets
81. The role of chemists in nanotechnology includes :
- (A) Device fabrication only
 - (B) Material synthesis and functionalization
 - (C) Medical diagnosis
 - (D) Software development
82. Nanotechnology applications in drug delivery rely on :
- (A) Large particle size
 - (B) Low solubility
 - (C) High density
 - (D) Target specificity
83. Which is NOT a challenge in nanotechnology ?
- (A) Standardization
 - (B) Toxicity assessment
 - (C) Scalability
 - (D) Infinite resource availability
84. The major advantage of nanoscale materials is :
- (A) Enhanced surface area
 - (B) Reduced reactivity
 - (C) Increased weight
 - (D) Lower conductivity

85. Which professional contributes to nanomedicine applications ?
- (A) Physicists only
 - (B) Engineers only
 - (C) Medical doctors
 - (D) Economists
86. The evolution of nanoscience was accelerated by invention of :
- (A) Optical microscope
 - (B) Electron microscope
 - (C) Scanning tunneling microscope
 - (D) Telescope
87. Which manufacturing factor affects nanoparticle size distribution ?
- (A) Color intensity
 - (B) Sound waves
 - (C) Gravity
 - (D) Reaction kinetics
88. A major ethical concern in nanotechnology is :
- (A) Environmental toxicity
 - (B) Increased gravity
 - (C) Lack of energy
 - (D) Reduced conductivity
89. Which discipline plays a key role in designing nanoscale computational models ?
- (A) Biology
 - (B) Medicine
 - (C) Computer science
 - (D) Agriculture
90. Gold nanoparticles appear red due to :
- (A) Diffraction
 - (B) Surface plasmon resonance
 - (C) Refraction
 - (D) Scattering
91. Which property significantly changes at nanoscale due to quantum effects ?
- (A) Density
 - (B) Mass
 - (C) Volume
 - (D) Color
92. The bottom-up approach involves :
- (A) Assembling atoms/molecules
 - (B) Breaking bulk materials
 - (C) Mechanical cutting
 - (D) Thermal decomposition

93. Which of the following is a major hurdle in nanotechnology development ?
- (A) High abundance of raw materials
 - (B) Toxicological uncertainties
 - (C) Low demand
 - (D) Lack of applications
94. Nanobiotechnology primarily integrates :
- (A) Physics and mathematics
 - (B) Chemistry and geology
 - (C) Biology and nanotechnology
 - (D) Engineering and astronomy
95. Which factor most critically influences nanoparticle synthesis ?
- (A) Surface energy
 - (B) Atmospheric pressure
 - (C) Gravity
 - (D) Bulk density
96. The concept of molecular manufacturing is most closely associated with :
- (A) Top-down approach
 - (B) Bottom-up approach
 - (C) Lithography
 - (D) Electroplating
97. The term “nanotechnology” was first popularized by :
- (A) Albert Einstein
 - (B) Richard Feynman
 - (C) Norio Taniguchi
 - (D) Eric Drexler
98. Which phenomenon becomes dominant at nanoscale ?
- (A) Gravitational forces
 - (B) Nuclear forces
 - (C) Surface-to-volume ratio effects
 - (D) Magnetic permeability
99. Nanotechnology typically deals with structures in which size range ?
- (A) 1-100 mm
 - (B) 1-100 μm
 - (C) 1-100 nm
 - (D) 1-100 pm
100. The primary distinguishing feature of nanoscience compared to bulk science is :
- (A) Quantum confinement effects
 - (B) Chemical composition
 - (C) Thermal stability
 - (D) Mechanical strength

(Only for Rough Work)

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the correct answer and mark the same in the OMR Answer-Sheet as per the direction :

Example :

Question :

- Q. 1 (A) ● (C) (D)
 Q. 2 (A) (B) ● (D)
 Q. 3 (A) ● (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
6. All answers are to be given on OMR Answer Sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
9. There will be no negative marking.
10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

Impt. : On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is any discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से सही उत्तर छाँटना है। उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में निम्न प्रकार भरना है :

उदाहरण :

प्रश्न :

- प्रश्न 1 (A) ● (C) (D)
 प्रश्न 2 (A) (B) ● (D)
 प्रश्न 3 (A) ● (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
9. निगेटिव मार्किंग नहीं है।
10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।