

Roll No.-----

प्रश्नपुस्तिका क्रमांक  
Question Booklet No.

O.M.R. Serial No.

--	--	--	--	--	--	--	--

**B.Sc. (Biotech.) (Second Semester) Examination, 2025-26**

(NEP)

**(BBT2002) BACK PAPER**

**PLANT PHYSIOLOGY**

**K-1365**

**Paper Code**

**BBT2002**

(To be filled in the  
OMR Sheet)

प्रश्नपुस्तिका सीरीज  
Question Booklet Series

**A**

**Time : 1:30 Hours ]**

**[ Maximum Marks-75**

**Instructions to the Examinee :**

1. Do not open the booklet unless you are asked to do so.
2. The booklet contains 100 questions. Examinee is required to answer 75 questions in the OMR Answer-Sheet provided and not in the question booklet. All questions carry equal marks.
3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

**परीक्षार्थियों के लिए निर्देश :**

1. प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
2. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को 75 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। सभी प्रश्नों के अंक समान हैं।
3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हो या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

**(Remaining instructions on the last page)**

**(शेष निर्देश अन्तिम पृष्ठ पर)**



1. Plant growth is defined as :
  - (A) Cell signaling
  - (B) Irreversible increase in size and mass
  - (C) Cell metabolism
  - (D) Cell death
2. Growth curve in plants is generally :
  - (A) Sigmoid
  - (B) Linear
  - (C) Circular
  - (D) Exponential
3. Natural auxin is :
  - (A) IAA
  - (B) GA3
  - (C) ABA
  - (D) Zeatin
4. Auxins promote :
  - (A) Lateral bud growth
  - (B) Seed dormancy
  - (C) Leaf fall
  - (D) Apical dominance
5. Auxins are mainly synthesized in :
  - (A) Roots
  - (B) Shoot apex
  - (C) Hydathodes
  - (D) Seeds

6. Gibberellins promote :

- (A) Stem elongation
- (B) Root inhibition
- (C) Leaf fall
- (D) Senescence

7. Gibberellins were first discovered in :

- (A) Rice plant disease
- (B) Wheat plant
- (C) Maize plant
- (D) Tobacco plant

8. Cytokinins delay :

- (A) Germination
- (B) Senescence
- (C) Flowering
- (D) Dormancy

9. Natural cytokinin is :

- (A) IAA
- (B) ABA
- (C) Zeatin
- (D) Ethylene

10. Cytokinins promote :

- (A) Apical dominance
- (B) Lateral bud growth
- (C) Leaf fall
- (D) Dormancy

11. ABA promotes :
- (A) Seed germination
  - (B) Stem elongation
  - (C) Cell division
  - (D) Seed dormancy
12. ABA helps in -
- (A) Stomatal opening
  - (B) Flowering
  - (C) Stomatal closure
  - (D) Fruit ripening
13. Ethylene is synthesized in :
- (A) Young tissues
  - (B) Leaves only
  - (C) Roots only
  - (D) Ripening fruits
14. Seed dormancy is :
- (A) Active growth
  - (B) Temporary growth arrest
  - (C) Death
  - (D) Germination
15. Water absorption during germination is called :
- (A) Imbibition
  - (B) Respiration
  - (C) Transpiration
  - (D) Diffusion

16. Photoperiodism is response to :
- (A) Temperature
  - (B) Water
  - (C) Light duration
  - (D) Nutrients
17. Long day plants flower when :
- (A) Day length is short
  - (B) Day length is long
  - (C) Temperature high
  - (D) Water available
18. Vernalization is :
- (A) Water treatment
  - (B) Heat treatment
  - (C) Light treatment
  - (D) Cold treatment to induce flowering
19. Vernalization promotes :
- (A) Flowering
  - (B) Dormancy
  - (C) Senescence
  - (D) Abscission
20. The primary photosynthetic pigment in plants is :
- (A) Chlorophyll b
  - (B) Carotene
  - (C) Chlorophyll a
  - (D) Xanthophyll

21. Chlorophyll a shows maximum absorption in :
- (A) Green and yellow region
  - (B) Blue and red region
  - (C) Yellow and orange region
  - (D) Infrared region
22. Carotenoids mainly function in :
- (A) Photoprotection
  - (B) Carbon fixation
  - (C) ATP synthesis
  - (D) Water splitting
23. The two photosystems involved in photosynthesis are :
- (A) PS I and PS II
  - (B) PS I and PS III
  - (C) PS II and PS III
  - (D) PS III and PS IV
24. The reaction center chlorophyll of Photosystem II is :
- (A) P600
  - (B) P700
  - (C) P750
  - (D) P680
25. Water splitting occurs in :
- (A) Photosystem I
  - (B) Photosystem II
  - (C) Both Photosystem I and II
  - (D) Calvin cycle

26. ATP formation during photosynthesis is called :
- (A) Oxidative phosphorylation
  - (B) Reductive phosphorylation
  - (C) Substrate level phosphorylation
  - (D) Photophosphorylation
27. Non-cyclic photophosphorylation produces :
- (A) ATP only
  - (B) NADPH only
  - (C) ATP and NADPH
  - (D) Glucose
28. The Calvin cycle occurs in
- (A) Thylakoid membrane
  - (B) Grana
  - (C) Stroma
  - (D) Outer membrane
29. The first stable product of Calvin cycle in C<sub>3</sub> plants is :
- (A) Oxaloacetate
  - (B) Ribulose phosphate
  - (C) Glucose
  - (D) 3-phosphoglycerate
30. The enzyme responsible for CO<sub>2</sub> fixation in Calvin cycle is :
- (A) Rubisco
  - (B) ATP synthase
  - (C) RuBP kinase
  - (D) Hexokinase

31. CAM plants open stomata during :
- (A) Day
  - (B) Night
  - (C) Afternoon
  - (D) Morning
32. Photorespiration occurs due to :
- (A) High CO<sub>2</sub> concentration
  - (B) High ATP
  - (C) Low temperature
  - (D) High O<sub>2</sub> concentration
33. Photorespiration mainly occurs in :
- (A) C<sub>4</sub> plants
  - (B) CAM plants
  - (C) C<sub>3</sub> plants
  - (D) Algae only
34. The enzyme responsible for biological nitrogen fixation is:
- (A) Nitrate reductase
  - (B) Nitrite reductase
  - (C) Nitrogenase
  - (D) Glutamine synthetase
35. The symbiotic nitrogen-fixing bacteria in leguminous plants belong to:
- (A) Azotobacter
  - (B) Rhizobium
  - (C) Clostridium
  - (D) Anabaena

36. Which of the following is a free-living nitrogen-fixing bacterium?
- (A) Rhizobium
  - (B) Frankia
  - (C) Azotobacter
  - (D) Bradyrhizobium
37. Nitrate reductase converts nitrate into:
- (A) Nitrite
  - (B) Ammonia
  - (C) Nitrogen
  - (D) Amino acid
38. Ammonium assimilation in plants mainly occurs through:
- (A) GS-GOGAT pathway
  - (B) Urea cycle
  - (C) Glycolysis
  - (D) TCA cycle
39. Glutamine synthetase converts:
- (A) Ammonia to nitrate
  - (B) Glutamine to glutamate
  - (C) Glutamate to glutamine
  - (D) Nitrite to ammonia
40. The energy requirement for nitrogen fixation is in the form of:
- (A) NADH only
  - (B) ATP
  - (C) FADH<sub>2</sub>
  - (D) GTP

41. Leghemoglobin in root nodules helps in:
- (A) Nitrogen transport
  - (B) Nitrate reduction
  - (C) Ammonia synthesis
  - (D) Oxygen regulation
42. Shoot apical meristem is responsible for:
- (A) Primary growth
  - (B) Secondary growth
  - (C) Lateral growth
  - (D) Root formation
43. Root apical meristem is protected by:
- (A) Epidermis
  - (B) Root cap
  - (C) Cortex
  - (D) Endodermis
44. The quiescent centre is present in:
- (A) Shoot apex
  - (B) Cambium
  - (C) Leaf apex
  - (D) Root apex
45. Which of the following is a simple permanent tissue?
- (A) Xylem
  - (B) Phloem
  - (C) Collenchyma
  - (D) Vascular bundle

46. Sclerenchyma cells are characterized by:
- (A) Thin walls
  - (B) Living protoplasm
  - (C) Thick lignified walls
  - (D) Large vacuole
47. Xylem transports:
- (A) Food
  - (B) Water and minerals
  - (C) Hormones
  - (D) Proteins
48. Phloem transports:
- (A) Water
  - (B) Minerals
  - (C) Food
  - (D) Oxygen
49. Which of the following is a living component of xylem?
- (A) Vessel
  - (B) Tracheid
  - (C) Xylem fiber
  - (D) Xylem parenchyma
50. Casparian strips occur in:
- (A) Epidermis
  - (B) Cortex
  - (C) Endodermis
  - (D) Pericycle

51. The vascular bundles in dicot stem are:
- (A) Open
  - (B) Closed
  - (C) Scattered
  - (D) Radial
52. Secondary growth is caused by:
- (A) Apical meristem
  - (B) Intercalary meristem
  - (C) Lateral meristem
  - (D) Root cap
53. Growth rings are formed due to:
- (A) Seasonal variation
  - (B) Mineral deficiency
  - (C) Water shortage
  - (D) Sunlight variation
54. Dorsiventral leaf is typical of:
- (A) Monocots
  - (B) Dicots
  - (C) Gymnosperms
  - (D) Mosses
55. Isobilateral leaves are found in:
- (A) Dicots
  - (B) Pteridophytes
  - (C) Bryophytes
  - (D) Monocots

56. Palisade parenchyma is present in:
- (A) Lower epidermis
  - (B) Upper epidermis
  - (C) Mesophyll
  - (D) Cortex
57. Bulliform cells are present in:
- (A) Dicot leaf
  - (B) Monocot leaf
  - (C) Stem
  - (D) Root
58. Water is essential for photosynthesis because it:
- (A) Produces glucose
  - (B) Forms starch
  - (C) Produces ATP directly
  - (D) Provides electrons
59. Diffusion is the movement of molecules from:
- (A) High concentration to low concentration
  - (B) Low concentration to high concentration
  - (C) Equal concentration
  - (D) Active transport
60. Osmosis involves movement of:
- (A) Solute molecules
  - (B) Water molecules
  - (C) Proteins
  - (D) Minerals

61. Osmosis occurs through:
- (A) Cell wall
  - (B) Semi-permeable membrane
  - (C) Cytoplasm
  - (D) Vacuole
62. A hypotonic solution causes plant cells to:
- (A) Shrink
  - (B) Die
  - (C) Burst
  - (D) Become turgid
63. Example of imbibition is:
- (A) Seed germination
  - (B) Transpiration
  - (C) Photosynthesis
  - (D) Respiration
64. Guttation occurs through:
- (A) Stomata
  - (B) Hydathodes
  - (C) Lenticels
  - (D) Cuticle
65. Guttation occurs mainly during:
- (A) Daytime
  - (B) Evening
  - (C) Afternoon
  - (D) Night or early morning

66. Loss of water in the form of vapor from plants is called:
- (A) Diffusion
  - (B) Respiration
  - (C) Transpiration
  - (D) Guttation
67. Guard cells regulate:
- (A) Photosynthesis
  - (B) Stomatal opening and closing
  - (C) Respiration
  - (D) Water absorption
68. Opening of stomata occurs due to:
- (A) Loss of turgor in guard cells
  - (B) Increase in turgor pressure
  - (C) Plasmolysis
  - (D) Cell shrinkage
69. Potassium ions play role in:
- (A) Translocation
  - (B) Respiration
  - (C) Photosynthesis
  - (D) Stomatal movement
70. Transpiration pull helps in:
- (A) Food transport
  - (B) Cell division
  - (C) Respiration
  - (D) Water transport

71. A nutrient is considered essential if:
- (A) Plant cannot complete life cycle without it
  - (B) It increases growth
  - (C) It is present in soil
  - (D) It is absorbed by roots
72. Which of the following is a macronutrient?
- (A) Zinc
  - (B) Iron
  - (C) Nitrogen
  - (D) Copper
73. Which of the following is a micronutrient?
- (A) Potassium
  - (B) Magnesium
  - (C) Iron
  - (D) Calcium
74. Nitrogen deficiency causes:
- (A) Chlorosis of older leaves
  - (B) Necrosis
  - (C) Wilting
  - (D) Leaf curling
75. Magnesium is a component of:
- (A) Cell wall
  - (B) Chlorophyll
  - (C) Protein
  - (D) DNA

76. Phosphorus deficiency leads to:
- (A) Purple coloration of leaves
  - (B) Yellow leaves
  - (C) Leaf fall
  - (D) Stem breakage
77. Mineral nutrients are absorbed mainly through:
- (A) Leaves
  - (B) Roots
  - (C) Stem
  - (D) Flowers
78. Active absorption of minerals requires:
- (A) ATP
  - (B) Light
  - (C) CO<sub>2</sub>
  - (D) Oxygen only
79. Food transport in plants occurs through:
- (A) Xylem
  - (B) Epidermis
  - (C) Cortex
  - (D) Phloem
80. The main sugar transported in plants is:
- (A) Glucose
  - (B) Fructose
  - (C) Sucrose
  - (D) Maltose

81. Translocation of food occurs from:
- (A) Sink to source
  - (B) Source to sink
  - (C) Root to leaves only
  - (D) Stem to leaves
82. Loading of sugars into phloem requires:
- (A) ATP
  - (B) Light
  - (C) Water
  - (D) Oxygen only
83. Bidirectional movement of food occurs in:
- (A) Xylem
  - (B) Cortex
  - (C) Phloem
  - (D) Endodermis
84. Photoperiodism refers to:
- (A) Growth due to light intensity
  - (B) Temperature response
  - (C) Nutrient uptake in light
  - (D) Developmental response to light duration
85. A short-day plant flowers when:
- (A) Night is longer than a critical period
  - (B) Night is interrupted
  - (C) Day length is longer than a critical period
  - (D) Day length is constant

86. The light-dependent reactions occur in the:
- (A) Stroma
  - (B) Cytosol
  - (C) Thylakoid membrane
  - (D) Inner chloroplast membrane
87. Oxygen is released during photosynthesis from the:
- (A) CO<sub>2</sub> molecule
  - (B) Chlorophyll
  - (C) Water
  - (D) NADPH
88. The enzyme responsible for carbon fixation is:
- (A) NADP<sup>+</sup> reductase
  - (B) ATP synthase
  - (C) Rubisco
  - (D) PEP carboxylase
89. Which product is NOT formed in the light reactions?
- (A) ATP
  - (B) NADPH
  - (C) O<sub>2</sub>
  - (D) Glucose
90. In C<sub>4</sub> plants, initial CO<sub>2</sub> fixation occurs in:
- (A) Bundle sheath cells
  - (B) Guard cells
  - (C) Mesophyll cells
  - (D) Stomatal cavity

91. The primary CO<sub>2</sub> fixing enzyme in C<sub>4</sub> plants is:
- (A) Rubisco
  - (B) PEP carboxylase
  - (C) Malate dehydrogenase
  - (D) Fumarase
92. Which of the following is a C<sub>4</sub> plant?
- (A) Wheat
  - (B) Rice
  - (C) Sugarcane
  - (D) Tomato
93. C<sub>4</sub> plants reduce photorespiration by:
- (A) Using more water
  - (B) Increasing temperature
  - (C) Spatial separation of CO<sub>2</sub> fixation and Calvin cycle
  - (D) Night-time fixation
94. CAM plants fix CO<sub>2</sub> at:
- (A) Dawn
  - (B) Night
  - (C) Midday
  - (D) Evening
95. The adaptive advantage of CAM metabolism is:
- (A) High temperature resistance
  - (B) Low CO<sub>2</sub> uptake
  - (C) Faster growth
  - (D) Water conservation

96. Which plant is a typical CAM plant?
- (A) Maize
  - (B) Spinach
  - (C) Barley
  - (D) Cactus
97. The Calvin cycle is present in:
- (A) Only C<sub>3</sub> plants
  - (B) C<sub>4</sub> and CAM plants only
  - (C) All photosynthetic plants
  - (D) None of the above
98. Leghaemoglobin is present in the root nodules of legumes. What is the function of leghaemoglobin?
- (A) Oxygen removal
  - (B) Inhibition of nitrogenase activity
  - (C) Expression of *nif* gene
  - (D) Nodule differentiation
99. Pick the correct statement:
- (A) Legumes do not fix nitrogen
  - (B) Legumes fix nitrogen independent of bacteria
  - (C) Legumes fix nitrogen through bacteria in their roots
  - (D) Legumes fix nitrogen through bacteria in their leaves
100. The organelles involved in photorespiration are chloroplast, peroxisome, and.....
- (A) Mitochondria
  - (B) Nucleus
  - (C) Golgi apparatus
  - (D) Ribosomes

\*\*\*\*\*

## **Rough Work / रफ कार्य**

4. Four alternative answers are mentioned for each question as – A, B, C & D in the question booklet. The candidate has to choose the correct answer and mark the same in the OMR Answer-Sheet as per the direction :

**Example :**

**Question :**

Q. 1 (A) ● (C) (D)

Q. 2 (A) (B) ● (D)

Q. 3 (A) ● (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
6. All answers are to be given on OMR Answer Sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
7. Before writing anything on the OMR Answer Sheet, all the Instructions given in it should be read carefully.
8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
9. There will be no negative marking.
10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

**Impt.** On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is any discrepancy in the question booklet, then after showing it to the invigilator, get another question booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर- A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से एक सही उत्तर छॉटना है। उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में निम्न प्रकार भरना है :

**उदाहरण :**

**प्रश्न :**

प्रश्न 1 (A) ● (C) (D)

प्रश्न 2 (A) (B) ● (D)

प्रश्न 3 (A) ● (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उत्तर निरस्त कर दिया जाएगा।

5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
9. निगेटिव मार्किंग नहीं है।
10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

**महत्वपूर्ण :** प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरिज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।