

Roll No.-----

प्रश्नपुस्तिका क्रमांक
Question Booklet No.

O.M.R. Serial No.

--	--	--	--	--	--	--	--

B.Sc. (Biotech.) (Second Semester) Examination, 2025-26

(NEP)

(BBT2004B) BACK PAPER

DEVELOPMENT BIOLOGY

K-1368

Paper Code

BBT2004B

(To be filled in the
OMR Sheet)

प्रश्नपुस्तिका सीरीज
Question Booklet Series

C

Time : 1:30 Hours]

[Maximum Marks-75

Instructions to the Examinee :

1. Do not open the booklet unless you are asked to do so.
2. The booklet contains 100 questions. Examinee is required to answer 75 questions in the OMR Answer-Sheet provided and not in the question booklet. All questions carry equal marks.
3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

1. प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
2. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को 75 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। सभी प्रश्नों के अंक समान हैं।
3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हो या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(Remaining instructions on the last page)

(शेष निर्देश अन्तिम पृष्ठ पर)

1. Fertilization restores:
 - (A) Haploid state
 - (B) Diploid state
 - (C) Triploid state
 - (D) Polyploidy

2. The plane of cleavage depends on the amount and distribution of
 - (A) cells
 - (B) mitochondria
 - (C) yolk
 - (D) membranes

3. The neural tube is the precursor to:
 - (A) Retina
 - (B) Brain and spinal cord
 - (C) Cornea
 - (D) Notochord

4. One of these is not a cell movement
 - (A) invagination
 - (B) ingression
 - (C) epiboly
 - (D) cleavage

5. What prevents polyspermy during fertilization?
 - (A) Syngamy
 - (B) Cortical reaction
 - (C) Pronuclear fusion
 - (D) Acrosomal enzymes

6. Multiplication, growth, maturation and spermiogenesis are phases of
 - (A) spermatogenesis
 - (B) oogenesis
 - (C) spermateliosis
 - (D) spermatogonia formation
7. Which layer of the egg must be penetrated during fertilization?
 - (A) Chorion
 - (B) Amnion
 - (C) Endometrium
 - (D) Zona pellucida
8. The study of development is known as:
 - (A) Embryology
 - (B) Genetics
 - (C) Physiology
 - (D) Cytology
9. The irreversible stage of cell commitment is:
 - (A) Specification
 - (B) Determination
 - (C) Differentiation
 - (D) Migration
10. The fluid-filled cavity in the blastula is called:
 - (A) Blastocoel
 - (B) Blastoderm
 - (C) Morula
 - (D) Inner cell mass

11. Germinal ectoderm forms _____ sublayers.
- (A) One
 - (B) Two
 - (C) Three
 - (D) Four
12. Which of the following is true about fate maps?
- (A) They show the future developmental fate of embryonic regions
 - (B) They identify cell death locations
 - (C) They are used only in mammals
 - (D) They are visible with the naked eye
13. Fertilization results in the formation of:
- (A) Gametes
 - (B) Blastula
 - (C) Oocyte
 - (D) Zygote
14. Cleavage results _____ number of cells.
- (A) decreased
 - (B) increased
 - (C) same
 - (D) still not known
15. Acrosomal reaction is stimulation by exchange of
- (A) Ca^{++}
 - (B) I
 - (C) Fe^{++}
 - (D) Na^+

16. Entry of more than one sperm is:
- (A) Monospermy
 - (B) Polyspermy
 - (C) Cleavage
 - (D) Fertilization
17. Excretion in developing embryo is enabled by
- (A) chorion
 - (B) yolk sac
 - (C) allantois
 - (D) amnion
18. Cleavage is:
- (A) Cell growth
 - (B) Cell division without growth
 - (C) Cell death
 - (D) Cell differentiation
19. The allantois contributes to the formation of:
- (A) Umbilical cord
 - (B) Placenta
 - (C) Liver
 - (D) Lens vesicle
20. After entry of sperm into an ovum in fertilization, entry of other sperms is prevented by
- (A) development of the vitelline membrane
 - (B) development of pigment coat
 - (C) formation of fertilization membrane
 - (D) formation of yolk

21. Human placental classification is:
- (A) Epitheliochorial
 - (B) Syndesmochorial
 - (C) Hemochorial
 - (D) Endotheliochorial
22. The blastocoel is absent in:
- (A) Coeloblastula
 - (B) Stereoblastula
 - (C) Discoblastula
 - (D) Blastocyst
23. Which of the following is not a morphogenetic movement during gastrulation?
- (A) Cleavage
 - (B) Epiboly
 - (C) Ingression
 - (D) Convergent extension
24. Notogenesis involves the development of:
- (A) Notochord
 - (B) Neural crest cells
 - (C) Optic vesicle
 - (D) Retinal pigment epithelium
25. Organogenesis begins after:
- (A) Cleavage
 - (B) Blastulation
 - (C) Gastrulation
 - (D) Fertilization

26. The anterior-posterior axis is primarily regulated by:
- (A) Hox genes
 - (B) tRNA
 - (C) rRNA
 - (D) Ribosomes
27. Cells formed after cleavage are called
- (A) sperms
 - (B) blastomeres
 - (C) ova
 - (D) megameres
28. The dorsal lip of the blastopore acts as:
- (A) Organizer
 - (B) Repressor
 - (C) Inducer
 - (D) Inhibitor
29. Competence in embryonic cells refers to:
- (A) Cell division rate
 - (B) Cell death
 - (C) DNA replication
 - (D) Ability to respond to inductive signals
30. The layer of cells immediately surrounding the ovum but outside the zona pellucida is called
- (A) corona radiata
 - (B) theca interna
 - (C) membrane granulosa
 - (D) germinal epithelium

31. Which signaling pathway is critical for cell fate determination?
- (A) Hedgehog pathway
 - (B) Glycolysis pathway
 - (C) Calvin cycle
 - (D) Respiratory chain
32. Body axes include:
- (A) Length only
 - (B) Width only
 - (C) Anterior-posterior
 - (D) Color pattern
33. The first germ layer to form during gastrulation is:
- (A) Mesoderm
 - (B) Ectoderm
 - (C) Endoderm
 - (D) Neural crest
34. Epiboly occurs in:
- (A) Yolk-rich cells
 - (B) Neural crest cells
 - (C) Mesodermal precursors
 - (D) Surface ectoderm cells
35. Sertoli cells do not
- (A) maintain blood-testis barrier
 - (B) create environment for differentiation of sperm cells
 - (C) do not secrete inhibin
 - (D) help maintain high testosterone level

36. The heart originates from which germ layer?
- (A) Endoderm
 - (B) Ectoderm
 - (C) Paraxial mesoderm
 - (D) Lateral plate mesoderm
37. The term “cell fate” refers to:
- (A) The potential function a cell will achieve during development
 - (B) The destruction of cells during apoptosis
 - (C) Cell division without differentiation
 - (D) The death of a cell
38. Morphogens are:
- (A) Gradients of signaling molecules
 - (B) Structural proteins
 - (C) Digestive enzymes
 - (D) Transport proteins
39. One layered barrier between maternal and fetal placenta
- (A) endothelio-chorion
 - (B) Haemo-endothelium
 - (C) epithelio-chorion
 - (D) haemo-chorial
40. Gonads develop from embryonic
- (A) ectoderm
 - (B) endoderm
 - (C) yolk sac
 - (D) Mesoderm

41. The amnion primarily functions to:
- (A) Protect the embryo from shocks
 - (B) Provide nutrients
 - (C) Facilitate waste removal
 - (D) Support placenta formation
42. The acrosome is formed by
- (A) mitochondria
 - (B) golgi bodies
 - (C) ribosomes
 - (D) nucleus
43. Cell commitment involves:
- (A) Random cell fate
 - (B) Reversible gene expression
 - (C) Specification and determination
 - (D) Complete differentiation
44. The process of formation of the neural tube is called:
- (A) Neurulation
 - (B) Gastrulation
 - (C) Induction
 - (D) Delamination
45. The zygote undergoes its first division by:
- (A) Meiosis
 - (B) Mitosis
 - (C) Amitosis
 - (D) Binary fission

46. Cell communication in development is called:
- (A) Digestion
 - (B) Induction
 - (C) Respiration
 - (D) Excretion
47. Holoblastic cleavage extends through
- (A) entire egg
 - (B) center of egg
 - (C) animal pole
 - (D) vegetal pole
48. Number of germ layers in most animals:
- (A) One
 - (B) Two
 - (C) Three
 - (D) Four
49. Multiplication phase results in the formation of
- (A) sperm
 - (B) secondary spermatocyte
 - (C) spermatid
 - (D) Spermatogonium
50. The solid ball of cells formed after cleavage is known as
- (A) morula
 - (B) blastula
 - (C) gastrula
 - (D) fetus

51. The primitive gut formed during gastrulation is known as:
- (A) Blastocoel
 - (B) Coelom
 - (C) Archenteron
 - (D) Notocord
52. The process of delamination involves:
- (A) Surface cells migrating inward
 - (B) Splitting of a cell sheet into two layers
 - (C) Folding of the neural plate
 - (D) Formation of yolk plug
53. In mammals ovary is primarily concerned with
- (A) production of hormone
 - (B) production of ovum
 - (C) development of secondary sexual characters
 - (D) production of Graffian Follicle
54. The male gamete is known as
- (A) spermatosome
 - (B) spermatocyte
 - (C) spermatid
 - (D) Sperm
55. The cleavage furrow extends through the entire egg in _____ cleavage.
- (A) Holoblastic
 - (B) meroblastic
 - (C) meroblastic equal
 - (D) meroblastic unequal

56. A signal from one group of cells that influences the development of another is called:
- (A) Induction
 - (B) Determination
 - (C) Cleavage
 - (D) Translation
57. The placenta in mammals is primarily derived from:
- (A) Endoderm only
 - (B) Maternal uterine tissue only
 - (C) Both embryonic and maternal tissues
 - (D) Ectoderm only
58. Plasticity in embryonic development refers to:
- (A) Inflexibility in cell fate
 - (B) Irreversible differentiation
 - (C) Determination of zygote
 - (D) Ability of cells to change fate
59. Type of cleavage does not depend on
- (A) amount of yolk
 - (B) distribution of yolk
 - (C) zygote nucleus
 - (D) time of cleavage
60. Morphogenesis refers to:
- (A) Cell differentiation
 - (B) Formation of specialized structures in an organism
 - (C) DNA replication
 - (D) Breakdown of organic matter

61. The substance fertilisin is secreted by
- (A) spermatozoa
 - (B) spermatogonia
 - (C) ova
 - (D) blastula
62. The acrosomal reaction occurs in:
- (A) Egg cytoplasm
 - (B) Sperm cell
 - (C) Zona pellucida
 - (D) Cortical granules
63. Placenta cannot be classified on the basis of
- (A) origin
 - (B) intimacy
 - (C) histology
 - (D) shape of villi
64. The hollow stage of embryo is:
- (A) Morula
 - (B) Blastula
 - (C) Gastrula
 - (D) Neurula
65. In mammals fertilization is
- (A) external
 - (B) tubal
 - (C) uterine
 - (D) internal

66. Hollow blastocoel surrounded by a single layer of cells characterizes
- (A) stereoblastula
 - (B) periblastula
 - (C) coeloblastula
 - (D) Amphiblastula
67. Which of the following is not a mechanism of cell signaling during embryonic development?
- (A) contact-dependent
 - (B) phagocytosis
 - (C) paracrine signaling
 - (D) endocrine signalling
68. The process by which a fertilized egg develops into a multicellular organism is called:
- (A) Development
 - (B) Morphogenesis
 - (C) Differentiation
 - (D) Cleavage
69. Which of the following is a diploid cell?
- (A) Zygote
 - (B) Ovum
 - (C) Sperm
 - (D) Secondary oocyte
70. What is the function of yolk sac in embryonic development?
- (A) exchange of gases
 - (B) nutrient storage
 - (C) protection of embryo
 - (D) production of blood cells

71. Cells of corona radiata are glued by
- (A) hyaluronidase
 - (B) estrogen
 - (C) hyaluronic acid
 - (D) lipid
72. Which of the fetal membranes is directly connected with placenta?
- (A) amnion
 - (B) yolk sac
 - (C) allantois
 - (D) chorion
73. What is an “organizer” in developmental biology?
- (A) A gene controlling development
 - (B) A region that directs the development of adjacent cells
 - (C) A molecule responsible for DNA synthesis
 - (D) A phase in the cell cycle
74. Which part of sperm provides energy to fertilise the egg
- (A) sperm tail
 - (B) acrosome
 - (C) middle piece
 - (D) sperm head
75. The chorion functions in:
- (A) Gas exchange
 - (B) Blood cell production
 - (C) Digestion
 - (D) Urine formation

76. Meroblastic cleavage occurs in eggs with:
- (A) No yolk
 - (B) Little yolk
 - (C) Moderate yolk
 - (D) Large amount of yolk
77. What is the term for the transformation of spermatids into spermatozoa?
- (A) Meiosis
 - (B) Spermiogenesis
 - (C) Gametogenesis
 - (D) Fertilization
78. The region where sperm enters the egg is called
- (A) animal pole
 - (B) penetration pole
 - (C) vegetal pole
 - (D) receptor cone
79. Somites give rise to:
- (A) Skin only
 - (B) Muscles and vertebrae
 - (C) Blood only
 - (D) Brain
80. The neural plate forms from:
- (A) Mesoderm
 - (B) Endoderm
 - (C) Ectoderm
 - (D) Notochord

81. The uterine wall fuses with extra-embryonic membranes to form
- (A) neural crest
 - (B) notochord
 - (C) placenta
 - (D) blastula
82. Which cells are called as supporting cells between spermatogonia?
- (A) Sertoli cells
 - (B) germinal cells
 - (C) Leydig cells
 - (D) connective tissue
83. Gastrula encloses a cavity called
- (A) amnion
 - (B) yolk sac
 - (C) blastocoel
 - (D) Archenteron
84. Which type of egg contains very little yolk?
- (A) Microlecithal
 - (B) Macrolecithal
 - (C) Mesolecithal
 - (D) Centrolecithal
85. Extraembryonic membranes do not include
- (A) Amnion
 - (B) chorion
 - (C) allantois
 - (D) yolk

86. Differential gene expression allows:
- (A) All cells to express the same genes
 - (B) Specialized functions in different cells
 - (C) Genes to mutate during development
 - (D) Uncontrolled cell division
87. Morula contains _____ cells
- (A) 32
 - (B) more than 32
 - (C) less than 16
 - (D) 16
88. Zona pellucida is dissolved by
- (A) hyaluronidase
 - (B) lysine
 - (C) acrosin
 - (D) Estrogen
89. Neural folds fuse to form:
- (A) Brain
 - (B) Neural tube
 - (C) Notochord
 - (D) Somites
90. The type of placenta found in pig is
- (A) epithelia-chorial
 - (B) syndesmo-chorial
 - (C) endothelio-chorial
 - (D) Haemo-chorial

91. Gametogenesis produces:
- (A) Somatic cells
 - (B) Gametes
 - (C) Zygotes
 - (D) Embryos
92. The amnion is a(n):
- (A) Internal organ
 - (B) Germ layer
 - (C) Extra-embryonic membrane
 - (D) Somite derivative
93. How many polar bodies are typically formed in oogenesis?
- (A) 0
 - (B) 1
 - (C) 2
 - (D) 3
94. The villi are numerous and scattered uniformly over chorion in
- (A) Diffused
 - (B) cotyledonary
 - (C) Zonary
 - (D) Discoidal
95. Cell lineage tracing is used to study:
- (A) DNA replication
 - (B) Growth rates during cleavage
 - (C) Enzyme activity
 - (D) Developmental history of cells

96. The acrosome plays important role in
- (A) motility of sperm
 - (B) penetration of sperm into ovum
 - (C) fusion of pronuclei into the gametes
 - (D) to degenerate the ovum
97. Telolecithal eggs have yolk concentrated at:
- (A) The center
 - (B) The animal pole
 - (C) One end of the egg
 - (D) Evenly throughout the cytoplasm
98. Which tissue sends inductive signals to form the neural plate?
- (A) Notochord
 - (B) Ectoderm
 - (C) Mesoderm
 - (D) Optic vesicle
99. The yolk containing pole of fertilized egg is called
- (A) vegetal pole
 - (B) animal pole
 - (C) posterior pole
 - (D) anterior pole
100. Which of the following statements about spermatogenesis is true?
- (A) It occurs in the ovary
 - (B) It produces 4 haploid sperm cells
 - (C) It involves the fusion of two haploid cells
 - (D) It occurs in the testis

Rough Work / रफ कार्य

4. Four alternative answers are mentioned for each question as – A, B, C & D in the question booklet. The candidate has to choose the correct answer and mark the same in the OMR Answer-Sheet as per the direction :

Example :

Question :

Q. 1 (A) ● (C) (D)

Q. 2 (A) (B) ● (D)

Q. 3 (A) ● (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
6. All answers are to be given on OMR Answer Sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
7. Before writing anything on the OMR Answer Sheet, all the Instructions given in it should be read carefully.
8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
9. There will be no negative marking.
10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

Impt. On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is any discrepancy in the question booklet, then after showing it to the invigilator, get another question booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर— A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से एक सही उत्तर छॉटना है। उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में निम्न प्रकार भरना है :

उदाहरण :

प्रश्न :

प्रश्न 1 (A) ● (C) (D)

प्रश्न 2 (A) (B) ● (D)

प्रश्न 3 (A) ● (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उत्तर निरस्त कर दिया जाएगा।

5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
9. निगेटिव मार्किंग नहीं है।
10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरिज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।