Roll No	 (To b	9 oe filled i	9 in the	प्रश्नपुस्तिका क्रमांक Question Booklet No.
O.M.R. Serial No.				प्रश्नपुस्तिका सीरीज Question Booklet Series <b>D</b>

## B.C.A.(Fifth Semester) Examination, February/March-2022 BCA-502(N)

## JAVA Programming and Dynamic Webpage Design

Time: 1:30 Hours Maximum Marks-100

जब तक कहा न जाय, इस प्रश्नपुस्तिका को न खोलें

- निर्देश: 1. परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सीरीज का विवरण यथास्थान सही— सही भरें, अन्यथा मृल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
  - 2. इस प्रश्नपुस्तिका में 100 प्रश्न हैं, जिनमें से केवल 75 प्रश्नों के उत्तर परीक्षार्थियों द्वारा दिये जाने है। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर पत्रक (O.M.R. ANSWER SHEET)में उसके अक्षर वाले वृत्त को काले या नीले बाल प्वांइट पेन से पूरा भर दें। यदि किसी परीक्षार्थी द्वारा निर्धारित प्रश्नों से अधिक प्रश्नों के उत्तर दिये जाते हैं तो उसके द्वारा हल किये गये प्रथमतः यथा निर्दिष्ट प्रश्नोत्तरों का ही मूल्यांकन किया जायेगा।
  - प्रत्येक प्रश्न के अंक समान हैं। आप के जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
  - 4. सभी उत्तर केवल ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर ही दिये जाने हैं। उत्तर पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
  - 5. ओ॰एम॰आर॰ उत्तर पत्रक (O.M.R. ANSWER SHEET) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाय।
  - 6. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी प्रश्नपुस्तिका बुकलेट एवं ओ०एम०आर० शीट पृथक-पृथक उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
  - 7. निगेटिव मार्किंग नहीं है।
- महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जॉच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीभॉति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्ष निरीक्षक को दिखाकर उसी सीरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।

**466** 

## Rough Work / रफ कार्य

1.	Whi	ch of the following is advantage of using PreparedStatement in Java?		
1.		Slow performance		
	(B)	Encourages SQL injection		
	(C)	Prevents SQL injection		
	(D)	More memory usage		
2.	Whi	ch of these statement is incorrect?		
	(A)	Every class must contain a main() method		
	(B)	Applets do not require a main() method at all		
	(C)	There can be only one main() method in a program		
	(D)	main() method must be made public		
3.	How	can we connect to database in a web application?		
	(A)	oracle sql developer		
	(B)	toad		
	(C)	JDBC template		
	(D)	mysql		
4.	How are java web applications packaged?			
	(A)	jar		
	(B)	war		
	(C)	zip		
	(D)	Both jar and war		
5.	Whi	ch of the following is advantage of using JDBC connection pool?		
	(A)	Slow performance		
	(B)	Using more memory		
	(C)	Using less memory		
	(D)	Better performance		
6.	Whi	ch of the following is an incorrect statement about packages?		
	(A)	Package defines a namespace in which classes are stored		
	(B)	A package can contain other package within it		
	(C)	Java uses file system directories to store packages		
	(D)	A package can be renamed without renaming the directory in which the classes		
		are stored		

7.	Which of these events is generated by scroll bar?
	(A) ActionEvent
	(B) KeyEvent
	(C) WindowEvent
	(D) AdjustmentEvent
8.	Which of these methods can be used to obtain the command name for invoking
	ActionEvent object?
	(A) getCommand()
	(B) getActionCommand()
	(C) getActionEvent()
	(D) getActionEventCommand()
9.	Which of these methods is a part of Abstract Window Toolkit (AWT)?
	(A) display()
	(B) paint()
	(C) drawstring()
	(D) transient()
10.	Which thread will be executed first if two threads have same priority?
	(A) They will fall in starvation and none will be executed
	(B) Both will be executed simultaneously
	(C) It depends upon operating system
	(D) They will be executed on first come first serve basis
11.	Host URL is written in html and simple text :
	(A) html
	(B) text
	(C) html/text
	(D) text/html

12.	Which of these method is used to start a server thread?
12.	(A) run()
	(B) Start()
	(C) runThread()
	(D) startThread()
13.	Which of these methods are used to find a URL from the cache of httpd?
	(A) findfromCache()
	(B) findFromCache()
	(C) serveFromCache()
	(D) getFromCache()
14.	Which of thesemethod of httpd class is used to get report on each hit to HTTP
	server?
	(A) log()
	(B) logEntry()
	(C) logHttpd()
	(D) logResponse()
15.	Which of these package contains classes and interfaces for networking?
	(A) java.io
	(B) java.util
	(C) java.net
	(D) java.network
16.	Which of these class object can be used to form a dynamic array?
	(A) ArrayList
	(B) Map
	(C) Vector
	(D) ArrayList & Vector

17.	What will s2 contain after following lines of Java code?
	String s1 = "one";
	String $s2 = s1.concat("two")$
	(A) one
	(B) two
	(C) onetwo
	(D) twoone
18.	Which of these methods is used to compare a specific region inside a string with
	another specific region in another string?
	(A) regionMatch()
	(B) match()
	(C) RegionMatches()
	(D) regionMatches()
19.	Which of these method of class String is used to extract a single character from a
	String object?
	(A) CHARAT()
	(B) chatat()
	(C) charAt()
	(D) ChatAt()
20.	Which of these is an incorrect statement?
	(A) String objects are immutable, they cannot be changed
	(B) String object can point to some other reference of String variable
	(C) String Buffer class is used to store string in a buffer for later use
	(D) None of the mentioned
21.	Which of these is used to perform all input & output operations in Java?
	(A) Streams
	(B) Variables
	(C) Classes
	(D) Methods

22.	Wha	at does AWT stands for ?
	(A)	All Window Tools
	(B)	All Writing Tools
	(C)	Abstract Window Toolkit
	(D)	Abstract Writing Toolkit
23.	Whe	en does Exceptions in Java arises in code sequence?
	(A)	Run Time
	(B)	Compilation Time
	(C)	Can Occur Any Time
	(D)	None of the mentioned
24.	Whi	ch of these keywords is not a part of exception handling?
	(A)	try
	(B)	finally
	(C)	thrown
	(D)	catch
25.	Whi	ch of these events will be generated if we close an applet's window?
	(A)	ActionEvent
	(B)	ComponentEvent
	(C)	AdjustmentEvent
	(D)	WindowEvent
26.	Wha	at is an event in delegation event model used by Java programming language?
	(A)	An event is an object that describes a state change in a source
	(B)	An event is an object that describes a state change in processing
	(C)	An event is an object that describes any change by the user and system
	(D)	An event is a class used for defining object, to create events

27.	Which of these packages contains all the classes and methods required for even
	handling in Java ?
	(A) java.applet
	(B) java.awt
	(C) java.event
	(D) java.awt.event
28.	Which of these are types of multitasking?
	(A) Process based
	(B) Thread based
	(C) Process and Thread based
	(D) None of the mentioned
29.	Which method must be implemented by a Java thread?
	(A) run()
	(B) execute()
	(C) start()
	(D) None
30.	All Interface variables are by default in Java.
	(A) Public
	(B) Final
	(C) Public and final
	(D) None
31.	Choose a correct statement about Java Interfaces ?
	(A) Interface contains only abstract methods by default
	(B) A Java class can implement multiple interfaces
	(C) An Interface can extend or inherit another Interface
	(D) All the above

32.	An abstract class with 100% abstract methods is equivalent to
	(A) Concrete class
	(B) Virtual class
	(C) Interface
	(D) All the above
33.	An abstract class in Java can be created using the keyword
	(A) Final
	(B) Interface
	(C) Abstract
	(D) Static
34.	To stop or block inheriting a given class, thekeyword is used before the
	class.
	(A) Static
	(B) Private
	(C) Final
	(D) None of the above
35.	Which is the keyword used to implement inheritance in Java?
	(A) Extends
	(B) Implements
	(C) Instanceof
	(D) None
36.	Java method overloading implements the OOPS concept
	(A) Inheritance
	(B) Polymorphism
	(C) Encapsulation
	(D) None

37.	To successfully overload a method in Java, the method names must be
	(A) Same
	(B) Different
	(C) Same or different
	(D) None
38.	The command-line arguments are passes at
	(A) Runtime
	(B) The time of executing a Java program
	(C) The time of compiling a Java program
	(D) None
39.	A "this" operator used inside a Java method refers to variable.
	(A) Global variable
	(B) Method local variable
	(C) Instance variable
	(D) None
40.	Java method signature is a combination of
	(A) Return type
	(B) Method name
	(C) Argument List
	(D) All the above
41.	Choose the correct statement about Java main method:
	(A) The main method is not a required method
	(B) The main method must be declared public static void
	(C) You can define program flow using the main method. The Java virtual
	machine calls the main method directly
	(D) All the above

42.	In a .java file, how many numbers of public types namely class, interface or abstract
	can be managed?
	(A) 1
	(B) 2
	(C) 3
	(D) Any number
43.	Which is the file extension used for a compiled Java class file?
	(A) .j
	(B) .java
	(C) .class
	(D) .cls
44.	Byte code is the result of:
	(A) Compiling a Java file
	(B) Compiling a Class file
	(C) Interpreting a Java file
	(D) Interpreting a Class file
45.	What is an Interpreter ?
	(A) An interpreter converts instructions line by line
	(B) An interpreter converts source code to low-level code
	(C) Interpreters are slow to execute
	(D) All the above
46.	What type of Java Programs can be run inside a Java supported Web Browser?
	(A) Stand alone
	(B) Struts
	(C) Applets
	(D) AWT

47.	Whi	ch of the following is not a wrapper class?
	(A)	String
	(B)	Integer
	(C)	Boolean
	(D)	Character
48.	Whe	en Overloading does not occur ?
	(A)	More than one method with same name but different method signature and
		different number or type of parameters.
	(B)	More than one method with same name, same signature but different number
		of signature.
	(C)	More than one method with same name, same signature, same number of
		parameters but different type.
	(D)	More than one method with same name, same number of parameters and type
		but different signature.
49.	Whi	ch component is used to compile, debug and execute java program?
	(A)	JVM
	(B)	JDK
	(C)	JIT
	(D)	JRE
50.	Who	o invented java language?
	(A)	Dennis Ritchie
	(B)	James Gosling
	(C)	Larry Page
	(D)	Serge Page

51.	What is the listener used to handle the events of a text field?
	(A) java.awt.ActionListener interface
	(B) java.awt.event.ActionListener
	(C) awt.event.ActionListener interface
	(D) java.awt.event.ActionListener interface
52.	A dictates the style of arranging the components in a container.
	(A) border layout
	(B) grid layout
	(C) panel
	(D) layout manager
53.	What are the major components of the JDBC?
	(A) DriverManager, Driver, Connection, Statement, and ResultSet
	(B) DriverManager, Driver, Connection, and Statement
	(C) DriverManager, Statement, and ResultSet
	(D) DriverManager, Connection, Statement, and ResultSet
54.	Which of the following type of JDBC driver, uses database native protocol?
	(A) JDBC-ODBC Bridge plus ODBC driver
	(B) Native-API, partly Java driver
	(C) JDBC-Net, pure Java driver
	(D) Native-protocol, pure Java driver
55.	If I want to have common functions in a class and want to defer implementations of
	some other functions to derived classes, then we need to use:
	(A) An interface
	(B) An abstract class
	(C) A static class
	(D) None

56.	Encapsulation concept in java is:
	(A) Hiding complexity
	(B) Method hiding
	(C) Hiding constructor
	(D) None
57.	What are the types of unordered or bulleted list in HTML?
	(A) disc, square, triangle
	(B) polygon, triangle, circle
	(C) disc, circle, square
	(D) All of the above
58.	What is the priority of the thread in the following Java Program?
	class multithreaded_programing
	{
	<pre>public static void main(String args[])</pre>
	{
	Thread t = Thread.currentThread();
	System.out.println(t);
	}
	}
	(A) 4
	(B) 5
	(C) 0

59.	Which object stores references to the request and response objects?
	(A) sessionContext
	(B) pageContext
	(C) HttpSession
	(D) sessionAttribute
60.	"out" is implicit object of which class?
	(A) javax.servlet.jsp.PrintWriter
	(B) javax.servlet.jsp.SessionWriter
	(C) javax.servlet.jsp.SessionPrinter
	(D) javax.servlet.jsp.JspWriter
61.	Which attribute uniquely identification element?
	(A) ID
	(B) Class
	(C) Name
	(D) Scope
62.	Which option is true about session scope?
	(A) Objects are accessible only from the page in which they are created
	(B) Objects are accessible only from the pages which are in same session
	(C) Objects are accessible only from the pages which are processing the same
	request
	(D) Objects are accessible only from the pages which reside in same application
63.	Which of the below is not a session tracking method?
	(A) URL rewriting
	(B) History
	(C) Cookies
	(D) SSL sessions

64.	How is the dynamic interception of requests and responses to transform the
	information done?
	(A) servlet container
	(B) servlet config
	(C) servlet context
65.	(D) servlet filter  Leve and a is ambedded under which to a in ISD 2
03.	Java code is embedded under which tag in JSP ?
	(A) Declaration
	(B) Scriptlet
	(C) Expression
	(D) Comment
66.	Which one of the following is correct for directive in JSP?
	(A) <%@directive%>
	(B) <%!directive%>
	(C) <%directive%>
	(D) <%=directive%>
67.	Which one is the correct order of phases in JSP life cycle?
	(A) Initialization, Cleanup, Compilation, Execution
	(B) Initialization, Compilation, Cleanup, Execution
	(C) Compilation, Initialization, Execution, Cleanup
	(D) Cleanup, Compilation, Initialization, Execution
68.	Which tag should be used to pass information from JSP to included JSP?
	(A) Using <%jsp:page> tag
	(B) Using <%jsp:param> tag
	(C) Using <%jsp:import> tag
	(D) Using <%jsp:useBean> tag

- 69. Which are the session tracking techniques?
  - i. URL rewriting
  - ii. Using session object
  - iii. Using response object
  - iv. Using hidden fields
  - v. using cookies
  - vi. Using servlet object
  - (A) i, ii, iii, vi
  - (B) i, ii, iv, v
  - (C) i, vi, iii, v
  - (D) i, ii, iii, v
- 70. Which of the following is true about servlets?
  - (A) Servlets execute within the address space of web server
  - (B) Servlets are platform-independent because they are written in java
  - (C) Servlets can use the full functionality of the Java class libraries
  - (D) Servlets execute within the address space of web server, platform independent and uses the functionality of java class libraries
- 71. What is the difference between servlets and applets?
  - i. Servlets execute on Server; Applets execute on browser
  - ii. Servlets have no GUI; Applet has GUI
  - iii. Servlets creates static web pages; Applets creates dynamic web pages
  - iv. Servlets can handle only a single request; Applet can handle multiple requests
  - (A) i, ii, iii, are correct
  - (B) i, ii, are correct
  - (C) i, iii, are correct
  - (D) i, ii, iii, iv are correct

72.	Which of the following tag is used to create a combo box (or drop-down box)?
	(A) <li>t&gt;</li>
	(B) <select></select>
	(C) <input type="dropdown"/>
	(D) <ul></ul>
73.	A program in HTML can be rendered and read by :
	(A) Web browser
	(B) Server
	(C) Interpreter
	(D) None of the above
74.	An HTML program is saved by using the extension.
	(A) .ht
	(B) .html
	(C) .hml
	(D) None of the above
75.	<input/> is:
	(A) A format tag
	(B) An empty tag
	(C) All of the above
	(D) None of the above
76.	How to create a hyperlink in HTML?
	(A) <a href="www.javatpoint.com">javaTpoint.com</a>
	(B) <a a="" javatpoint.com="" url="www.javatpoint.com"></a>
	(C) <a link="www.javatpoint.com">javaTpoint.com</a>
	(D) <a> www.javatpoint.com<javatpoint.com a=""></javatpoint.com></a>

The correct sequence of HTML tags for starting a webpage is:
(A) Head, Title, HTML, Body
(B) HTML, Body, Title, Head
(C) HTML, Head, Title, Body
(D) HTML, Title, Head, Body
How does applet and servlet communicate?
(A) HTTP
(B) HTTPS
(C) FTP
(D) HTTP Tunneling
What type of protocol is HTTP?
(A) stateless
(B) stateful
(C) transfer protocol
(D) information protocol
How can we take input text from user in HTML page?
(A) input tag
(B) inoutBufferedReader tag
(C) meta tag
(D) scanner tag
What is false about constructor?
(A) Constructors cannot be synchronized in Java
(B) Java does not provide default copy constructor
(C) Constructor can have a return type
(D) "this" and "super" can be used in a constructor

- 82. Which of the following statements are incorrect?
  - (A) Public members of class can be accessed by any code in the program
  - (B) Private members of class can only be accessed by other members of the class
  - (C) Private members of class can be inherited by a subclass, and become protected members in subclass
  - (D) Protected members of a class can be inherited by a subclass, and become private members of the subclass
- 83. What is the process by which we can control what parts of a program can access the members of a class?
  - (A) Polymorphism
  - (B) Abstraction
  - (C) Encapsulation
  - (D) Recursion
- 84. Which of these class is necessary to implement datagrams?
  - (A) DtagramPacket
  - (B) DatagramSocket
  - (C) All of the mentioned
  - (D) None of the mentioned
- 85. Which of these exceptions will occur if we try to access the index of an array beyond its length?
  - (A) ArithmeticException
  - (B) ArrayException
  - (C) ArrayIndexException
  - (D) ArrayIndexOutOfBoundsException

86.	Whi	ch of this method is used to find out that a thread is still running or not?
	` /	run()
		Alive()
	` /	isAlive()
	` ′	checkRun()
87.		ch of these statements is incorrect?
	(A)	By multithreading CPU idle time is minimized, and we can take maximum use
	(D)	of it
	(B)	•
	(C)	of it
	` ′	Two thread in Java can have the same priority
88.		A thread can exist only in two states, running and blocked at should not be done to avoid deadlock?
00.		
	(A)	Avoid using multiple threads
	(B)	Avoid hold several locks at once
	(C)	Execute foreign code while holding a lock
	(D)	Use interruptible locks
89.	Whi	ch exception is thrown be read() method ?
	(A)	IOException
	(B)	InterruptedException
	(C)	SystemException
	(D)	SystemInputException
90.	Whi	ch of these class contains the methods print() & println()?
	(A)	System
	(B)	System.out
	(C)	BUfferedOutputStream
	(D)	PrintStream

91.	Whi	ich of these is a superclass of all Adapter classes?
	(A)	Applet
	(B)	ComponentEvent
	(C)	Event
	(D)	InputEvent
92.	Whi	ich class is used to generate random number?
	(A)	java.lang.Object
	, ,	java.util.randomNumber
	, ,	java.util.Random
0.0	, ,	java.util.Object
93.	Wha	at will happen if we provide concrete implementation of method in interface?
	(A)	The concrete class implementing that method need not provide implementation
		of that method
	(B)	Runtime exception is thrown
	(C)	Compilation failure
	(D)	Method not found exception is thrown
94.	Wha	at type of variable can be defined in an interface?
	(A)	public static
	(B)	private final
	(C)	public final
	(D)	static final
95.	Whi	ich of the following is the correct way of implementing an interface A by class
	В?	
	(A)	class B extends A{}
	(B)	class B implements A{}
	(C)	class B imports A{}
	(D)	None of the mentioned

96.	Whi	ch of this package is used for handling security related issues in a program?	
	(A)	java.security	
	(B)	java.lang.security	
	(C)	java.awt.image	
	, ,	java.io.security	
97.	Hov	v can we get the size of specified file?	
	(A)	capacity(path)	
	(B)	size(path)	
	(C)	length(path)	
	(D)	Path.size()	
98.	How	v can we delete all files in a directory ?	
	(A)	Files.delete(path)	
	(B)	Files.deleteDir()	
	(C)	Directory.delete()	
	(D)	Directory.delete(path)	
99.	Whi	ch of the below is false about java coding?	
	(A)	variable names should be short	
	(B)	variable names should be such that they avoid ambiguity	
	(C)	test case method names should be created as english sentences without spaces	
	(D)	class constants should be used when we want to share data between class	
		methods	
100.	Wha	What should the return type of method where there is no return value?	
	(A)	Null	
	(B)	Empty collection	
	(C)	Singleton collection	
	(D)	Empty String	
		****	

## DO NOT OPEN THE QUESTION BOOKLET UNTIL ASKED TO DO SO

- 1. Examinee should enter his / her roll number, subject and Question Booklet Series correctly in the O.M.R. sheet, the examinee will be responsible for the error he / she has made.
- 2. This Question Booklet contains 100 questions, out of which only 75 Question are to be Answered by the examinee. Every question has 4 options and only one of them is correct. The answer which seems correct to you, darken that option number in your Answer Booklet (O.M.R ANSWER SHEET) completely with black or blue ball point pen. If any examinee will mark more than one answer of a particular question, then the first most option will be considered valid.
- 3. Every question has same marks. Every question you attempt correctly, marks will be given according to that.
- 4. Every answer should be marked only on Answer Booklet (O.M.R ANSWER SHEET). Answer marked anywhere else other than the determined place will not be considered valid.
- 5. Please read all the instructions carefully before attempting anything on Answer Booklet(O.M.R ANSWER SHEET).
- 6. After completion of examination please hand over the Answer Booklet (O.M.R ANSWER SHEET) to the Examiner before leaving the examination room.
- 7. There is no negative marking.

**Note:** On opening the question booklet, first check that all the pages of the question booklet are printed properly in case there is an issue please ask the examiner to change the booklet of same series and get another one.