M.Sc Industrial Chemistry (First Semester) Examination, February/March-2022 MSIC-102

Research Methodology, Statistical Techniques and Computer Applications

Time: 1:30 Hours Maximum Marks-100

जब तक कहा न जाय, इस प्रश्नपुस्तिका को न खोलें

- निर्देश: 1. परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सीरीज का विवरण यथास्थान सही— सही भरें, अन्यथा मूल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
 - 2. इस प्रश्नपुस्तिका में 100 प्रश्न हैं, जिनमें से केवल 75 प्रश्नों के उत्तर परीक्षार्थियों द्वारा दिये जाने है। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर पत्रक (O.M.R. ANSWER SHEET)में उसके अक्षर वाले वृत्त को काले या नीले बाल प्वांइट पेन से पूरा भर दें। यदि किसी परीक्षार्थी द्वारा निर्धारित प्रश्नों से अधिक प्रश्नों के उत्तर दिये जाते हैं तो उसके द्वारा हल किये गये प्रथमतः यथा निर्दिष्ट प्रश्नोत्तरों का ही मृल्यांकन किया जायेगा।

416

- 3. प्रत्येक प्रश्न के अंक समान हैं। आप के जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 4. सभी उत्तर केवल ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर ही दिये जाने हैं। उत्तर पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 5. ओ॰एम॰आर॰ उत्तर पत्रक (O.M.R. ANSWER SHEET) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाय।
- 6. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी प्रश्नपुस्तिका बुकलेट एवं ओ०एम०आर० शीट पृथक-पृथक उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
- 7. निगेटिव मार्किंग नहीं है।
- महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जॉच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीभॉति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्ष निरीक्षक को दिखाकर उसी सीरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।

1.	Qua	litative research data is based on:
	(A)	General phenomenon
	(B)	Observations
	(C)	Both
	(D)	None
2.	Qua	ntitative research is based on nature:
	(A)	Quantitative
	(B)	Qualitative
	(C)	50% of both
	(D)	None
3.	Cha	racteristics of good research are:
	(A)	Promote logical thinking
	(B)	Ethical standards
	(C)	Both
	(D)	None
4.	Goo	d research work should be:
	(A)	Precise and accurate
	(B)	Systematic
	(C)	Logical
	(D)	All of above
5.	Whi	ch research has direct impact on problem?
	(A)	Pure
	(B)	Applied
	(C)	Both
	(D)	None

6.	Rev	iew literature involves :
	(A)	Reading only
	(B)	Discussion of Past
	(C)	Identification of future
	(D)	All
7.	Criti	cal Review of literature involves:
	(A)	Identification of only broad area
	(B)	Identification of only narrow objectives
	(C)	Both
	(D)	None
8.	Criti	cal review of literature can be divided into following type:
	(A)	Primary
	(B)	Secondary
	(C)	Tertiary
	(D)	All
9.	Seco	ond hand information's are characteristic of:
	(A)	Primary source of literature
	(B)	Secondary Source of literature
	(C)	Both
	(D)	None
10.	Seco	ondary sources of literature are:
	(A)	First hand information
	(B)	Second hand information
	(C)	Both
	(D)	None

Carias	Λ	MSIC 102/416 Dags
	(D)	None
	(C)	Any Person
	(B)	People
	(A)	Researcher
15.	Non	Probability sampling depends on judgment of:
	(D)	None
	(C)	Both
	(B)	Field research
		Survey
14.	, ,	ch of the following is associated with collection of DATA:
		None
		Both
		II β -error
		I α - error
13.	, ,	e hypothesis get proved true by collected data in type
		None
		Type III – γ-error
		Type – II – β – error
		Type-I-α- error
12.	, ,	ch of the following is true:
		None
		Depend on data
		Very important Least important
11.		iary sources of literature are:
1 1	Tant	in a company of 1:to another one of

11.

16.	Non Probable Sampling is used in :
	(A) Political Science
	(B) Social Studies
	(C) Scientific
	(D) None
17.	Type of Non probability Sampling is :
	(A) Simple
	(B) Stratified
	(C) Double
	(D) None
18.	Convenience sampling is:
	(A) Convenient to researcher
	(B) Least expensive
	(C) Both
	(D) None
19.	Convenience sampling is:
	(A) Time consuming
	(B) Minimum time consuming
	(C) Both
	(D) None
20.	Judgemental Sampling is:
	(A) High cost, convinient, quick
	(B) Low cost, inconvinient, quick
	(C) Low cost, convinient, quick
	(D) None

21. For Probability Sampling classification type, which of the following is incor? (A) Simple (B) Stratified (C) Sequential (D) None "The strata are homogenous with them selves and heteroge nous with others." The 22. said sentence is: (A) True (B) False (C) Depend on given data (D) None More elements are taken from large strata and less element are taken from smaller 23. strata in the sampling type: (A) Systematic (B) Double (C) Cluster (D) Proportional stratified Disproportionate stratified sampling can be calculated using formula: 24. (A) $\frac{n_1}{N_1-1} = \frac{n_2}{N_2-2} \dots$

(A)
$$\frac{n_1}{N_1 - 1} = \frac{n_2}{N_2 - 2} \dots$$

(B)
$$\frac{n_1}{N_1-100} = \frac{n_2}{N_2-100} \dots \dots$$

(C)
$$\frac{n_1}{N_1} = \frac{n_2}{N_2} = \cdots$$

(D) None

25.	Formula $n_1 = \frac{Sample Size \times N_1}{N_1 \sigma_1 + N_2 \sigma_2 + N_3 \sigma_3}$ is used for:
	(A) Proportionate sampling
	(B) Disproportionate sampling
	(C) Both
	(D) None
26.	A population have three strata 5000, 2000, 3000 and standard deviations are 15, 18,
	15 respectively. How should sample size of 84 be choosen from there strata?
	(A) 50, 48, 10
	(B) 100, 24, 10
	(C) 50, 24, 20
	(D) 50, 24, 10
27.	In cluster sampling clusters are:
	(A) Reverse of strata
	(B) Same as strata
	(C) Both
	(D) None
28.	Cluster Sampling is feasible for highly:
	(A) Homogenous population
	(B) Heterogenous population
	(C) Mix population
	(D) None
29.	Data coding is:
	(A) Easier method
	(B) Lengthy method
	(C) Not confirmed
	(D) None

30.	Coding helps in looking data in a compact form :
	(A) Small
	(B) Large
	(C) Coding
	(D) All
31.	Univariant data can be depicted by following:
	(A) Bar chart
	(B) Pie chart
	(C) Horizontal
	(D) All
32.	Contigency table and side by side Bar chart are depicting form of which of the
	following:
	(A) Univariant data
	(B) Bivariant data
	(C) Multivariant data
	(D) None
33.	Find Arethamatic mean of following data:
	21, 21, 21, 11, 12, 14, 16, 12, 17, 16, 16, 18
	(A) 20
	(B) 25
	(C) 15.42
	(D) 16.25

- 34. In Question 33 which formula is applicable:
 - (A) Arethamatic Mean = $\frac{\Sigma f_i x_i^2}{\Sigma f_i x_i}$
 - (B) Arethamatic Mean = $\frac{\Sigma x_i}{\Sigma f_i}$
 - (C) Arethamatic Mean = $\frac{\Sigma f_i x_i}{\Sigma f_i}$
 - (D) None
- 35. Arethamatic mean for classified data is calculated using following formula:
 - (A) $\bar{\mathbf{x}} = \frac{\sum \mathbf{d}_i^2 f_i^2}{\sum f_i^2}$
 - (B) $\bar{\mathbf{x}} = \frac{\Sigma d_i f_i^2}{\Sigma f_i^2}$
 - (C) $\bar{\mathbf{x}} = \frac{\sum d_i^2 f_i}{\sum f_i}$
 - (D) $\bar{\mathbf{x}} = \frac{\sum d_i f_i}{\sum f_i}$
- 36. Arethamatic mean is calculated by using Assumed mean method and step deviation method: it was found that answer in both the cases was:
 - (A) Same
 - (B) Dissimilar
 - (C) Opposite
 - (D) None
- 37. Formula for calculating Arethamatic mean by step deviation mean method is:

(A)
$$\bar{x} = a + \frac{h\sum\limits_{i} x_{i}^{2} f_{i}}{\sum\limits_{i} f_{i}}$$

(B)
$$\bar{x} = a + \frac{h\sum_{i} x_{i} f_{i}^{2}}{\Sigma_{i} f_{i}}$$

(C)
$$\bar{x} = a + \frac{h\Sigma_i x_i f_i}{\sum_i f_i}$$

(D) None

38. Find out average percentage of female teachers in a state from following data: % of Female teacher f_i X_i 15-25 6 20 25-35 30 11 35-45 40 7 45-55 4 50 55-65 60 4 65-75 70 2 75-85 80 1 (A) 20 (B) 39.71 (C) 29.71 (D) 30 In question 38, if average is calculated by step deviation method then average 39. percentage of female teachers is: (A) 20 (B) 39.71 (C) 29.71 (D) 30 40. In question 38, if assume mean is taken 80, then deviation in answer from the actual value is by: (A) 10 (B) 0 (C) 39.71 (D) None

11	N / L _ 1 _	• -	1 - C'	1	
41	- Ivione	18	define	ะด ลร	٠.

- (A) Most frequency occurring observation
- (B) Average frequency occurring observation
- (C) Least frequency occurring observation
- (D) None of above

42. Measurement with maximum frequency is called as:

- (A) Mean
- (B) Median
- (C) Mode
- (D) Variance

43. Calculate Mode of following observations:

- (A) 0
- (B) 4
- (C) 10.5
- (D) 12

44. Formula for Mode is, Mode = $1 + \frac{f_1 - f_0}{2f_1 - f_0 - f_2} \times h$. In above formula 'h' stand for :

- (A) Lower Limit
- (B) Upper Limit
- (C) Class Hieght
- (D) Frequency of modal class

45. Calculate Mode from following data:

Marks	Number of students
10-25	2
25-40	3
40-55	7
55-70	6
70-85	6
85-100	6

Mode is:

- (A) 42
- (B) 52
- (C) 72
- (D) 62

46. In question 45, the Mean has value :

- (A) 42
- (B) 52
- (C) 62
- (D) 72

47. If 'N' is the number of odd measurement then Median is:

- (A) Nth item
- (B) $\frac{N^{th}}{2}$ item
- (C) $\left(\frac{N+1}{2}\right)^{th}$ item
- (D) None of all

- 48. If 'N' is the number of even measurement then Median is:
 - (A) Nth item
 - (B) $\frac{N^{th}}{2}$ item
 - (C) $\left(\frac{N+1}{2}\right)^{th}$ item
 - (D) None
- 49. Empirical relationship between Mean, median & mode is:
 - (A) 3 Median = 3 mode + 3 mean
 - (B) 3 Median = mode + mean
 - (C) 3 Median = 2 mode + mean
 - (D) 3 Median = mode + 2 mean
- 50. "Variance is equal to square of standard deviation." Above sentence is :
 - (A) Always True
 - (B) Some time True
 - (C) Always False
 - (D) Some time False
- 51. If σ is variance and SD is standard deviation then:
 - (A) $SD = \sigma^2$
 - (B) $\sigma = SD^2$
 - (C) $SD = \sigma$
 - (D) $\sigma = \sqrt{SD}$
- 52. If σ is standard deviation then which is correct:
 - (A) $\sigma = \frac{\sum x_i^2}{N} (\overline{X})^2$
 - (B) $\sigma^2 = \frac{\sum x_i^2}{N} (\overline{X})^2$
 - (C) $\sigma = \frac{\sum x_i}{N} (\overline{X})^2$
 - (D) None

53.	Earning per share for an industry are as follow (in Rs.)
	5, 7, 7, 8, 9, 12, 15, 18, 22
	Find out variance of this data.
	(A) 39.57
	(B) 29.57
	(C) 49.57
	(D) 19.57
54.	In question 53, the standard deviation is:
	(A) 5.438
	(B) 15.438
	(C) 18.412
	(D) 29.57
55.	Skewed data means that there are few extreme values on:
	(A) Either side of data
	(B) Neither side of data
	(C) One one side only
	(D) None
56.	The Peakness of data indicate the proportion of data:
	(A) Variant to central tendency
	(B) Similar to central tendency
	(C) Variant to dispersion
	(D) Similar to dispersion

57.	Leptokurtic Peak tells about a pointed peak with very little data and
	frequency.
	(A) Constant
	(B) Minimum
	(C) Moderate
	(D) Maximum
58.	"In statistical analysis it is assumed that normal distribution of data is present."
	Above sentence is:
	(A) False
	(B) True
	(C) Depends on type of data
	(D) None
59.	In distribution of data a flat peak depicts majority of data:
	(A) Similar to central tendency
	(B) Dissimilar to central tendency
	(C) Cannot be accurately calculated
	(D) None
60.	In question 59, the Flat Peak is called:
	(A) Patykurtic
	(B) Mesokurtic
	(C) Platykurtic
	(D) None

61.	If the	e Peak is normal, it is called:
	(A)	Mesokritic
	(B)	Mesokurtic
	(C)	Mesopetic
	(D)	Mesosetic
62.	A po	inted peak of data distribution indicates a very:
	(A)	Elaborated data with Maximum frequency
	(B)	Elaborated data with Minimum frequency
	(C)	Little data with Maximum frequency
	(D)	Little data with little frequency
63.	In ne	gatively Skewed data, there are extreme values on :
	(A)	Right hand side
	(B)	Left hand side
	(C)	Middle
	(D)	None
64.	In po	sitively Skewed data, there are extreme values on :
	(A)	Right hand side
	(B)	Left hand side
	(C)	Middle
	(D)	None
65.	Stand	dard error is defined as the standard deviation of sampling distribution of:
	(A)	Means
	(B)	Medians
	(C)	Modes
	(D)	Variances

- 66. Mean of sampling distribution of means is always equal to the population mean is based on the following:
 - (A) Sample size
 - (B) Sample shape
 - (C) Both
 - (D) None
- 67. Which of the following is the best representation of calculation of coefficient of variance to find out dispersion of data:
 - (A) Coefficient of variance = $\frac{Mean}{Standard variation} \times 100$
 - (B) Coefficient of variance = $\frac{Standard variation}{Mean} \times 100$
 - (C) Coefficient of variance = $\frac{variance}{Mean} \times 100$
 - (D) None
- 68. "Coefficience of variance is defined as % of variation of mean in terms of standard deviation." the above sentence is true for :
 - (A) Special condition
 - (B) All the condition
 - (C) Most of the condition
 - (D) All
- 69. Higher coefficient of variance denotes higher data:
 - (A) Similarity
 - (B) Dispersion
 - (C) 50% Similarity and 50% Dispersion
 - (D) None

- 70. Test of independence of attributes determines that whether two attributes are :
 - (A) Linked
 - (B) Not linked
 - (C) Both
 - (D) None
- 71. Formula for F-value is given below. Which one is incorrect:
 - (A) F-value = $\frac{variance\ between\ samples}{variance\ within\ samples}$
 - (B) F-value = $\frac{variance\ within\ samples}{variance\ between\ samples}$
 - (C) Both
 - (D) None
- 72. Which one is the assumption of ANOVA application:
 - (A) All samples are taken randomly
 - (B) Variance of different population is similar
 - (C) Samples are independent
 - (D) All
- 73. If 'T' denotes Sum of all observations and 'CF' denotes correction factor and 'n_T' denotes total number of observations then which of the following relation is correct:
 - (A) $n_T = \frac{CF}{T^2}$
 - (B) $T^2 = \frac{CF}{n_T}$
 - (C) $CF = \frac{n_t}{T^2}$
 - (D) $CF = \frac{T^2}{n_T}$

- 74. Which of the following relation shows one way ANOVA short cut method:
 - (A) $n_T = \frac{CF}{T^2}$
 - (B) $T^2 = \frac{CF}{n_T}$
 - (C) $CF = \frac{n_t}{T^2}$
 - (D) $CF = \frac{T^2}{n_T}$
- 75. Correlation may be:
 - (A) Positive only
 - (B) Negative only
 - (C) Both
 - (D) None
- 76. In correlation two variables may be:
 - (A) Increasing
 - (B) Decreasing
 - (C) May not be related
 - (D) All
- 77. In computer, Hardware refers to:
 - (A) All hard components
 - (B) All physical components of computer
 - (C) Storage devices only
 - (D) None
- 78. Integrated circuit is an electronic circuit fabricated on single chip of:
 - (A) Carbon
 - (B) Sodium
 - (C) Silicon
 - (D) All

79.	Memory chips of computer are :
	(A) Isolated circuits
	(B) Inserted circuits
	(C) Integrated circuits
	(D) None
80.	The Transistors on an integrated circuits have two states:
	(A) ON and OFF
	(B) ON and Shut down
	(C) ON and Stand by
	(D) None
81.	Which of the following is correct:
	(A) 1 Byte = 1 Bit
	(B) 1 Byte = 6 Bit
	(C) 1 Byte = 8 Bit
	(D) 1 Byte = 2 Bit
82.	A chip may be of how many Bits:
	(A) 2, 4, 6, 8 Bits
	(B) 8, 16, 32, 64 Bits
	(C) 1, 3, 5, 7, 9 Bits
	(D) All
83.	RAM stands for
	(A) Read all Memory
	(B) Random all Memory
	(C) Random Access Memory
	(D) None

84. Which one is mo		ch one is more faster:
	(A)	RAM
	(B)	ROM
	(C)	Both are same
	(D)	None
85.	Prim	ary storage devices are:
	(A)	Temporary data storing
	(B)	Permanent data storing
	(C)	Semi permanent data storing
	(D)	All
86.	Whi	ch one is not an input device :
	(A)	Barcode reader
	(B)	Plotter
	(C)	Both
	(D)	None
87. 'www		w' stands for :
	(A)	World with web
	(B)	World without web
	(C)	World Witholding web
	(D)	World wide web
88.	Find	decimal value of 101 from the following:
	(A)	101
	(B)	15
	(C)	5
	(D)	20

89.	Which one is volatile in nature :
	(A) ROM
	(B) RAM
	(C) Both
	(D) None
90.	Which of the following is used for the startup of computer:
	(A) ROM
	(B) RAM
	(C) Both
	(D) None
91.	Central Processing Unit of computer can be divided into:
	(A) Two parts
	(B) Three parts
	(C) Four parts
	(D) None
92.	Which one is not a web browser:
	(A) Mozilla Firefox
	(B) Google
	(C) Chrome
	(D) None
93.	Rich text files contains characters such as:
	(A) Font size
	(B) Alignment
	(C) Page specification
	(D) All

94.	Rich text files can be saved in:
	(A) Binary format
	(B) Mark-up-file
	(C) Both
	(D) None
95.	(.XML) is a:
	(A) Binary format
	(B) Mark-up-file
	(C) Hybrid format of both
	(D) None
96.	Rich text file can be saved in:
	(A) (.doc) only
	(B) (.rtf) only
	(C) Both
	(D) None
97.	Each individual web page or image has a:
	(A) Same value of URL
	(B) Distinct value of URL
	(C) Cannot be said correctly
	(D) None
98.	Translation of user program into binary format is done by which device :
	(A) Input
	(B) Output
	(C) Hardware
	(D) Software

- 99. Computer helps us in:
 - (A) Tabulating data
 - (B) Understanding data
 - (C) Both
 - (D) None
- 100. Flow chart is a type of diagram that represent a/an:
 - (A) Algorithm
 - (B) Work Flow
 - (C) Process
 - (D) All

Rough Work / रफ कार्य

Rough Work / रफ कार्य

DO NOT OPEN THE QUESTION BOOKLET UNTIL ASKED TO DO SO

- 1. Examinee should enter his / her roll number, subject and Question Booklet Series correctly in the O.M.R. sheet, the examinee will be responsible for the error he / she has made.
- 2. This Question Booklet contains 100 questions, out of which only 75 Question are to be Answered by the examinee. Every question has 4 options and only one of them is correct. The answer which seems correct to you, darken that option number in your Answer Booklet (O.M.R ANSWER SHEET) completely with black or blue ball point pen. If any examinee will mark more than one answer of a particular question, then the first most option will be considered valid.
- 3. Every question has same marks. Every question you attempt correctly, marks will be given according to that.
- 4. Every answer should be marked only on Answer Booklet (O.M.R ANSWER SHEET). Answer marked anywhere else other than the determined place will not be considered valid.
- 5. Please read all the instructions carefully before attempting anything on Answer Booklet(O.M.R ANSWER SHEET).
- 6. After completion of examination please hand over the Answer Booklet (O.M.R ANSWER SHEET) to the Examiner before leaving the examination room.
- 7. There is no negative marking.

Note: On opening the question booklet, first check that all the pages of the question booklet are printed properly in case there is an issue please ask the examiner to change the booklet of same series and get another one.