

Roll No.-----

Paper Code

6 2 8

(To be filled in the
OMR Sheet)

प्रश्नपुस्तिका क्रमांक
Question Booklet No.

O.M.R. Serial No.

--	--	--	--	--	--	--	--

प्रश्नपुस्तिका सीरीज
Question Booklet Series

A

**M.Sc (Biotechnology) First Semester,
Examination, February/March-2022
MBT-1003**

Biophysical Chemistry and Techniques

Time : 1:30 Hours

Maximum Marks-100

जब तक कहा न जाय, इस प्रश्नपुस्तिका को न खोलें

- निर्देश : —
1. परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सीरीज का विवरण यथास्थान सही- सही भरें, अन्यथा मूल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
 2. इस प्रश्नपुस्तिका में 100 प्रश्न हैं, जिनमें से केवल 75 प्रश्नों के उत्तर परीक्षार्थियों द्वारा दिये जाने हैं। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर पत्रक (O.M.R. ANSWER SHEET) में उसके अक्षर वाले वृत्त को काले या नीले बाल प्वाइंट पेन से पूरा भर दें। यदि किसी परीक्षार्थी द्वारा निर्धारित प्रश्नों से अधिक प्रश्नों के उत्तर दिये जाते हैं तो उसके द्वारा हल किये गये प्रथमतः यथा निर्दिष्ट प्रश्नोत्तरों का ही मूल्यांकन किया जायेगा।
 3. प्रत्येक प्रश्न के अंक समान हैं। आप के जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
 4. सभी उत्तर केवल ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर ही दिये जाने हैं। उत्तर पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
 5. ओ०एम०आर० उत्तर पत्रक (O.M.R. ANSWER SHEET) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाय।
 6. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी प्रश्नपुस्तिका बुकलेट एवं ओ०एम०आर० शीट पृथक-पृथक उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
 7. निगेटिव मार्किंग नहीं है।

महत्वपूर्ण : —

प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्ष निरीक्षक को दिखाकर उसी सीरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।

1. Differential centrifugation is based on the differences in _____ of biological particles of different density.
 - (A) Size
 - (B) Sedimentation rate
 - (C) Structure
 - (D) Mass
2. What is the principle of centrifugation?
 - (A) Size reduction principle
 - (B) Filtration principle
 - (C) Evaporation principle
 - (D) Sedimentation principle
3. Which of the following used for sedimentation of red blood cells?
 - (A) High speed centrifuge
 - (B) Low speed centrifuge
 - (C) Ultra centrifuge
 - (D) Vacuum centrifuge
4. Is centrifugation used in wine processing?
 - (A) True
 - (B) False
 - (C) Both
 - (D) None of the above
5. Which of the following is an accurate method to determine the pH of an aqueous solution?
 - (A) Litmus paper
 - (B) Phenopthelein
 - (C) pH meter
 - (D) None of the above

6. pH stands for the power of:
- (A) H^+ ion concentration
 - (B) OH^- ion concentration
 - (C) $\text{He} \pm$ ion concentration
 - (D) Power of hydration
7. Reference electrode in pH meter is also called:
- (A) Standard electrode
 - (B) Calomel electrode
 - (C) Metal electrode
 - (D) Zero electrode
8. Pure water is known to be which of the following?
- (A) Weak electrolyte
 - (B) Strong electrolyte
 - (C) Neither weak nor strong
 - (D) Not an electrolyte
9. What is the number of neutrons in this isotope of uranium? ${}_{92}\text{U}^{238}$
- (A) 92
 - (B) 119
 - (C) 146
 - (D) 238
10. What is the purpose of a titration?
- (A) To find pH of acid
 - (B) To find pH of base
 - (C) To find concentration of unknown acid and base
 - (D) To find volume of unknown acid and base

11. Which pH is considered neutral?
- (A) 10
 - (B) 7
 - (C) 4
 - (D) 2
12. Thin Layer chromatography is:
- (A) Partition chromatography
 - (B) Electrical mobility of ionic species
 - (C) Adsorption chromatography
 - (D) None of the above
13. Which type of filter paper are mostly used in paper chromatography?
- (A) Butter paper
 - (B) Sample paper
 - (C) Whatmann filter paper
 - (D) Filter paper
14. The pattern on the paper in Paper chromatography is called?
- (A) Chroming
 - (B) Chroma
 - (C) Chromatograph
 - (D) Chromatogram
15. Which carrier gas is preferred as mobile phase in gas chromatography?
- (A) Oxygen
 - (B) Fluorine
 - (C) Helium
 - (D) Aluminium

16. Which of the following is not used for detection in GC?
- (A) Infrared spectroscopy
 - (B) NMR
 - (C) Flame ionisation
 - (D) Electrical conductivity
17. Ion exchange chromatography is based on the:
- (A) Electrostatic attraction
 - (B) Electrical mobility of ionic species
 - (C) Adsorption chromatography
 - (D) Partition chromatography
18. Protein purification refers to the:
- (A) Purification of proteins
 - (B) Separation of proteins from other biomolecules
 - (C) Separation of a particular protein from other contaminating proteins
 - (D) All of these
19. The use of insulin hormone to purify its receptor is an example of:
- (A) Ion exchange chromatography
 - (B) Affinity chromatography
 - (C) Gel filtration chromatography
 - (D) Ligand mediated chromatography
20. Salting out process involves:
- (A) Precipitation of proteins using ammonium sulphate
 - (B) Precipitation of proteins using copper sulphate
 - (C) Precipitation of proteins using sodium chloride
 - (D) None of these

21. Amino acids detected by spraying the plate with ninhydrin solution is an example of
- (A) Column chromatography
 - (B) Thin layer chromatography
 - (C) Paper chromatography
 - (D) Liquid chromatography
22. The chromatoplate or thin layer chromatography plate is made up of:
- (A) Glass
 - (B) Wood
 - (C) Fibre
 - (D) Metal
23. Which of the following is not true about (HPLC)?
- (A) It requires high pressure for the separation of the species
 - (B) There is no need to vaporise the samples
 - (C) It is performed in columns
 - (D) It has high sensitivity
24. HPLC is an abbreviation for:
- (A) High Profit Liquid Chromatography
 - (B) High Pressure Liquid Chromatography
 - (C) Higher Performance Low Chromatography
 - (D) Higher Profit Low Chromatography
25. Which of the following is not a gel filtration chromatography?
- (A) Molecular sieve
 - (B) Gel permeation
 - (C) Size exclusion
 - (D) Gel residue

26. Which of the following cannot be used as adsorbent in Column adsorption chromatography?
- (A) Magnesium oxide
 - (B) Silica gel
 - (C) Activated alumina
 - (D) Potassium permanganate
27. What is Eluent?
- (A) Is a liquid solution
 - (B) Is a liquid solution that is a result from Elution.
 - (C) It is a solvent used for separation of absorbed material from stationary phase.
 - (D) None of the above
28. Chromatography is a physical method that is used to separate:
- (A) Simple mixtures
 - (B) Complex mixtures
 - (C) Viscous mixtures
 - (D) Metals
29. The first step in preparation of affinity chromatography column is:
- (A) Ligand attachment to matrix
 - (B) Coupling of aromatic amines to matrix
 - (C) Activation process
 - (D) Precipitation
30. Word “chrome” in chromatography is used for:
- (A) Particle
 - (B) Technique
 - (C) Colour
 - (D) Process

31. The ratio of diameter of lenses to its focal length is referred as:
- (A) Magnification
 - (B) Resolution
 - (C) Numerical aperture
 - (D) None of the above
32. In _____ type of microscope, the field surrounding a specimen appears black, while the object itself is brightly illuminated.
- (A) Compound microscope
 - (B) Phase contrast microscope
 - (C) Dark field microscope
 - (D) Fluorescence microscope
33. _____ is the ability to reveal closely adjacent points as separate & distinct.
- (A) Magnification
 - (B) Resolution
 - (C) Numerical aperture
 - (D) None of the above
34. Use of single stain to color the bacteria is commonly called as _____.
- (A) Monochrome staining
 - (B) Gram staining
 - (C) Differential Staining
 - (D) All of the above
35. In Gram Staining, Gram's iodine is act as _____.
- (A) Counter stain
 - (B) Primary stain
 - (C) Secondary stain
 - (D) Mordant

36. Basic unit of bacterial measurement is:
- (A) Micrometer
 - (B) Nanometer
 - (C) Milimeter
 - (D) All of the above
37. In Laminar air flow _____ type of filter is located.
- (A) Membrane filter
 - (B) Seitz Filter
 - (C) HEPA
 - (D) All of the above
38. Fluorescent substance is used in:
- (A) Viscometer
 - (B) Centrifugation
 - (C) Flow cytometry
 - (D) Spectrophotometer
39. Three dimensional structure of any protein can be detected by:
- (A) Western Blotting
 - (B) X-ray diffraction
 - (C) Radioactivity
 - (D) ELISA
40. When the power of ocular lense is 10X and objective lense is 20X, the magnification is:
- (A) 30 times
 - (B) 20 times
 - (C) 200 times
 - (D) 2000 times


41. Which of the following light is suitable for getting maximum resolution?
- (A) Red
 - (B) Blue
 - (C) Green
 - (D) Orange
42. All of the components are of compound microscope except?
- (A) Stage clip
 - (B) Fine adjustment
 - (C) Electron gun
 - (D) Binocular eye piece
43. Which of the following is best suited to get the surface view of the object?
- (A) SEM
 - (B) TEM
 - (C) Both of the above
 - (D) Compound microscope
44. The resolving power of unaided human eye:
- (A) 1 μ m
 - (B) 100 μ m
 - (C) 10 μ m
 - (D) 0.1 μ m
45. Which of the following is used to visualize the live cell?
- (A) SEM
 - (B) TEM
 - (C) Phase contrast microscope
 - (D) All of the above

46. Why are thin section specimens necessary in Transmission Electron Microscope?
- (A) Electrons are negatively charged
 - (B) Electrons have a wave nature
 - (C) Electrons have no mass
 - (D) Electrons have a poor penetrating power
47. Osimum tetra oxide is used in electron microscopy as a:
- (A) Precipitator
 - (B) Mordant
 - (C) Staining agent
 - (D) Fixing agent
48. The secondary electrons radiated back in scanning microscope is collected by?
- (A) Specimen
 - (B) Anode
 - (C) Vacuum Chamber
 - (D) Cathode
49. Which of the following techniques are used in Transmission Electron Microscopy (TEM) for examining cellular structure?
- (A) Negative staining
 - (B) Shadow casting
 - (C) Ultra-thin Sectioning
 - (D) Negative staining, shadow casting, Ultra-thin sectioning, Freeze Etching
50. Which bacteria appears purple-violet colour after staining?
- (A) Gram-positive
 - (B) Gram-negative
 - (C) Both gram positive & gram negative
 - (D) Neither gram positive nor gram negative

51. Which of the following is immune diffusion test?
- (A) Double diffusion
 - (B) Radial immunodiffusion
 - (C) Ouchterlony diffusion
 - (D) All of the above
52. Which is working principle of ELISA?
- (A) Ag-Ab neutralization
 - (B) Ag-Ab complex
 - (C) (A) and (B)
 - (D) None of the above
53. Sandwich ELISA which is detected in sample?
- (A) Antigen
 - (B) Anti body
 - (C) (A) and (B)
 - (D) None of the above
54. Which technique separates charged particles using electric field?
- (A) Hydrolysis
 - (B) Electrophoresis
 - (C) Protein synthesis
 - (D) Protein denaturing
55. What does the electrophoresis apparatus consist of?
- (A) Gel, buffer chamber and fire pack
 - (B) Buffer chamber and electrophoresis unit
 - (C) Electrophoresis unit and gel separator
 - (D) Power pack and electrophoresis unit

56. What is agarose gel?
- (A) Cross linkage molecules
 - (B) Purified unchange poly saccharide
 - (C) It is prepared by dissolving 0.5% agarose in boiling water and allowing it to cool to 40°C
 - (D) All of the above
57. For the separation of DNA by electrophoresis, which of the following method is commonly used?
- (A) Agarose-vertical
 - (B) Agarose-horizontal
 - (C) PAGE-Vertical
 - (D) PAGE- Horizontal
58. Sodium dodecyl sulfate (SDS) used in SDS PAGE is _____.
- (A) Anionic detergent
 - (B) Cationic detergent
 - (C) Nonionic detergent
 - (D) Neutral agent
59. Agarose can be extracted from which of the following?
- (A) Lycopersicon esculentum
 - (B) Ficus benghalensis
 - (C) Gracilaria esculentus
 - (D) Agrostis Stolonifera
60. The fluorescent dye such as ethidium bromide is used for visualizing DNA. How does ethidium bromide bind to DNA?
- (A) Stacked between histone molecules
 - (B) Binds to the nucleotide base
 - (C) Intercalated between the stacked bases
 - (D) Binds to the phosphodiester backbone

61. Western blotting is a technique for detection of:
- (A) Specific DNA in a sample
 - (B) Specific RNA in a sample
 - (C) Specific protein in a sample
 - (D) Specific glycolipid in a sample
62. What is the name of the technique for the following figure?



- (A) Southern blotting
 - (B) Dot blotting
 - (C) Western blotting
 - (D) Northern blotting
63. Probes are used in:
- (A) Western blotting
 - (B) 2D gel electrophoresis
 - (C) Southern blotting
 - (D) PAGE
64. Which is the most common ligand in western blotting?
- (A) Lactose
 - (B) Toxins
 - (C) Genes
 - (D) Antibodies
65. Which membrane is used in blotting?
- (A) Agarose
 - (B) Sucrose
 - (C) Polyethene
 - (D) Nylon

66. Gel electrophoresis is used for _____ of cutting and joining of DNA.
- (A) Completing
 - (B) Hindering
 - (C) Monitoring
 - (D) Aiding
67. In western blotting secondary antibody is tagged with the enzyme called?
- (A) Proteases
 - (B) Alkaline phosphatase
 - (C) Gluconealdolase
 - (D) Transferase
68. Covalent disulfide (--S-S-) bond can be broken by using?
- (A) Heating
 - (B) SDS
 - (C) Beta-merkeptoethanol
 - (D) Blue dye
69. The processes of polymerization of PAGE in presence of sunlight is called?
- (A) Photopolymerization
 - (B) Gel formation
 - (C) Crystallization
 - (D) Evaporation
70. The electrophoresis technique that used isoelectricfocusing is:
- (A) AGE
 - (B) FGE
 - (C) PFGE
 - (D) 2D-Gel electro focusing

71. When is electrophoresis not used?
- (A) Separation of lipid
 - (B) Separation of protein
 - (C) Separation of amino acids
 - (D) Separation of nucleic acids
72. In isoelectric focusing, proteins are separated on the basis of their:
- (A) Size
 - (B) Relative content of positively charged residue only
 - (C) Relative content of negatively charged residue only
 - (D) Relative content of positively and negatively charged residue
73. Proteins can be visualized directly in gels by:
- (A) Measuring their molecular weight
 - (B) Using electron microscope only
 - (C) Staining them with the dye
 - (D) None of these
74. Application of 2D gel electrophoresis is:
- (A) Analysis of cell differentiation
 - (B) Detection of disease markers
 - (C) Cancer research
 - (D) All of the above
75. pH at which a protein has a neutral charge; loss or gain of protons in a pH gradient is _____.
- (A) Isoelectric focusing
 - (B) Electrophoresis
 - (C) Isoelectric point
 - (D) SDS-PAGE

76. _____ are the acrylamide gel matrix co-polymerized with the pH gradient.
- (A) IEF (isoelectric focusing)
 - (B) IPG (immobilized pH gradient)
 - (C) IEP (isoelectric point)
 - (D) Amphoteric
77. Technique used for the separation of large plant DNA:
- (A) Gel electrophoresis
 - (B) Pulse Field gel electrophoresis (PFGE)
 - (C) PAGE
 - (D) Isoelectric focusing
78. Samples do not run in a straight line in?
- (A) 2D electrophoresis
 - (B) Western Blotting
 - (C) PFGE
 - (D) PAGE
79. Electrophoretic mobility μ is represented by:
- (A) V/E
 - (B) q/E
 - (C) M/E
 - (D) E/M
80. In a visible spectrum of light, which of the following colour has the longest wavelength?
- (A) Violet
 - (B) Orange
 - (C) Yellow
 - (D) Black

81. Which of the following rays have maximum frequency?
- (A) UV rays
 - (B) Microwaves
 - (C) Infrared rays
 - (D) X-rays
82. Which of the following colour light has the lowest frequency?
- (A) Green
 - (B) Blue
 - (C) Red
 - (D) Violet
83. The phenomenon of polarization shows that light has _____ nature.
- (A) Particle
 - (B) Transverse
 - (C) Longitudinal
 - (D) Dual
84. Select the wavelength range corresponding to UV-visible region?
- (A) 400-800nm
 - (B) 200-800nm
 - (C) 25um-2.5um
 - (D) 2.5um-1mm
85. The correct equation of Beer-lambert's law?
- (A) $A = I_0 / I$
 - (B) $A = T / T_0$
 - (C) $A = \epsilon cl$
 - (D) $A = I / T$

86. The main advantage of fluorescence over UV-Vis spectroscopy is:
- (A) Its sensitivity
 - (B) Its compatibility with separation technique
 - (C) Its compatibility with most analytes
 - (D) None of the above
87. When molecule absorbed incident electromagnetic radiation it is electron goes excited state. But in excited state it is unstable so. Electron is goes ground state. When it is goes ground state it is emitted radiation. this phenomena called?
- (A) Fluorescence
 - (B) Phosphorescence
 - (C) (A)&(B)
 - (D) None
88. Which spectroscopy is measure intensity of the FLUORESCENCE of molecule?
- (A) IR
 - (B) NMR
 - (C) Flurometry
 - (D) All of the above
89. NMR is the study of absorption of _____ by nuclei in a magnetic field.
- (A) Radioactive radiation
 - (B) IR radiation
 - (C) Radiofrequency radiation
 - (D) Microwaves
90. Nuclei have either the number of protons or neutron as odd have _____ spin.
- (A) Integral spin
 - (B) Half integral spin
 - (C) Zero spin
 - (D) Positive spin

91. Microwaves are generated by _____.
- (A) Klystron tube
 - (B) Trode tube
 - (C) Doide tube
 - (D) Cathode ray tube
92. Electron spin resonance is also known as which of the following?
- (A) Electron diamagnetic reoccurrence
 - (B) Electron paramagnetic reoccurrence
 - (C) Electron diamagnetic resonance
 - (D) Electron paramagnetic resonance
93. Which is reference standard in ESR?
- (A) KBr
 - (B) DPPH
 - (C) NaOH
 - (D) Cu
94. Bragg equation is:
- (A) $n\lambda=2$
 - (B) $n=2d$
 - (C) $n\lambda=2d$
 - (D) $n\lambda=2f$
95. Mass spectrometer requires:
- (A) High temperature
 - (B) High cooling
 - (C) High vacuum
 - (D) High pressure

96. Which of the following isotopes is not a radioisotope?
- (A) Carbon-13
 - (B) Carbon -14
 - (C) Tritium
 - (D) Sulphur-35
97. Which of the following detection methods is not commonly used to detect isotopically labelled drug metabolites?
- (A) Infrared spectroscopy
 - (B) Nuclear Magnetic Resonance spectroscopy
 - (C) Scintillation counting (detection of radioactivity)
 - (D) Mass spectrometry
98. The radioactive emission produces which color on the developed autoradiograph?
- (A) White
 - (B) Transparent
 - (C) Black
 - (D) Opaque
99. How is emitted energy converted to light in autoradiography?
- (A) X-ray
 - (B) UV
 - (C) Spectroscopy
 - (D) Scintillation
100. Detector used in UV-Visible spectrophotometer?
- (A) Photo emissive tube
 - (B) Gas detector
 - (C) pH detector
 - (D) Chemical detectors

Rough Work / रफ कार्य

DO NOT OPEN THE QUESTION BOOKLET UNTIL ASKED TO DO SO

1. Examinee should enter his / her roll number, subject and Question Booklet Series correctly in the O.M.R. sheet, the examinee will be responsible for the error he / she has made.
 2. **This Question Booklet contains 100 questions, out of which only 75 Question are to be Answered by the examinee. Every question has 4 options and only one of them is correct. The answer which seems correct to you, darken that option number in your Answer Booklet (O.M.R ANSWER SHEET) completely with black or blue ball point pen. If any examinee will mark more than one answer of a particular question, then the first most option will be considered valid.**
 3. Every question has same marks. Every question you attempt correctly, marks will be given according to that.
 4. Every answer should be marked only on Answer Booklet (O.M.R ANSWER SHEET). Answer marked anywhere else other than the determined place will not be considered valid.
 5. Please read all the instructions carefully before attempting anything on Answer Booklet (O.M.R ANSWER SHEET).
 6. After completion of examination please hand over the Answer Booklet (O.M.R ANSWER SHEET) to the Examiner before leaving the examination room.
 7. There is no negative marking.
- Note:** On opening the question booklet, first check that all the pages of the question booklet are printed properly in case there is an issue please ask the examiner to change the booklet of same series and get another one.