Roll No	 ••••				Question Booklet Number
O. M. R. Serial No.					

M. Sc. (Ag.) Agricultural Entomology (First Semester) EXAMINATION, 2021-22

INSECT ANATOMY, PHYSIOLOGY AND NUTRITION

Paper Code						
AE	5	0	0	3		

Questions Booklet Series

D

[Maximum Marks : 100

Time: 1:30 Hours]

Instructions to the Examinee:

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

1.	Peritoneal membrane is found in:	5.	The	cerebral ganglion is also called
	(A) Rectum		as:	
	(B) Oesophagus		(A)	Brain
	(C) Midgut		(B)	Endocrine gland
	(D) None of the above		(C)	Ocellus
2			(D)	None of the above
2.	The embryo begins to move within the	6.	Ejacı	ulatory duct is a part of:
	yolk is called :		(A)	Female reproductive organs
	(A) Organogenesis		(B)	Male reproductive organs
	(B) Blastokinesis		(C)	Digestive organs
	(C) Totipotency		(D)	All of the above
	(D) None of the above	7.	In g	rasshopper the tympanal organ is
3.	Pheromones are secreted by:		situa	ted at:
	(A) Endocrine glands		(A)	Sixth abdominal tergum
	(B) Exocrine glands		(B)	Third abdominal tergum
	(C) Both (A) and (B)		(C)	Second abdominal tergum
	(D) None of the above		(D)	First abdominal tergum
4.	Trail pheromone of termite isolated	8.	The	parthenogenesis, arrhenotoky in
	by:		whic	h :
	(A) Wilson (1962)		(A)	Only males are produced.
	(B) Jacobson (1969)		(B)	Only females are produced.
	(C) Brower (1966)		(C)	Either sex is produced.
	(D) Moore (1966)		(D)	All of the above

AE-5003 (3) Set-D

9.	The	tectile organs are:	13.	Saliv	vary glands secrete anticoagulants in:
	(A)	Chemoreceptors		(A)	Beetles
	(B)	Mechanoreceptors		(B)	Mosquitoes
	(C) (D)	Both (A) and (B) None of the above		(C)	Lizards
	, ,				None of the above
10.		ch insecticide is banned by Supreme		(D)	Notic of the above
	Cou	rt of India ?	14.	Mec	onium is a fluid emerged from:
	(A)	Phosphamidon		1,100	o
	(B)	Phorate		(A)	Egg
	(C)	Endosulphan		(B)	Larva
	(D)	Monocrotophos		(C)	Pupa
11.	In a	an incomplete metamorphosis, an et:		(D)	Adult
	(A)	hatch into a small version of adult	15.	Filte	er chamber in insect is related to:
		and grows through several instars		(A)	Circulatory system
	(B)	hatch out as a caterpillar, grows, pupates, becomes different adult		(B)	Nervous system
		form		(C)	Excretory system
	(C)	is born live		(D)	Digestive system
	(D)	All of the above		(2)	Digestive system
12.	The	first President of Entomological	16.	The	first book on insect physiology was
	Soci	ety of India :		publ	ished by:
	(A)	H. S. Pruthi		(A)	Paul Marchal, 1911
	(B)	Ramkrishna Ayyer		(B)	V. B. Wigglishworth, 1939
	(C)	Afzal Hussain		(C)	A. D. Imms, 1951
	(D)	Ramchandra Rao		(D)	None of the above

(4)

Set-D

AE-5003

17.	Major constituents of the Chitin are:	21.	Ecdysone hormone is secreted from:
	(A) Lipids		(A) Carpus cardiacum
	(B) Amino acids		(B) Carpus allatum
	(C) Nitrogenous Polysaccharides		(C) Prothoracic gland
	(D) All of the above		(D) Brain
18.	The process of shedding the cuticle is	22	Contalia
	called:	22.	Gyptol is a :
	(A) Ecdysis		(A) Neurohormone
	(B) Diapause		(B) Juvenile hormone
	(C) Hibernation		(C) Moulting hormone
	(D) None of the above		(D) Sex hormone
19.	In phytophagous insects alimentary canal	23.	Coractate type of Pupa is found in :
19.	In phytophagous insects alimentary canal is than that in carnivorous.	23.	-
19.	is than that in	23.	(A) Butterfly
19.	is than that in carnivorous.	23.	-
19.	is than that in carnivorous. (A) Smaller	23.	(A) Butterfly
19.	is than that in carnivorous. (A) Smaller (B) Equal	23.	(A) Butterfly(B) Wasp(C) Housefly
19.20.	is than that in carnivorous. (A) Smaller (B) Equal (C) Longer	23.	(A) Butterfly(B) Wasp
	is than that in carnivorous. (A) Smaller (B) Equal (C) Longer (D) None of the above	23.24.	(A) Butterfly(B) Wasp(C) Housefly
	is than that in carnivorous. (A) Smaller (B) Equal (C) Longer (D) None of the above The wall of midgut is composed of		(A) Butterfly(B) Wasp(C) Housefly(D) Beetles
	is than that in carnivorous. (A) Smaller (B) Equal (C) Longer (D) None of the above The wall of midgut is composed of		 (A) Butterfly (B) Wasp (C) Housefly (D) Beetles Fat bodies of the insects are the part of :
	is than that in carnivorous. (A) Smaller (B) Equal (C) Longer (D) None of the above The wall of midgut is composed of		 (A) Butterfly (B) Wasp (C) Housefly (D) Beetles Fat bodies of the insects are the part of : (A) Digestive system

25.	Vitellogenesis	refers to:	29.	Cryp	tonephredial system is present in
	(A) Egg matu	uration		orde	r:
	(B) Sperm m	aturation		(A)	Hymenoptera
	(C) Brain ho	rmone		(B)	Isoptera
	(D) Dieuratio	chormone		(C)	Lepidoptera
26.	Malpighian tub	oules are absent in :		(D)	Coleoptera
	(A) Coleopte	ra	30.	Pape	er factor is related to:
	(B) Collemb	ola		(A)	Neurohormone
	(C) Both (A)	and (B)		(B)	Juvenile hormone
	(D) None of	the above		(C)	Sex hormone
27.	Reproduction	by immature forms		(D)	All of the above
_,.	-	ng the adult stage is	31.	The	crop is a part of which
	called:			syste	em ?
	(A) Paedoger	nesis		(A)	Circulatory
	(B) Oogenes	is		(B)	Excretory
	(C) Viviparit	y		(C)	Digestive
	(D) None of	the above		(D)	Respiratory
28.	Proventriculus	is present in :	32.	How	do most insects respire?
	(A) Hemipter	ra		(A)	Through skin
	(B) Diptera			(B)	Through gills
	(C) Orthopte	ra		(C)	Through lungs
	(D) Thysano	ptera		(D)	Through tracheal system

33.	All pairs of spiracles are closed and non-	36.	The pH of insect blood is about:
	functional. This type of system is known		(A) 8-9
	as:		(B) 9-10
	(A) Apneustic tracheal system		(C) 5-6
	(B) Hypopneustic tracheal system		(D) 6-7
	(C) Hyperpneustic tracheal system	37.	According to Arnold (1974), how many
			types of haemocytes are found in insect
	(D) All of the above		blood ?
34.	Fusion of anterior hindgut with anterior		(A) Three types
	or posterior most part of midgut or end of		(B) Five types
	foregut the so called filter chamber is		(C) Seven types
	formed in insects belonging to order:		(D) Nine types
	(A) Coleoptera	38.	Weismann ring is present in:
	(B) Lepidoptera		(A) Caterpillars of Lepidopteran
	(C) Homoptera		(B) Nymphs of Hemipteran
	(D) Diptera		(C) Maggots of Dipteran flies
			(D) None of the above
35.	Goblet cells are found in the insect order	20	
	midgut:	39.	Reproduction without fertilization means:
	(A) Diptera		(A) Parthenogenesis
	(B) Lepidoptera		(B) Oviparity
	(C) Hymenoptera		(C) Viviparity
	(D) None of the above		(D) All of the above

40.	Sensilla are developed from:	44.	'Power house of the cells' is:
	(A) Epidermal cells		(A) Golgi bodies
	(B) Epithelial cells		(B) Plastids
	(C) Regenerative cells		(C) Centriole
	(D) None of the above		(D) Mitochondria
41.	Enzyme secretion occurs without cell	45.	Oxidation of carbohydrates is also known
	breakdown called as:	13.	·
	(A) Holocrine		as:
	(B) Merocrine		(A) Glycolysis
	(C) Endocrine		(B) Phosphorylation
			(C) Both (A) and (B)
	(D) All of the above		
42.	The insect intestine generally shows		(D) None of the above
	of movements.	46.	Bursa copulatrix is a part of:
	(A) Two type		(A) Male reproductive organ
	(B) Four type		(B) Female reproductive organ
	(C) Five type		(C) Alimentary canal
	(D) Three type		•
43.	The cellulose is digested by the termite		(D) None of the above
	with the help of symbiotic protozoan	47.	Vitallarium is the major part of :
	which are harboured in:		(A) Testes
	(A) Foregut		
	(B) Midgut		
	(C) Hindgut		(C) Ovariole
	(D) None of the above		(D) All of the above

48.	More than one embryo is produced from	52.	Middle part of the brain is known as:
	a single egg known as:		(A) Protocerebrum
	(A) Parthenogenesis		(B) Deutocerebrum
	(B) Polyembryony		(C) Tritocerebrum
	(C) Paedogenesis		(D) None of the above
	(D) All of the above	53.	Deposition of yolk in the oocytes is
49.	Sympathetic nervous system is associated		called:
	with:		(A) Oogenesis
	(A) Alimentary canal		(B) Spermatogenesis
	(B) Circulatory system		(C) Vitellogenesis
	(C) Both (A) and (B)		(D) All of the above
	(D) None of the above	54.	In most insects, the sense of smell is
			localised in:
50.	The taenidium prevents collapsing of:		(A) Tarsi
	(A) Heart valve		(B) Maxillary palp
	(B) Pyloric valve		(C) Frons
	(C) Tracheal wall		(D) Antennae
	(D) None of the above	55.	Which structure is not a part of central
51.	Inspiration means :		nervous system ?
	(A) Intake of oxygen		(A) Frontal ganglion
	(B) Intake of carbon dioxide		(B) Subesophageal ganglion
	(C) Release of carbon dioxide		(C) Tritocerebrum
	(D) All of the above		(D) None of the above

56.	Aver	age speed of nerve impulse in insect	59.	Spira	I thickening of intima in trachea is
	(A)	100/second		(A)	Tracheole
	(B)	5 metre/second		(B)	Spiracles
	(C)			(C)	Both (A) and (B)
	(D)			(C)	botti (A) alid (B)
57.	Chol	inesterase in insect was first reported		(D)	Taenidia
	by:		60.	The l	blood cells which ingest dead cells
	(A)	Singh and Mehrotra, 1970		are known as:	
	(B)	Gautrelet, 1938			
	(C)	Prosser, 1952		(A)	Phagocytes
	(D)	None of the above		(B)	Oenocytes
58.	The	wound healing in insect is done by:		(C)	Proleucocytes
	(A)	Podocytes		(D)	Granulocytes
	(B)	Spherule cells			
	(C)	Plasmatocytes			
	(D)	None of the above			

(Only for Rough Work)

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q. 1 (A) (C) (D)
Q. 2 (A) (B) (C) (D)
Q. 3 (A) (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- **Impt.**: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D)
प्रश्न 2 (A) (B) (D)
प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 7. ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।