Roll No	•••••					Question Booklet Number
O. M. R. Serial No.						

# M. Sc. (Ag.) Genetics and Plant Breeding (Third Semester) EXAMINATION, 2021-22

## MAINTENANCE BREEDING, CONCEPT OF VARIETY RELEASE AND SEED PRODUCTION

P	ape	de		
GP	5	0	1	5

Questions Booklet Series

C

[ Maximum Marks : 100

Time: 1:30 Hours]

## **Instructions to the Examinee:**

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- 3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा
  OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण
  प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या
  प्रश्न एक से अधिक बार छप गए हों या उसमें किसी
  अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ट पर)

## (Only for Rough Work)

1.	Preliminary Yield Trials are also known	4.	The safe moisture content storage of
	as:		paddy seeds under ambient condition
	(A) Station Trial		is:
	(B) Multilocation Trial		(A) 10%
	(C) Coordinated Trial		(B) 13%
	(D) All of the above		(C) 15%
2			(D) 20%
2.	Role of border rows in hybrid seed	5.	How much isolation distance is
	production is:		maintained in maize for foundation seed
	(A) Easy identification		production ?
	(B) Additional pollen supply		(A) 3 m
	(C) To prevent disease		(B) 150 m
	(D) All of the above		(C) 200 m
3.	Which form of chemicals is used to seed		(D) 400 m
	treatment ?	6.	The purpose of seed certification is :
	(A) Dust		(A) To maintain a high quality seed
	(B) Liquid		(B) To train seed producer
	(C) Slurry		(C) To distribute seeds
	(D) All of the above		(D) To transport seeds

(3)

Set-C

7.	Seed which contains more than one	1.	The class of seed, which is generally used
	embryo is called:		in seed multiplication chain is:
	(A) Polyembryony		in seed marapheatron chain is.
	(B) Polypetalous		(A) Truthful labelled seed
	(C) Polyandrus		(B) PUSA seed
	(D) Apomixis		
8.	Which changes occur during seed		(C) Breeder seed
	storage ?		(D) Commercial seed
	(A) Physical changes		
	(B) Nutritional changes	2.	The formula for calculating the real value
	(C) Respiratory changes		of seed is:
	(D) All of the above		(A) Durity 0/ x/Maistana 0/ /100
9.	Seed replacement rate is:		(A) Purity % × Moisture % / 100
	(A) Maximum in hybrid seeds		(B) Purity % $\times$ Germination % / 100
	(B) Minimum in cross-pollinated crops		(C) Purity % × Viability % / 100
	(C) Maximum in self-pollinated crops		
	(D) None of the above		(D) All of the above
10.	Which part of seed provides food 1	13.	National Seed Research and Training
	reserves to germinating embryo ?		Centre (NSRTC) is situated at :
	(A) Seed coat		(A) Kanpur
	(B) Embryo		(B) Lucknow
	(C) Endosperm		(C) Varanasi
	(D) Hilum		(D) Meerut

(4)

Set-C

14.	Spoon method of seed sampling is used	18.	In pigeonpea, the production of certified
	for:		seed requires an isolation distance of:
	(A) Small seeded varieties		(A) 25 m
	(B) Large seeded varieties		(B) 50 m
	(C) Tubers		(C) 100 m
	(D) Bulbs		(D) 200 m
15.	Weight of 1000 seeds is known as:	19.	Which one is dicotyledonous seed ?
	(A) Seed index		(A) Triticum aestivum
	(B) Test weight		(B) Zea mays
	(C) Seed density		(C) Pisum sativum
	(D) Seed viability		(D) Oryza sativa
16.	Plants emerged in the seed plot from	20.	Time isolation in hybrid maize seed
	previous crops are referred to as:		production would be:
	(A) Off type plants		(A) 5-10 days
	(B) Male sterile plants		(B) 20-25 days
			(C) 50-60 days
	(C) Volunteer plants		(D) 10-15 days
	(D) Male fertile plants	21.	In tetrazolium test, the colour of living
17.	A line is also known as:		tissues of seed changes to:
	(A) Male fertile line		(A) Yellow
	(B) Male sterile line		(B) Pink
	(C) Restorer line		(C) Green
	(D) Maintainer line		(D) Blue

22.	Detasseling is done in:	26.	According to ISTA, how many seeds are
	(A) Wheat		required for germination test?
	(B) Rice		(A) 150
	(C) Maize		(A) 150
	(D) Barley		(B) 200
23.	For certification purpose, in majority of		(C) 300
	the crops the physical purity should be:		(D) 400
	(A) 95%	27.	The main responsibility of foundation
	(B) 96%	21.	The main responsibility of foundation
	(C) 97%		seed production is:
	(D) 98%		(A) Registered growers
24.	Johnson grass is a noxious weed of:		(B) SSCA
	(A) Maize		(C) NSC
	(B) Jowar		(D) All of the above
	(C) Bajra		(D) An of the above
	(D) Wheat	28.	Which seed is distributed to the farmers
25.	When was first seed testing laboratory		for commercial cultivation?
	established in our country ?		(A) Nucleus seed
	(A) 1961		(B) Breeder seed
	(B) 1971		
	(C) 1981		(C) Foundation seed
	(D) 1991		(D) Certified seed

29.	How	much genetic purity is found in	33.	The	test required for granting protection
	breed	ler seed ?		of a ı	new variety under PPV is:
	(A)	90%		(A)	VCU
	(B)	99.9%		(B)	DUS
	(C)	100%		(C)	GOT
	(D)	85%		(D)	All of the above
30.	The	colour of tag used for breeder seed	34.	Certi	fied seed is produced from:
	is:			(A)	Nucleus seed
	(A)	Red		(B)	Breeder seed
	(B)	Yellow		(C)	Foundation seed
	(C)	White		(D)	Truthful seed
	(D)	Blue	35.	Sequ	ence of 3-generation system of seed
31.	India	n Seeds Act passed in :		in In	dia is :
	(A)	1966		(A)	Foundation-Labelled-Certified
	(B)	1970		(B)	Certified-Breeder-Foundation
	(C)	2000		(C)	Breeder-Foundation-Certified
	(D)	2004		(D)	Breeder-Certified-Foundation
32.	Whic	h is the cause of seed deterioration?	36.	Certi	fication is not required for:
	(A)	Genetic changes		(A)	Nucleus seed
	(B)	Reduced enzyme activities		(B)	Breeder seed
	(C)	Accumulation of toxic substances		(C)	Certified seed
	(D)	All of the above		(D)	Both (A) and (B)

(7)

Set-C

Breeder seed is the progeny of:	41.	International Seed Testing Association
(A) Nucleus seed		was established on:
(B) Foundation seed		(A) 10 July, 1924
(C) Registered seed		(B) 12 February, 1942
(D) Certified seed		
Improved seed includes:		(C) 12 July, 1925
(A) Nucleus seed		(D) 10 July, 1914
(B) Breeder seed	42.	Which of the following enzymes
(C) Foundation seed		catalyses the tetrazolium staining
(D) All of the above		reaction?
Seeds, which are viable for a period of		(A) Peroxidase
3-15 years are known as:		(B) Amylase
(A) Microbiotic seed		(C) Dehydrogenase
(B) Mesobiotic seed		(C) Denydrogenase
(C) Macrobiotic seed		(D) All of the above
(D) None of the above	43.	Most critical factors of seed germination
The most important factors influencing		are:
the life span of seeds under storage are:		(A) Oxygen and light
(A) Rainfall and R. H.		(B) Moisture and temperature
(B) Climate and temperature		(B) Moisture and temperature
(C) Temperature and R. H.		(C) Moisture and light
(D) Seed size and moisture content		(D) Temperature and light
	(A) Nucleus seed (B) Foundation seed (C) Registered seed (D) Certified seed Improved seed includes: (A) Nucleus seed (B) Breeder seed (C) Foundation seed (D) All of the above Seeds, which are viable for a period of 3-15 years are known as: (A) Microbiotic seed (B) Mesobiotic seed (C) Macrobiotic seed (D) None of the above The most important factors influencing the life span of seeds under storage are: (A) Rainfall and R. H. (B) Climate and temperature (C) Temperature and R. H.	(A) Nucleus seed (B) Foundation seed (C) Registered seed (D) Certified seed Improved seed includes: (A) Nucleus seed (B) Breeder seed (C) Foundation seed (D) All of the above Seeds, which are viable for a period of 3-15 years are known as: (A) Microbiotic seed (B) Mesobiotic seed (C) Macrobiotic seed (D) None of the above  43. The most important factors influencing the life span of seeds under storage are: (A) Rainfall and R. H. (B) Climate and temperature (C) Temperature and R. H.

(8)

Set-C

44.	The percentage impurity is also referred	48.	Which male and female ratio is
	to as:		maintained in Bajra for hybrid seed
	(A) Seed index		production?
	(B) Breakage		(A) 1:2
	(C) Dockage		(B) 2:4
	(D) Test weight		(C) 4:6 (D) 3:6
45.	Which of the following tests is used to		
	test genetic purity ?	49.	The line which is used to restore fertility
	(A) Viability test		in cytoplasmic male sterile line is
	(B) Germination test		called:
	(C) Grow-out test		(A) A line
	(D) Tetrazolium test		
46.	Argemone maxicana L. is an		(B) B line
	objectionable weed in :		(C) R line
	(A) Wheat		(D) None of the above
	(B) Rice	50	Democral of off type plants from the field
	(C) Cotton	50.	Removal of off-type plants from the field
	(D) Rapeseed-Mustard		is called:
47.	Seed certification requires :		(A) Detasseling
	(A) An improved variety		(B) Roguing
	(B) Physical purity		(C) Clipping
	(C) Genetic purity		
	(D) All of the above		(D) Skipping

(9)

Set-C

51.	In which of the following crops rope	54.	A seed which is developed by the
	pulling is done for good seed setting in		technique of genetic engineering is
	hybrids?		known as:
	(A) Maize		(A) Orthodox seed
	(B) Sorghum		(B) Transgenic seed
	(C) Sunflower		(C) Hybrid seed
	(D) Rice		(D) Registered seed
52.	DUS testing refers to evaluation of	55.	Certification is not required for :
	varieties in terms of :		(A) Breeder seed
	(A) Distinctness		(B) Foundation seed
	(B) Uniformity		(C) Certified seed
	(C) Stability		(D) All of the above
	(D) All of the above	56.	In wheat, production of foundation
53.	Minikit trials are conducted on :		seed needs an isolation distance of:
	(A) Farmer's Field		(A) 3 metres
	(B) State Govt. Farms		(B) 5 metres
	(C) Agricultural Universities		(C) 10 metres
	(D) All of the above		(D) 20 metres

(10)

Set-C

57.	Bree	eder seed is the progeny of:	59.	The headquarters of Project Directorate
	(A)	Resistered seed		of Wheat is situated in:
	(B)	Foundation seed		(A) Kanpur
	(C)	Nucleus seed		(B) Lucknow
	(D)	Certified seed		(C) Karnal
	(2)	Certified seed		(D) Hyderabad
58.	Noti	fication of released varieties is done	60.	Adaptive Research Trials are conducted
	by:			in:
	(A)	Ministry of Finance		(A) Research Centres
	(B)	Ministry of Agriculture and		(B) State Government Farms
		Irrigation		(C) Both (A) and (B)
	(C)	National Seeds Corporation		(D) None of the above
	(D)	All of the above		

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

## **Example:**

## Question:

Q. 1 (A) (C) (D)
Q. 2 (A) (B) (C) (D)
Q. 3 (A) (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

#### उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।