Roll No	•••••					Question Booklet Number
O. M. R. Serial No.						

M. Sc. (Ag.) Genetics and Plant Breeding (Third Semester) EXAMINATION, 2021-22

MAINTENANCE BREEDING, CONCEPT OF VARIETY RELEASE AND SEED PRODUCTION

Paper Code						
GP	5	0	1	5		

Questions Booklet Series

D

[Maximum Marks : 100

Time: 1:30 Hours]

Instructions to the Examinee:

- 1. Do not open the booklet unless you are asked to do so.
- 2. The booklet contains 60 questions. Examinee is required to answer any 50 questions in the OMR Answer-Sheet provided and not in the question booklet. If more than 50 questions are attempted by student, then the first attempted 50 questions will be considered for evaluation. All questions carry equal marks.
- 3. Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed. Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश :

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 60 प्रश्न हैं। परीक्षार्थी को किन्हीं 50 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। यदि छात्र द्वारा 50 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 50 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा। सभी प्रश्नों के अंक समान हैं।
- 3. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा
 OMR आन्सर-शीट को सावधानीपूर्वक देख लें। दोषपूर्ण
 प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हों या
 प्रश्न एक से अधिक बार छप गए हों या उसमें किसी
 अन्य प्रकार की कमी हो, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Only for Rough Work)

1.	Plants emerged in the seed plot from	5.	Time isolation in hybrid maize seed
	previous crops are referred to as:		production would be:
	(A) Off type plants		(A) 5-10 days
	(B) Male sterile plants		(B) 20-25 days
	(C) Volunteer plants		(C) 50-60 days
	(D) Male fertile plants		(D) 10-15 days
2.	A line is also known as:	6.	In tetrazolium test, the colour of living
2.	Time is also known as .		tissues of seed changes to:
	(A) Male fertile line		(A) Yellow
	(B) Male sterile line		(B) Pink
	(C) Restorer line		(C) Green
	(D) Maintainer line		(D) Blue
3.	In pigeonpea, the production of certified	7.	Detasseling is done in :
	seed requires an isolation distance of:		(A) Wheat
	(A) 25 m		(B) Rice
	(B) 50 m		(C) Maize
	(C) 100 m		(D) Barley
	(D) 200 m	8.	For certification purpose, in majority of
4.	Which one is dicotyledonous seed?		the crops the physical purity should be:
	(A) Triticum aestivum		(A) 95%
	(B) Zea mays		(B) 96%
	(C) Pisum sativum		(C) 97%
	(D) Oryza sativa		(D) 98%

9.	John	son grass is a noxious weed of:	12.	The	main responsibility of foundation
	(A)	Maize		seed]	production is :
	(B)	Jowar		(A)	Registered growers
	(C)	Bajra		(B)	SSCA
	(D)	Wheat		(C)	NSC
10.	Whe	n was first seed testing laboratory		(D)	All of the above
	estab	olished in our country ?	13.	Whic	h seed is distributed to the farmers
	(A)	1961		for co	ommercial cultivation ?
				(A)	Nucleus seed
	(B)	1971		(B)	Breeder seed
	(C)	1981		(C)	Foundation seed
	(D)	1991		(D)	Certified seed
11.	Acco	ording to ISTA, how many seeds are	14.	How	much genetic purity is found in
	requi	ired for germination test ?		breed	ler seed ?
	(A)	150		(A)	90%
	(B)	200		(B)	99.9%
	(C)	300		(C)	100%
	(D)	400		(D)	85%

15.	The colour of tag used for breeder seed	19.	Certified seed is produced from :
	is:		(A) Nucleus seed
	(A) Red		(B) Breeder seed
	(B) Yellow		(C) Foundation seed
	(C) White		(D) Truthful seed
	(D) Blue	20.	Sequence of 3 generation system of seed
16.	Indian Seeds Act passed in :	20.	Sequence of 3-generation system of seed in India is:
	(A) 1966		(A) Foundation-Labelled-Certified
	(B) 1970		(B) Certified-Breeder-Foundation
	(C) 2000		(C) Breeder-Foundation-Certified
	(D) 2004		(D) Breeder-Certified-Foundation
17.	Which is the cause of seed deterioration?		(D) Breeder Certained Foundation
	(A) Genetic changes	21.	Certification is not required for :
	(B) Reduced enzyme activities		(A) Nucleus seed
	(C) Accumulation of toxic substances		(B) Breeder seed
	(D) All of the above		(C) Certified seed
18.	The test required for granting protection		(D) Both (A) and (B)
	of a new variety under PPV is:	22.	Breeder seed is the progeny of:
	(A) VCU		(A) Nucleus seed
	(B) DUS		(B) Foundation seed
	(C) GOT		(C) Registered seed
	(D) All of the above		(D) Certified seed

(5)

Set-D

23.	Improved seed includes:	26.	International Seed Testing Association
	(A) Nucleus seed		was established on :
	(B) Breeder seed		(A) 10 July, 1924
	(C) Foundation seed		(B) 12 February, 1942
	(D) All of the above		(C) 12 July, 1925
24.	Seeds, which are viable for a period of		(D) 10 July, 1914
	3-15 years are known as:	27.	Which of the following enzymes
	(A) Microbiotic seed		catalyses the tetrazolium staining reaction?
	(B) Mesobiotic seed		(A) Peroxidase
	(C) Macrobiotic seed		(B) Amylase
	(D) None of the above		(C) Dehydrogenase
			(D) All of the above
25.	The most important factors influencing	28.	Most critical factors of seed germination
	the life span of seeds under storage are:		are:
	(A) Rainfall and R. H.		(A) Oxygen and light
	(B) Climate and temperature		(B) Moisture and temperature
	(C) Temperature and R. H.		(C) Moisture and light
	(D) Seed size and moisture content		(D) Temperature and light

(6)

Set-D

29.	The percentage impurity is also referred	33.	Which male and female ratio is
	to as:		maintained in Bajra for hybrid seed
	(A) Seed index		production? (A) 1:2
	(B) Breakage		(A) 1:2 (B) 2:4
	(C) Dockage		(C) 4:6
	(D) Test weight		(D) 3:6
30.	Which of the following tests is used to	34.	The line which is used to restore fertility
	test genetic purity ?		in cytoplasmic male sterile line is
	(A) Viability test		called:
	(B) Germination test		
	(C) Grow-out test		(A) A line
	(D) Tetrazolium test		(B) B line
31.	Argemone maxicana L. is an objectionable weed in :		(C) R line
	(A) Wheat		(D) None of the above
	(B) Rice		
	(C) Cotton	35.	Removal of off-type plants from the field
	(D) Rapeseed-Mustard		is called :
32.	Seed certification requires:		(A) Detasseling
	(A) An improved variety		(B) Roguing
	(B) Physical purity		(C) Clipping
	(C) Genetic purity		
	(D) All of the above		(D) Skipping

(7)

Set-D

36.	In which of the following crops rope	39.	A seed which is developed by the
	pulling is done for good seed setting in		technique of genetic engineering is
	hybrids?		known as:
	(A) Maize		(A) Orthodox seed
	(B) Sorghum		(B) Transgenic seed
	(C) Sunflower		(C) Hybrid seed
	(D) Rice		(D) Registered seed
37.	DUS testing refers to evaluation of	40.	Certification is not required for :
	varieties in terms of:		(A) Breeder seed
	(A) Distinctness		(B) Foundation seed
	(B) Uniformity		(C) Certified seed
			(D) All of the above
	(C) Stability(D) All of the above	41.	In wheat, production of foundation
38.	Minikit trials are conducted on:		seed needs an isolation distance of:
	(A) Farmer's Field		(A) 3 metres
	(B) State Govt. Farms		(B) 5 metres
	(C) Agricultural Universities		(C) 10 metres
	(D) All of the above		(D) 20 metres

(8)

Set-D

42.	Bree	der seed is the progeny of :	45.	Adaptive	Research Trials are conducted
	(A)	Resistered seed		in:	
	(B)	Foundation seed		(A) Res	search Centres
	(C)	Nucleus seed		(B) Sta	te Government Farms
	(D)	Certified seed		(C) Bot	th (A) and (B)
43.	Noti	fication of released varieties is done		(D) Not	ne of the above
	by:		46.	Prelimina	ary Yield Trials are also known
	(A)	Ministry of Finance		as:	
	(B)	Ministry of Agriculture and		(A) Sta	tion Trial
		Irrigation		(B) Mu	Iltilocation Trial
	(C)	National Seeds Corporation		(C) Coo	ordinated Trial
	(D)	All of the above		(D) All	of the above
44.	The	headquarters of Project Directorate	47.	Role of	border rows in hybrid seed
	of W	Theat is situated in :		productio	on is:
	(A)	Kanpur		(A) Eas	sy identification
	(B)	Lucknow		(B) Add	ditional pollen supply
	(C)	Karnal		(C) To	prevent disease
	(D)	Hyderabad		(D) All	of the above

(9)

Set-D

48.	Which form of chemicals is used to seed	51.	The purpose of seed certification is :
	treatment ?		(A) To maintain a high quality seed
	(A) Dust		(B) To train seed producer
	(B) Liquid		(C) To distribute seeds
	(C) Slurry		(D) To transport seeds
		52.	Seed which contains more than one
	(D) All of the above		embryo is called:
49.	The safe moisture content storage of		(A) Polyembryony
	paddy seeds under ambient condition is:		(B) Polypetalous
	(A) 10%		(C) Polyandrus
	(B) 13%		(D) Apomixis
		53.	Which changes occur during seed
			storage ?
	(D) 20%		(A) Physical changes
50.	How much isolation distance is		(B) Nutritional changes
	maintained in maize for foundation seed		(C) Respiratory changes
	production ?		(D) All of the above
	production:		
	(A) 3 m	54.	Seed replacement rate is:
	(A) 3 m	54.	Seed replacement rate is: (A) Maximum in hybrid seeds
	(A) 3 m (B) 150 m	54.	-
	(A) 3 m	54.	(A) Maximum in hybrid seeds
	(A) 3 m (B) 150 m	54.	(A) Maximum in hybrid seeds(B) Minimum in cross-pollinated crops

(10)

Set-D

55.	Which part of seed provides food	58.	National Seed Research and Training
	reserves to germinating embryo ?		Centre (NSRTC) is situated at:
	(A) Seed coat		(A) Kanpur
	(B) Embryo		(B) Lucknow
	(C) Endosperm		(C) Varanasi
	(D) Hilum		(D) Meerut
	(D) Illium	59.	Spoon method of seed sampling is used
56.	The class of seed, which is generally used		for:
	in seed multiplication chain is:		

- on method of seed sampling is used
 - (A) Small seeded varieties

- (B) Large seeded varieties
- (C) **Tubers**
- (D) Bulbs
- The formula for calculating the real value
- (A) Purity % × Moisture % / 100

(A) Truthful labelled seed

PUSA seed

(D) Commercial seed

(C) Breeder seed

(B)

of seed is:

57.

- (B) Purity % × Germination % / 100
- (C) Purity % × Viability % / 100
- (D) All of the above

- 60. Weight of 1000 seeds is known as:
 - (A) Seed index
 - (B) Test weight
 - (C) Seed density
 - (D) Seed viability

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet. The candidate has to choose the most correct/appropriate answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q. 1 (A) (C) (D)
Q. 2 (A) (B) (C) (D)
Q. 3 (A) (C) (D)

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- 5. Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 7. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 8. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- 10. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 11. To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.
- Impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्भावित उत्तर—
A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से
एक सबसे सही अथवा सबसे उपयुक्त उत्तर छाँटना है।
उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में
निम्न प्रकार भरना है:

उदाहरण :

प्रश्न :

प्रश्न 1 (A) (C) (D) प्रश्न 2 (A) (B) (D) प्रश्न 3 (A) (C) (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- 5. प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 6. सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
- 8. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी रफ कार्य, प्रश्न-पुस्तिका के अन्त में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण : प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।