

Instructions to the Examinee :

- 1. Do not open this Booklet untill you are told to do so.
- 2. Candidates should fill their roll number, subject and series of question booklet details correctly, otherwise, in case of any discrepancy in the evaluation, it will be the responsibility of the examinee himself.
- 3. There are 100 questions in the booklet. Examinee is required to answer only 75 questions in the OMR Answer Sheet provided. Four alternative answer to each question are given below the question, out of these four only one answer is correct. The answer which you think is correct or most appropriate, completely fill in the circle containing its letter in your answer sheet (O.M.R. Answer Sheet) with black or blue ball point pen.

परीक्षार्थियों के लिए निर्देश :

- जब तक कहा न जाये, इस प्रश्नपुस्तिका को न खोलें।
- परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सिरीज का विवरण यथास्थान सही-सही भरें, अन्यथा मूल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
- 3. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को केवल 75 प्रश्नों का उत्तर दी गई OMR उत्तर-पत्रक में देना है। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर-पत्रक (O.M.R. Answer Sheet) में उसके अक्षर वाले वृत्त को काले या नीले बॉल प्वाइंट पेन से पूरा भर दें।

(Remaining instructions on last page)

(शेष निर्देश अन्तिम पृष्ठ पर)

Rough Work

KNP/BBT-203(BIOTECH.)-B/300 (2)

1.	Eukaryotic mRNA is synthesized by :	5.	Sigma factor is component of :
	(A) RNA polymerase I		(A) Prokaryotic RNA polymerase
	(B) RNA polymerase II		(B) Eukaryotic RNA polymerase
	(C) RNA polymerase III		(C) Reverse Transcriptase
	(D) Reverse Transcriptase		(D) DNA polymerase alpha
2.	Spliceosomes are involved in :	6.	Which of the following RNA is involved in protein synthesis ?
	(A) RNA editing		(A) mRNA
	(B) Polyadenylation		(B) rRNA
	(C) Splicing		(C) tRNA
	(D) RNA degration		(D) All of the above
3.	Which of the following process does not occur in prokaryotes ?	7.	How many RNA polymerases are found in eukaryotes ?
	(A) Replication		(A) 1
	(B) Transcription		(B) 2
	(C) Translation		(C) 3
	(D) Splicing		(D) 4
4.	At promoter site of DNA :	8.	CTD tail is found in :
	(A) Replication starts		(A) RNA polymerase I
	(B) Transcription starts		(B) RNA polymerase II
	(C) Translation starts		(C) RNA polymerase III
	(D) Termination of transcription		(D) All of the above
KNP/I	BBT-203(BIOTECH.)-B/300 (3)	[P.T.O.]

9.	Speed of DNA replication is greater on :	13.	The Central Dogma Statement is usually
	(A) Leading strand		written as :
	(B) Lagging strand		(A) DNA \rightarrow mRNA \rightarrow Protein
	(C) Same on both leading and lagging		(B) mRNA \rightarrow DNA \rightarrow Protein
	strands		(C) Protein \rightarrow mRNA \rightarrow DNA
	(D) Depends on enzyme		(D) DNA \rightarrow Protein \rightarrow mRNA
10.	In which cell cycle stage of eukaryotes, DNA replication occurs ?	14.	RNA processing does not occur in :
	(A) G ₁		(A) Prokaryotic mRNA
	(B) S		(B) Eukaryotic mRNA
	(C) G ₂		(C) tRNA
	(D) M		(D) rRNA
11.	In eukaryotic cells, during DNA replication the RNA primers are synthesized by :	15.	Splicing of RNA involves :
	(A) Primase		(A) Removal of exons
	(B) DNA polymerase alpha		(B) Removal of introns
	(C) DNA polymerase beta		(C) Formation of poly A tail
	(D) DNA polymerase delta		(D) 5' – capping
12.	During DNA replication, two adjacent nucleotides are joined to each other by :	16.	5' cap of eukaryotic mRNA is :
	(A) Peptide bond		(A) Methylated Adenine
	(B) Glycosidic bond		(B) Methylated Guanine
	(C) Phosphodiester bond		(C) Methylated Cytosine
	(D) Covalent bond		(D) Methylated Thymine
KNP/I	BBT-203(BIOTECH.)-B/300 (4)	

17.	In prokaryotes, ribosome binds to mRNA	21.	The initiation codon is :	
	at:		(A) UAA	
	(A) Shine Dalgarno Sequence		(B) UGA	
	(B) Pribnow box		(C) UAG	
	(C) CAAT box		(D) AUG	
	(D) TATA box	22.	Which one of the following is not a	
18.	Which of the following RNA constitutes		characteristic of genetic code ?	
	maximum percentage of cellular RNA ?		(A) Universal	
	(A) mRNA		(B) Degenerate	
	(B) tRNA		(C) Non-overlapping	
	(C) rRNA		(D) Ambiguous	
	(D) hnRNA	23.	Which of the following is not the component	
19.	Which RNA has a structure similar to clover		of prokaryotic rRNA ?	
	leaf?		(A) 23S rRNA	
	(A) mRNA		(B) 18S rRNA	
	(B) tRNA		(C) 16S rRNA	
	(C) rRNA		(D) 5S rRNA	
	(D) hn RNA	24.	During translation, the role of enzyme	
20.	fMet-tRNA is translation initiator tRNA in :		peptidyl transferase is :	
	(A) Prokaryotes		(A) Transfer of phosphate group	
	(B) Eukaryotes		(B) Amino acid activation	
	(C) Both prokaryotes and eukaryotes		(C) Peptide bond formation between adjacent amino acids	
	(D) Viruses		(D) Binding to ribosome subunits to mRNA	
KNP/I	BBT-203(BIOTECH.)-B/300 (5)	[P.T.O.]	

- 25. During DNA replication, okazaki fragments are synthesized on :
 - (A) Leading strand
 - (B) Lagging strand
 - (C) Both on leading and lagging strands
 - (D) Sometimes on leading and sometime on lagging strand
- 26. Telomerase enzyme is active in :
 - (A) Liver cells
 - (B) Kidney cells
 - (C) Embryonic cells
 - (D) All of the above
- 27. Telomerase enzyme contains :
 - (A) RNA and protein
 - (B) DNA and protein
 - (C) Protein only
 - (D) Protein and Carbohydrate
- 28. Primosome has :
 - (A) Polymerase activity
 - (B) Exonuclease activity
 - (C) Endonuclease activity
 - (D) Primase and helicase activity
- KNP/BBT-203(BIOTECH.)-B/300 (6)

- 29. During DNA replication, supercoiling of DNA molecule is removed by :
 - (A) Primase
 - (B) Topoisomerase
 - (C) Helicase
 - (D) Polymerase
- 30. During prokaryotic DNA replication, RNA primers are removed by :
 - (A) Primase
 - (B) Helicase
 - (C) Ligase
 - (D) DNA polymerase I
- 31. In prokaryotes, the main DNA replicating enzyme is :
 - (A) DNA Polymerase I
 - (B) DNA Polymerase II
 - (C) DNA Polymerase III
 - (D) DNA Polymerase IV
- 32. RNA primers required for prokaryotic DNA replication are synthesized by :
 - (A) DNA polymerase I
 - (B) DNA polymerase alpha
 - (C) Primase
 - (D) Ligase

33. Eukaryotic mRNA contains :

- (A) 5' cap
- (B) 3' tail
- (C) Introns
- (D) All of the above
- 34. Translation is :
 - (A) Synthesis of RNA from DNA
 - (B) Synthesis of DNA from RNA
 - (C) Synthesis of protein from RNA
 - (D) Synthesis of protein from DNA
- 35. A codon of genetic code contains :
 - (A) 1 nucleotide
 - (B) 2 nucleotide
 - (C) 3 nucleotide
 - (D) 4 nucleotide
- 36. Genetic code is comprised of :
 - (A) 16 codons
 - (B) 32 codons
 - (C) 64 codons
 - (D) 128 codons
- 37. Ribosomes are involved in :
 - (A) Lipid synthesis
 - (B) Protein synthesis
 - (C) Glycogen synthesis
 - (D) Nucleic acid synthesis

KNP/BBT-203(BIOTECH.)-B/300 (7)

- 38. Which of the following group of codons are termination codons ?
 - (A) UAG, UGA, UAA
 - (B) AUG, GUA, UAC
 - (C) AUA, AGA, ACA
 - (D) GAG, GAC, GAA
- 39. What is role of tRNA in protein synthesis?
 - (A) Activation of amino acids
 - (B) Delivery of amino acids
 - (C) Peptide bond formation
 - (D) All of the above
- 40. Which site of tRNA molecule bonds to mRNA molecule ?
 - (A) Anticodon
 - (B) Codon
 - (C) 3' end
 - (D) 5' end
- 41. In prokaryotes, the first amino acid of polypeptide chain is :
 - (A) Tryptophan
 - (B) Leucine
 - (C) Valine
 - (D) Methionine

42. Which of the following enzyme is involved is activation of amino acids during translation ?

- (A) Peptidyl transferase
- (B) Amino acetyl tRNA synthetase
- (C) Amino acid activase
- (D) Amino acid synthetase

[P.T.O.]

43.	Homologous	recombination	occurs
	during :		

- (A) Mitosis
- (B) Meiosis
- (C) Cytokinesis
- (D) Amitosis
- 44. In prokaryotes, DNA replication starts at :
 - (A) Promoter
 - (B) Operator
 - (C) Ori
 - (D) ARS
- 45. DNA replication occurs in :
 - (A) 3'-5' direction
 - (B) 5'-3' direction
 - (C) Can occur in both 5'-3' and 3'-5' directions
 - (D) DNA replication is directionless
- 46. Which enzyme joins the nicks in DNA strand?
 - (A) Primase
 - (B) DNA polymerase
 - (C) DNA ligase
 - (D) Endonuclease

KNP/BBT-203(BIOTECH.)-B/300 (8)

- 47. During DNA replication, unwinding of DNA helix occurs due to :
 - (A) Helicase
 - (B) Lipase
 - (C) Topoisomerase
 - (D) Exonuclease
- 48. During DNA replication, the single strand binding proteins (SSBPs) :
 - (A) helps to rewind the DNA
 - (B) maintains the unwound DNA in single stranded condition
 - (C) activates the protein DnaA
 - (D) binds with okazaki fragments
- 49. Which of the following prokaryotic DNA polymerase is involved in replication of damaged DNA ?
 - (A) DNA polymerase I
 - (B) DNA polymerase II
 - (C) DNA polymerase III
 - (D) DNA polymerase IV and V
- 50. Proofreading activity of DNA polymerase is :
 - (A) 3'-5' exonuclease
 - (B) 5'-3' exonuclease
 - (C) 3'-5' polymerase
 - (D) 5'-3' polymerase

51.	The sequence of structural genes in the lac operon is :	55.	The regulation of trp operon by binding of tryptophan to trp repressor is termed as :
	(A) lac A - lac Z - lac Y		(A) Repression
	(B) lac Z – lac Y – lac A		(B) Induction
	(C) lac Z – lac A – lac Y		(C) Anti termination
	(D) lac A – lac Y – lac Z		(D) Attenuation
52.	lac operon is an example of :	56.	How many structural genes are present in
	(A) Only positive regulation		the trp operon of E. coli ?
	(B) Only negative regulation		(A) 3
	(C) Both positive and negative regulation		(B) 4
	(D) Sometimes positive and sometimes negative regulation		(C) 5
			(D) 6
53.	Expression of prokaryotic operons leads to the generation of :	57.	Attenuation is regulatory mechanism of bacterial operons, it is present in :
	(A) Polycistronic mRNA		(A) lac operon
	(B) Monocistronic mRNA		(B) trp operon
	(C) Polycistronic tRNA		(C) Both lac and trp operons
	(D) Monocistronic tRNA		(D) None of the above
54.	In the trp operon, the tryptophan acts as the :	58.	Which of the following element is not present in DNA ?
	(A) Repressor		(A) Nitrogen
	(B) Activator	B) Activator	
	(C) Co-repressor		(C) Carbon
	(D) Co-activator		(D) Sulphur
KNP/I	BBT-203(BIOTECH.)-B/300 (9))	[P.T.O.]

59.	A nucleotide contains :	63.	Transposons are found in :
	(A) Pentose sugar and phosphate		(A) Bacteria
	(B) Pentose sugar and nitrogen base		(B) Yeast
	(C) Nitrogen base and phosphate		(C) Drosophila
	(D) Nitrogen base, pentose sugar and phosphate		(D) All of the above
60.	Barbara McClintock conducted her	64.	Retrotransposons created due to :
	experiments on :		(A) Transcription
	(A) Maize		(B) Translation
	(B) Pea		(C) Replication
	(C) Sugarcane	65.	(D) Reverse Transcription
	(D) Drosophila		Thymidine dimers in DNA are formed due
61.	Jumping genes discovered by Barbara		to exposure of :
			(A) UV rays
	(A) Mutated genes		(B) β -rays
	(B) Inactive genes		(C) Gamma rays
	(C) Transposons		(D) X-rays
	(D) Junk DNA		(D) Alays
62.	Transposons are :	66.	Mutagens are :
	(A) Mobile DNA elements		(A) Mutation causing substances
	(B) Non-mobile DNA elements		(B) Cancer causing substances
	(C) Highly mutated DNA		(C) Antiviral substances
	(D) Methylated DNA		(D) Cell death inducing substances
KNP/E	BBT-203(BIOTECH.)-B/300 (10)	

67.	Polysomes are :		72.	Which of the following gene encodes for
	(A) Aggregation of ribosomes			repressor protein of lac operon ?
	(B) Aggregation of lysosomes			(A) lac Z
	(C) mRNA molecule to which many	ny	(B) lac Y	
	ribosomes are attached simultaneously			(C) lac A
	(D) All of the above			(D) lac l
68.	Which is energy rich molecule required for		73.	Repressor protein of lac operon binds to :
				(A) Promoter
	(B) GTP			(B) Operator
	(C) CTP			(C) Pribnow box
	(D) AMP			(D) SD sequence
69.	In eukaryotes, translation is initiated by		74.	lac Z gene of lac operon encodes for :
	binding of ribosome to the :			(A) Permease
	(A) Pribnow box		(B) Beta galactosidase	
	(B) Hogness box			(C) Transacetylase
	(C) 5' cap			(D) Repressor protoin
	(D) Poly A tail			
70.	Which one of the following is not the gene		/5.	In lac operon, RNA polymerase binds to :
	of lac operon ?			(A) Promoter
	(A) lac X			(B) Operator
	(B) lac Z			(C) SD sequence
	(C) lac Y			(D) lac Z
	(D) lac A		76.	An operon is made up of :
71.	Inducer of lac operon is :			(A) Promoter
	(A) Glucose			(P) Operator
	(B) Lactose			
	(C) cAMP			(C) Structural genes
	(D) Fructose			(D) All of the above
KNP/E	BBT-203(BIOTECH.)-B/300 (11)	[P.T.O.]

77.	Deoxyribose sugar is found in :	81.	Griffith experiment proved that :
	(A) DNA		(A) DNA is genetic material
	(B) RNA		(B) RNA is genetic material
	(C) Both DNA and RNA		(C) Both can be genetic material
	(D) Ribozyme		(D) Only viral genetic material enters inside
78.	DNA replication is :		the host cell
	(A) Conservative	82.	RNA can be genetic material in :
	(B) Semi-conservative		(A) Bacteria
	(C) Dispersive		(B) Virus
	(D) All of the above		(C) Lichen
79.	Uracil is found in :		(D) Eukaryotes
	(A) DNA	83.	Unusual modified bases are found in :
	(B) RNA		(A) mRNA
	(C) Both DNA and RNA		(B) rRNA
	(D) None of the above		(C) tRNA
80	Semi-conservative mode of DNA replication		(D) DNA
00.	was experimentally proved by :	84.	Plasmids are found in :
	(A) Mesolson and Stahl		(A) Viruses
	(B) Watsen and Crick		(B) Bacteria
	(C) Franklin and Wilkinson		(C) Fungus
	(D) Griffith		(D) Mammalian cell line
KNP/H	3BT-203(BIOTECH.)-B/300 (12)	

85.	Synthesis of mRNA from DNA is called	: 89.	Poly A tail is present in :
	(A) Translation		(A) rRNA
	(B) Replication		(B) tRNA
	(C) Transcription		(C) Prokaryotic mRNA
	(D) Reverse Transcription		(D) Eukaryotic mRNA
86.	TATA box is found in :	90.	Splicing occurs in :
	(A) Promoter		(A) rRNA
	(B) Operator		(B) Prokaryotic mRNA
	(C) Terminator		(C) Eukaryotic mRNA
	(D) Shine Dalgarno Sequence		(D) All of the above
87.	Reverse Transcription means :	91.	U RNA is found in :
	(A) Synthesis of DNA from DNA		(A) Spliceosome
	(B) Synthesis of RNA from DNA		(B) Nucleosome
	(C) Synthesis of DNA from RNA		(C) Primosome
	(D) Synthesis of protein from RNA		(D) Ribosome
88.	Introns are found in :	92.	Rho protein is involved in :
	(A) Prokaryotic mRNA		(A) Termination of replication
	(B) Eukaryotic mRNA		(B) Termination of transcription
	(C) rRNA		(C) Termination of translation
	(D) All of the above		(D) All of the above
KNP/I	BBT-203(BIOTECH.)-B/300	(13)	

[P.T.O.]

93.	DNA is found in which of the following eukaryotic cell organelle ?	97.	Which of the following base pairing rule in DNA is correct ?
	(A) Ribosome		(A) G=C, A=T
	(B) Golgi body		(B) G=A, C=T
	(C) Mitochondria		(C) A=C, T=G
	(D) Lysosome		(D) T=C, G=A
94.	Histone protein is part of :	98.	Which of the following nitrogen bases found in DNA belongs to pyrimidines ?
	(A) Nucleosome		(A) Adenine and Guanine
	(B) Spliceosome		(B) Cytosine and Thymine
	(C) Primosome		(C) Adenine and Cytosine
	(D) Ribosome		(D) Guanine and Thymine
95.	How many hydrogen bonds are found in between Guanine and Cytosine of DNA double belix 2	99.	Which of the following molecule can self replicate ?
	(A) 1		(A) DNA
	(R) 2		(B) RNA
	(C) 3	and in which of the following of the convergence of the following of the following of the convergence of the	(C) Both DNA and RNA
			(D) Proteins
	(D) 4	100.	Double helical model of DNA structure was
96.	Histone protein is not found in :		proposed by :
	(A) Eukaryotes		(A) Franklin and Wilkinson
	(B) Prokaryotes		(B) Watson and Crick
	(C) Both Eukaryotes and Prokaryotes		(C) Robin Holliday
	(D) Mammalian Cells		(D) A. Kornberg
KNP/I	3BT-203(BIOTECH.)-B/300 (14	F)	

Rough Work

KNP/BBT-203(BIOTECH.)-B/300 (15)

 Example :

 Question :

 Q.1
 A
 ●
 C
 D

 Q.2
 A
 B
 ●
 D

 Q.3
 A
 ●
 C
 D

If more than 75 questions are attempted by candidate, then the first attempted 75 questions will be considered for evaluation.

- Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 5. All answers are to be given on OMR Answer Sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 6. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- After the completion of the examination, candidates should leave the examination hall only after providing their question booklet and OMR Answer Sheet separately to the invigilator.
- 8. There will be no negative marking.
- 9. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- 10. To bring and use of log-book, calculator, pager & cellular phone in examination hall is prohibited.
- 11. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

Impt. On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is any discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

उदाहरण	[:			
प्रश्न ः				
प्रश्न 1	A		©	D
प्रश्न 2	A	B		D
प्रश्न 3	A		©	D

यदि परीक्षार्थी द्वारा 75 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 75 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा।

- प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- सभी उत्तर केवल ओ०एम०आर० उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।

 ओ०एम०आर० उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।

- परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी प्रश्नपुस्तिका बुकलेट एवं ओ०एम०आर० शीट पृथक-पृथक उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
- 8. निगेटिव मार्किंग नहीं है।
- कोई भी रफ कार्य, प्रश्न-पुस्तिका में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- परीक्षा-कक्ष में लॉग-बुक, कैल्कुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 11. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्णः प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।