Roll. No	Question Booklet Number
O.M.R. Serial No.	

09

B.Sc. (PART-II) EXAMINATION, 2021 BIOTECHNOLOGY

[PAPER: Fourth (BBT-204)]

(Immunology and Immunotechnology)

Paper ID		
5	0	6

Time: 1:30 Hours

Question Booklet Series

D

Max. Marks : 150

Instructions to the Examinee:

- Do not open this Booklet untill you are told to do so.
- Candidates should fill their roll number, subject and series of question booklet details correctly, otherwise, in case of any discrepancy in the evaluation, it will be the responsibility of the examinee himself.
- 3. There are 100 questions in the booklet. Examinee is required to answer only 75 questions in the OMR Answer Sheet provided. Four alternative answer to each question are given below the question, out of these four only one answer is correct. The answer which you think is correct or most appropriate, completely fill in the circle containing its letter in your answer sheet (O.M.R. Answer Sheet) with black or blue ball point pen.

परीक्षार्थियों के लिए निर्देश :

- जब तक कहा न जाये, इस प्रश्नपुस्तिका को न खोलें।
- परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सिरीज का विवरण यथास्थान सही-सही भरें, अन्यथा मूल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
- उ. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को केवल 75 प्रश्नों का उत्तर दी गई OMR उत्तर-पत्रक में देना है। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर-पत्रक (O.M.R. Answer Sheet) में उसके अक्षर वाले वृत्त को काले या नीले बॉल प्वाइंट पेन से पूरा भर दें।

(Remaining instructions on last page)

(शेष निर्देश अन्तिम पृष्ठ पर)

ROUGH WORK

1.	Leukocytes are found in lots of places,	(C) A sneeze	
	including an organ in your belly that filters		(D) The measles
	blood and helps fight infections known as the :	6.	Which of the following will not help your
	(A) Heart		immune system ?
	(B) Spleen		(A) Playing sports video games
	· · ·		(B) Exercising
	(C) Kidneys (D) Brain		(C) Eating healthy food
2.	The four main types of germs are :		(D) Regularly washing your hands
۷.	(A) Viruses, bacteria, parasites and fungi	7.	Which class of the molecules is the most
	(B) Viruses, parasites, fungi and phagocytes		antigenic ?
	(C) Parasites, bacteria, lymphocytes and		(A) Polysaccharides
	fungi		(B) Lipids
	(D) Small, medium, large and extra large		(C) Proteins
3.	To be 'Immune" means what ?		(D) Carbohydrates
	(A) That you are infected	8.	MHC-I molecules present :
	(B) That you are bald		(A) Processed foreign antigen from
	(C) That you are more likely to get sick		proteosome
	(D) That you are protected		(B) Processed self-antigen from
4.	Lymph nodes are found in the :		phagolysosome
	(A) Neck		(C) Antibodies
	(B) Armpits		(D) T-cell antigens
	(C) Groin	9.	Which type of antigen-presenting molecule
	(D) All of the above		is found on all nucleated cells?
5.	When someone's immune system overreact		(A) MHC-II
	to something narmless it's called :		(B) MHC-I
	(A) Over reactus maximus		(C) Antibodies
	(B) An allergy		(D) B-cells receptors

- 10. In systemic anphylaxis:
 - (A) The severity of the response is proportional to the concentration of the antigen
 - (B) There is widespread oedema, but the larynx is spared
 - (C) A previous history of some form of allergy is always present
 - (D) The symptoms usually follow administration of foreign proteins
- 11. Which of the following cells can be found as tissue residents, meaning they do not have to exit the blood in order to be a part of the immune response?
 - (A) Monocytes
 - (B) Macrophages
 - (C) Neutrophils
 - (D) T cells
- 12. When are eosinophils able to act as a phagocyte?
 - (A) When the pathogen is a bacterium
 - (B) When the pathogen is a parasitic worm
 - (C) When the pathogen has been processed
 - (D) When the pathogen is coated in antibodies
- 13. Which of the following is not a non-specific defence against a pathogen ?
 - (A) Complement
 - (B) Antibodies
 - (C) Defensins
 - (D) Lysozyme

- 14. Which of the following is not a direct function of antibodies produced during the immune response?
 - (A) Toxin neutralization
 - (B) Opsonization
 - (C) Activation of inflammation
 - (D) ADCC
- 15. Choose the incorrect pairing from the options below :
 - (A) MHC-II → dendritic cell
 - (B) Cytotoxic T cell → CD4
 - (C) MHC-I → dendritic cell
 - (D) Helper $T \rightarrow \text{cell cytokine release}$
- 16. Which of the following is not a type of T cell?
 - (A) Regulatory
 - (B) Helper
 - (C) Cytotoxic
 - (D) Plasma
- 17. Feature of memory cells include:
 - (A) Faster reaction when infected with the same thing again
 - (B) Constantly create antibodies to ward off infection
 - (C) Survive longer than effector B and T cells
 - (D) Both (A) and (C) are correct
- 18. What is the purpose of regulatory T cells?
 - (A) Reverse the functioning of helper and cytotoxic T cells
 - (B) Prevent B cells from acting on "self antigen"
 - (C) Decrease inflammation
 - (D) Soak up extra antibodies to regulate the humoral response

- 19. In all the following vaccines which one doesn't produce long standing memory cells ?
 - (A) Pneumococcal polysaccharide vaccine (PPSV)
 - (B) Haemophilus influenzae type B vaccine (Hib)
 - (C) Heptavalent pneumococcal conjugate Vaccine (PCVT)
 - (D) Measles, mumps and rubella vaccine (MMR)
- 20. The innate immune system includes the following components, except :
 - (A) Lung surfactant
 - (B) Complement
 - (C) NK cells
 - (D) B-lymphocytes
- 21. Regarding the immune system, which statement is wrong?
 - (A) Antibodies play a crucial role in the innate immunity of the neonate
 - (B) The classical pathway of complement activation is part of adaptive immunity
 - (C) C-reactive proteins is produced by the liver
 - (D) None of the above is true
- 22. What immune cell type predominates in the profollicular regions of the white pulp in the spleen ?
 - (A) T-lymphocytes
 - (B) B-lymphocytes

- (C) Macrophages
- (D) Plasma cells
- 23. What receptor is present on the surface of all naive B cells?
 - (A) IgM and IgD
 - (B) IgM and IgG
 - (C) IgM and IgA
 - (D) IgG and IgD
- 24. Natural killer cells are:
 - (A) leukocytes
 - (B) a predominant cell in adaptive immunity
 - (C) have the ability to kill a cell without prior sensitisation
 - (D) kill cells that over. express class I MHC molecules such as tumour cells
- 25. Regarding cytokines:
 - (A) They are specific for one cell type
 - (B) Their main role is in innate immunity
 - (C) They act exclusively as stimulators for immune response
 - (D) They are often redundant
- 26. Mast Cells are:
 - (A) Bone-marrow derived cells
 - (B) Are the primary cell involved in type II hypersensitivity reactions
 - (C) Inhibit platelet activation but are otherwise inflammatory cells
 - (D) Can phagocytose antigen

- 27. Vasodilation following a type I hypersensitivity reaction is principally caused by which molecule?
 - (A) Histamine
 - (B) Leukotriene
 - (C) Bradykinin
 - (D) IL-4
- 28. Which of the following is the cause of autoimmune disease ?
 - (A) Immune system begins to attack its cells and tissues
 - (B) Immune system starts producing cells and tissues
 - (C) Immune system fails completely
 - (D) Immune system produce WBC in a huge number
- 29. Which of the following is not an autoimmune disorder ?
 - (A) Rheumatoid Arthritis
 - (B) Multiple sclerosis
 - (C) Influenza
 - (D) Chronic Hepatitis
- 30. Which of the following is not an immune system disorder?
 - (A) Allergies
 - (B) Immuno deficiency
 - (C) Genetic disorders
 - (D) Autoimmune disease

- 31. Which of the following statements is incorrect regarding Rheumatoid Arthritis?
 - (A) It is an autoimmune disorder
 - (B) It occurs only in old people
 - (C) Inflammation of synovial fluid
 - (D) Diagnosed by the presence of rheumatoid factor
- 32. Agglutination reaction is more sensitive than precipitation for the detection of :
 - (A) Antigen
 - (B) Antibodies
 - (C) Complement
 - (D) Ag-Ab complexes
- 33. Ring test is used for :
 - (A) C-reactive protein test
 - (B) Ascoli thermo precipitation test
 - (C) Typing of streptococci and pneumococci
 - (D) All of the above
- 34. Monoclonal antibody production requires :
 - (A) Mouse splenic lymphocytes
 - (B) Mouse myeloma cells
 - (C) Both (A) and (B)
 - (D) None of these
- 35. Synthesis of antibodies takes place by which of the following cells ?
 - (A) Bone-marrow cells
 - (B) T-cells
 - (C) B-cells
 - (D) Lymph

36.	Which of the following convey the longest		(C) Interferon
	lasting immunity to an infectious agent?		(D) Antigen
	(A) Naturally acquired passive immunity	41.	Monoclonal antibodies recognize a single :
	(B) Artificially acquired passive immunity		(A) Antigen
	(C) Naturally acquired active immunity		(B) Bacterium
	(D) All of these		(C) Epitope
37.	Which of the following immune cells/		(D) Virus
	molecules are most effective at destroying	42.	Cell mediated immunity is carried out by
	intracellular pathogens ?		while humoral immunity is mainly carried out
	(A) T helper cells		by
	(B) B cells		(A) B cells / T cells
38.	(C) Antibodies and complement		(B) Epitopes / Antigens
	(D) T cytolytic cells		(C) T cells / B Cells
	B cells that produce and release large amount		(D) Antibodies / Antigens
	of antibody are called :	43.	Which of the following statement is true about
	(A) Memory cells		the IgM of humans?
	(B) Basophils		(A) IgM can cross the placenta
	(C) Plasma cells		(B) IgM can protect the mucosal surface
	(D) Killer cells		(C) IgM is produced from high affinity plasma
39.	The specificity of an antibody is due to :		cells
	(A) Its valence		(D) IgM is primarily restricted in the
	(B) The heavy chains		circulation
	(C) The Fe portion of the molecule	44.	The paracortical area of a lymph node
	(D) The variable portion of the heavy and		comprises mainly :
	light chain.		(A) Follicular dendritic cells
40.	B cells are activated by :		(B) Macrophages
	(A) Complement		(C) B-cells
	(B) Antibody		(D) T-cells

45.	The basic structure of antibodies is :		(C) Immuno deficiency
	(A) Y-shaped		(D) Tolerance
	(B) X-shaped	51.	Which of the following Ig is involved in
	(C) Linear		mediating allergic reactions ?
	(D) Hyperbolic		(A) IgG
46.	Name of the class of immunoglobulin which		(B) IgM
	has a pentameric structure ?		(C) IgE
	(A) IgE		(D) IgA
	(B) IgG	52.	Majority of autoimmune disease are :
	(C) IgA	JZ.	• •
47.	(D) IgM Which immunoglobulin is the principal one		(A) Cell mediated
77.	found in secretions such as milk?		(B) Antibody mediated
	(A) IgG		(C) Macrophage mediated
	(B) IgM		(D) Mast cell mediated
	(C) IgA	53.	In severe combined immune deficiency
	(D) IgD		(SCID), the patients are deficient in :
48.	Which immunoglobulin can pass through		(A) B-Cells
	placenta ?		(B) T-Cells
	(A) IgD		(C) Both (A) and (B)
	(B) IgE		(D) IgA
	(C) IgM	54.	HIV attacks :
	(D) IgG		(A) T helper cells
49.	Which of these immunoglobulins is present		(B) T cytotoxic cells
	in external secretion ?		(C) B cells
	(A) IgG		(D) Macrophages
	(B) IgM	EE	
	(C) IgA	55.	All the following is required in B-cell class
50.	(D) IgE The inapprepriate response of immune		switch, except :
50.	The inappropriate response of immune system towards a relatively harmless antigen		(A) Peptide Antigen
	causing harm to the host is referred as :		(B) Th-1 cytokines profile
	(A) Hypersensitivity		(C) CD40-CD40L
	(B) Auto-immune disease		(D) MHC-II TCR
KMD/I	,		
KNP/I	BBT-204(BIOTECH.)-D/300 (8)		

56.	Immunity acquired after an infection is :	61.	Innate immunity is provided by :
	(A) Active immunity		(A) Phagocytes
	(B) Passive immunity		(B) Antibodies
	(C) Innate immunity		(C) T-Lymphocytes
	(D) Both (B) and (C)		
57.	Immunological destruction of body tissue or		(D) B-Lymphocytes
	product due to antibodies reacting with it as	62.	Innate immunity is :
	antigen is called :		(A) Active acquired immunity
	(A) Anaphylaxis		(B) Passive acquired immunity
	(B) Autoimmune disease		(C) Inborn immunity
	(C) Prophylaxis		•
	(D) Immunodeficiency disease		(D) Both (B) and (C)
58.	Increased asthmatic attack in certain	63.	Which one engulfs foreign materials?
	seasons are due to :		(A) Macrophages
	(A) Inhalation of seasonal pollen		(B) Plasma cells
	(B) Heat and humidity		(C) Mast cells
	(C) Low temperature		(D) Lymphocytes
	(D) Eating preserved fruits	0.4	
59.	Inflammation reaction is brought about by :	64.	Macrophages are derived from :
	(A) Plasma cells		(A) Neutrophils
	(B) Mast cells		(B) Lymphocytes
	(C) Macrophages		(C) Monocytes
	(D) Adipose cells		(D) Basophils
60.	Inflammatory responce in allergy is due to	65.	Memory cells are formed from :
	release by mast cells of :	00.	·
	(A) Antibodies		(A) Erythropoietic stem cells
	(B) Antigens		(B) Monocytes
	(C) Histamines		(C) T-Lymphocytes
	(D) All of the above		(D) B-Lymphocytes

[P.T.O.]

KNP/BBT-204(BIOTECH.)-D/300 (9)

- 66. Vaccinations help to prepare the body to fight invading pathogen (specific) by :
 - (A) Inhibiting antigen production
 - (B) Stimulating antibody production
 - (C) Inhibiting WBC production
 - (D) Stimulating RBC production
- 67. Antibodies and Antigen interacts in spleen. In addition to its role in promoting this interaction, what is the primary function of the spleen?
 - (A) Secrete digestive enzymes
 - (B) Secrete systemic hormones
 - (C) Synthesize most serum proteins
 - (D) Filter senescent red blood cells
- 68. Which of these is a lymphoid organ that is active in young children, but decreases in size and importance in adulthood?
 - (A) Spleen
 - (B) Adenoids
 - (C) Lymph nodes
 - (D) Thymus
- 69. Which lymphoid organ is the site of erythrocyte, leukocyte and lymphocyte production?
 - (A) Thymus
 - (B) Lymph nodes
 - (C) Spleen
 - (D) Tonsils

- 70. What lymphoid organ is one of the primary sites of cancer metastasis?
 - (A) Thymus
 - (B) Lymph nodes
 - (C) Spleen
 - (D) Tonsils
- 71. Which type of hypersensitivity reaction is mediated via IgG and IgM binding to self antigen and marking them out to the body for destruction?
 - (A) Type I
 - (B) Type II
 - (C) Type III
 - (D) Type IV
- 72. Which type of Hypersensitivity reaction causes rapid anaphylaxis in response to an allergen?
 - (A) Type I
 - (B) Type II
 - (C) Type III
 - (D) Type IV
- 73. Anaphylactic shock quickly following a bee sting is mediated through the actions of which cell type?
 - (A) B cells
 - (B) T cells
 - (C) Mast cells
 - (D) Dendritic cells

74.	Passive immunity is :	79.	Acquired immunity is a result of previous
	(A) Acquired through natural overt or latent		exposure:
	infection		(A) Serious illness
	(B) Acquired through vaccination		(B) To vaccination
	(C) Acquired through readymade antibodies		(C) Repeated exposure to the same factor
	(D) Acquired by activating immune system		(D) Treatment with penicillin
	of the body	80.	B cells mature in the while T-cells
75.	Passive immunity is obtained through		mature in the
	injecting:		(A) Thymus / bone-marrow and GALT
	(A) Antibiotics		(B) Spleen /bone-marrow and GALT
	(B) Vaccines		(C) Bone marrow and GALT / Thymus
	(C) Antibodies		(D) Liver / Kidneys
	(D) Antigens	81.	The branch of biology, which involves the
76.	Innate behaviour are :		study of immune system in all organism is
	(A) Under strong genetic control		called :
	(B) Performed in virtually the different way by		(A) Microbiology
	all individuals of a species		(B) Biotechnology
	(C) Sociobiology		(C) Immunology
	(D) The environment		(D) Zoology
77.	Kinds of innate immunity barriers are: (A) External barriers such as skin,	82.	Which of the following immunity is obtained
			during life time ?
	secretions, Mucous membranes		(A) Acquired immunity
	(B) Internal defenses such as Inflammatory		(B) Active immunity
	response		(C) Passive immunity
	(C) Both (A) and (B)		(D) None of these
70	(D) None of the above	83.	How many types of antibodies are there?
78.	The inflammatory response produced :	00.	(A) Five
	(A) by microbial-infected cells		• •
	(B) internal tissue injury		(B) Three
	(C) migration of erythrocyte from the spleen		(C) Two
	(D) All of the above		(D) Four

(11)

[P.T.O.]

KNP/BBT-204(BIOTECH.)-D/300

- 84. Which of the following is not a part of the lymphatic system?
 - (A) Bone-marrow
 - (B) Thymus and spleen
 - (C) Liver
 - (D) Adenoids and tonsils
- 85. Which of the following is a primary lymphoid structure?
 - I. Thymus
 - II. Spleen
 - III. Lymph node
 - (A) I only
 - (B) I, II and III
 - (C) III only
 - (D) II and III only
- 86. Which of the following cell types of the innate immunity does not perform phagocytosis?
 - (A) Neutrophils
 - (B) Basophils
 - (C) Macrophages
 - (D) Eosinophils
- 87. Humoral immunity is a type of adaptive immunity that results in the circulation of which of the following throughout the blood?
 - (A) Antigens
 - (B) Macrophages
 - (C) Natural killer cells
 - (D) Antibodies

- 88. Recognition of self v/s non-self by the adaptive immune system in humans is accomplished in which of the following ways?
 - (A) Exposure of B cells to the body's own antigen in the thymus
 - (B) Exposure of B cells to the body's own antigen in bone-marrow
 - (C) Exposure of T cells to the body's own antigen in bone-marrow
 - (D) Exposure of T cells to the body's own antigen in the thymus
- 89. Which portion of an antibody provides antigen-binding sites ?
 - (A) Light Chain
 - (B) Constant portion
 - (C) Heavy chain
 - (D) Variable portion
- 90. Which of the following is not one of three main antigen-presenting cell types ?
 - (A) Dendritic cells
 - (B) B lymphocytes
 - (C) Natural killer cells
 - (D) Macrophages
- 91. MHC refers to a large group of genes that code for proteins that play an essential role in which of the following?
 - (A) Phagocytosis by macrophages
 - (B) Antigen presentation to T lymphocytes
 - (C) Phagocytosis by neutrophils
 - (D) Antigen presentation to B lymphocytes

92.	Which of the following cells is involved in cell	97.	A single antigen molecule may be composed
	mediated immunity ?		of many individual :
	(A) Leukaemia		(A) T-cell receptors
	(B) T-cells		(B) B-cell receptors
	(C) Mast cells		(C) MHC-II
	(D) Thrombocytes		(C) WITC-II
93.	Interferons are :		(D) Epitopes
	(A) Cytokine barriers	98.	The purpose of the immune system is to :
	(B) Physical barriers		(A) Help germs invade the body
	(C) Cellular barriers		(B) Fight off sickness
	(D) Physiological barriers		, , ,
94.	Monocytes differentiate into which kind of		(C) Make your nose run
	phagocytic cells ? (A) Neutrophil		(D) Give you diarrhea
	(B) B-cell	99.	The immune system is made up of :
	(C) Macrophage		(A) Tissues
	(D) T-cell		(B) Organs
95.	Which one of the following is a primary lymphoid organ ?		(C) Cells
	(A) Lymph nodes		(D) All of the above
	(B) Spleen	100.	As part of the immune system, white blood
	(C) Peyer's Patch		cells fight germs. Another name for white
	(D) Thymus		blood cells is:
96.	Antibodies are produced by :		(A) Rhinovirus
	(A) Plasma cells		(B) Leukocytes
	(B) T-cells		(C) Glands
	(C) Bone-marrow		
	(D) Macrophages		(D) Nodes
KNP/E	BBT-204(BIOTECH.)-D/300 (13)		

ROUGH WORK

ROUGH WORK

Example:

Question:

Q.1 (A) (C) (D)

Q.2 **A B O**

Q.3 **A** • **C D**

If more than 75 questions are attempted by candidate, then the first attempted 75 questions will be considered for evaluation.

- 4. Each question carries equal marks.

 Marks will be awarded according to the number of correct answers you have.
- All answers are to be given on OMR Answer Sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 6. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 7. After the completion of the examination, candidates should leave the examination hall only after providing their question booklet and OMR Answer Sheet separately to the invigilator.
- 8. There will be no negative marking.
- 9. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- To bring and use of log-book, calculator, pager & cellular phone in examination hall is prohibited.
- 11. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

Impt. On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is any discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

उदाहरण :

प्रश्न :

प्रश्न 1 **(A) (D) (D)**

प्रश्न 2 **(A) (B) (D)**

प्रश्न 3 **A ● C D**

यदि परीक्षार्थी द्वारा 75 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 75 उत्तरों को ही मूल्यांकन हेतु सम्मिलित किया जाएगा।

- प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 5. सभी उत्तर केवल ओ०एम०आर० उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 6. ओ॰एम॰आर॰ उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
- 7. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी प्रश्नपुस्तिका बुकलेट एवं ओ०एम०आर० शीट पृथक-पृथक उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
- 8. निगेटिव मार्किंग नहीं है।
- 9. कोई भी रफ कार्य, प्रश्न-पुस्तिका में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 10. परीक्षा-कक्ष में लॉग-बुक, कैल्कुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 11. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्णः प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।