Roll. No					Question Booklet Number		
O.M.R. Serial No.							

B.Sc. (PART-III) EXAMINATION, 2021 BIOTECHNOLOGY

[PAPER : SECOND (BBT-302)] (Plant Biotechnology)

Pa	D	
6	0	2

Question Booklet Series

C

Time: 1:30 Hours

Max. Marks: 150

Instructions to the Examinee :

- 1. Do not open this Booklet untill you are told to do so.
- Candidates should fill their roll number, subject and series of question booklet details correctly, otherwise, in case of any discrepancy in the evaluation, it will be the responsibility of the examinee himself.
- 3. There are 100 questions in the booklet. Examinee is required to answer only 75 questions in the OMR Answer Sheet provided. Four alternative answer to each question are given below the question, out of these four only one answer is correct. The answer which you think is correct or most appropriate, completely fill in the circle containing its letter in your answer sheet (O.M.R. Answer Sheet) with black or blue ball point pen.

परीक्षार्थियों के लिए निर्देश :

- जब तक कहा न जाये, इस प्रश्नपुस्तिका को न खोलें।
- परीक्षार्थी अपने अनुक्रमांक, विषय एवं प्रश्नपुस्तिका की सिरीज का विवरण यथास्थान सही-सही भरें, अन्यथा मूल्यांकन में किसी भी प्रकार की विसंगति की दशा में उसकी जिम्मेदारी स्वयं परीक्षार्थी की होगी।
- उ. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को केवल 75 प्रश्नों का उत्तर दी गई OMR उत्तर-पत्रक में देना है। प्रत्येक प्रश्न के चार वैकल्पिक उत्तर प्रश्न के नीचे दिये गये हैं। इन चारों में से केवल एक ही उत्तर सही है। जिस उत्तर को आप सही या सबसे उचित समझते हैं, अपने उत्तर-पत्रक (O.M.R. Answer Sheet) में उसके अक्षर वाले वृत्त को काले या नीले बॉल प्वाइंट पेन से पूरा भर दें।

(Remaining instructions on last page)

(शेष निर्देश अन्तिम पृष्ठ पर)

Rough Work

(C) Sodium nitrate haploid plants? (D) Calcium chloride (A) Microspore 6. Haploids plants can be obtained from : (B) Meristem (A) Anther culture (C) Root (B) Root culture (D) Leaf (C) Meristem culture 2. Protoplasts are the cell devoid of: (D) Zygotic embryo culture (A) Cell membrane 7. Select incorrect statement: (B) Cell wall (A) Somatic embryo is bipolar structure (C) Cell wall and cell membrane (B) Organogenesis is unipolar structure (D) Protoplast membrane formation 3. Which of the following chemical is used for (C) Somatic embryogenesis was protoplast fusion? discovered by T. Murashige (A) Mannitol (D) Both (A) and (B) are correct (B) Polyethylene glycol 8. Development of haploid plants from Datura innaxia was first reported by : (C) Sorbitol (D) Cellulase (A) White's and Group 4. Protoplast viability can be tested by : (B) Guha and Maheshwari (A) Packed cell volume (C) Bhojwani and Razdan (B) Fresh weight measurement (D) Reinert and Steward (C) Fluorescin diacetate staining methods 9. What is the application of Embryo culture? (D) All of the above (A) Obtaining rare hybrids 5. Synthetic seeds are produced by (B) In shortening of breeding cycle encapsulating somatic embryo within: (C) Embryo-rescue (A) Sodium chloride (D) All of the above (B) Calcium alginate

Which of the following is used to produce

1.

10.	For establishment of plant tissue culture, all are required, except :	14.	Which of the following is used as selection marker for the cells transformed with <i>Agrobacterium</i> ?
	(A) Culture medium		(A) Neomycin phosphotransferase
	(B) Plant material		(B) Hygromycin phosphotransferase
	(C) Inoculation of plant material and incubation in culture room		
			(C) Streptomycin phosphotransferase
	(D) Gene cloning		(D) Any one of the above
11.	The best plant material for shoot organogenesis is :	15.	Which of the following gene of Ti-plasmid is constitutively expressed ?
	(A) Leaf tissue		(A) Vir A
	(B) Node section		(B) Vir C
	(C) Zygotic embryo		(C) Vir B
	(D) Endosperm		(D) Vir D
12.	Hairy root culture for secondary metabolite production are induced by transforming plant cells with:	16.	Which of the following is true about Agrobacterium tumefaciens?
	(A) Agrobacterium tumefaciens		(A) It causes crown gall diseases of plants
	(B) Bacillus thuringiensis		(B) It infects dicotyledenous species
	. ,		(C) It is a soil bacteria
	(C) Agrobacterium rhizogenes		(D) All of the above
	(D) Both (A) and (C)	17.	The Left and Right Border of T-DNA is flanked
13.	Cellular totipotency is the property of :	17.	by a direct repeat of :
	(A) Plants		(A) 12bp
	(B) Animals		(B) 20bp
	(C) Bacteria		(C) 25bp
	(D) All of the above		(D) 30bp
KNP/I	BBT-302(BIOTECH.)-C/195 (4)	

18.	Restriction endonuclease are used in genetic engineering, because :	21.	Cry-protein is related with :
	(A) They can degrade harmful proteins		(A) Insect resistance
	(B) They can join DNA fragments		(B) Bacillus thuringiensis
	(C) They can cut DNA at specific sites		(C) Both (A) and (B)
	(D) They can cut DNA at variable sites		(D) None of these
19.	Select the correct statement :	22.	Through gene transfer and transgenic production following not possible :
	(A) Immobilization of cells is beneficial for secondary metabolite production		(A) Production of hybrids
	(B) Elicitation can enhance metabolite		(B) Production of insect resistant plants
	production		(C) Production of herbicide resistant plants
	(C) Bioreactors can be used for large scale production of metabolite		(D) All of the above
	(D) All are correct	23.	Resistance to glyphosate in transgenic Petunia has been developed by the transfer
20.	Which method is used to overcome cytoplasmic male sterility?		of:
	(A) Callus culture		(A) Gene for EPSPS (5-enol-pyruvyl shikimate 3- phosphate synthase)
	(B) Somatic embryogenesis		(B) Gene for ALS (acetolactate synthase)
	(C) Cybrid		(C) Gene for Glutamine synthase
	(D) Somaclonal cultures		(D) All of the above

[P.T.O.]

KNP/BBT-302(BIOTECH.)-C/195 (5)

24. Who is known as the father of Plant Tissue 29. The absence of all form of microorganism, Culture? including spore is known as: (A) F.C. Steward (A) Sterilization (B) E.C. Cocking (B) Disinfection (C) Gottlieb Haberlandt (C) Sterility of egg (D) T. Murashige (D) Sanitization 25. Which of the following is not a culture medium for plant tissue culture? 30. Which of the following method is recommended for the sterilization of heat-(A) Woody plant medium labile chemicals? (B) Murashige and Skoog's medium (A) Autoclave sterilization (C) White's medium (B) Filter sterilization (D) Knop's salt solution 26. The most commonly used gelling agent of (C) Alcohol use culture medium is: (D) None of these (A) Agarose 31. Which of the following statement is (B) Agar correct? (C) Gelrite (A) Chemicals cannot be used for (D) All of the above sterilization 27. Totipotency refers to: (B) Pasteurization does not kills pathogens (A) Development of plants from seed present in milk (B) Flowering in culture medium (C) Radiations can be used for sterilization (C) Development of plant from a cell in (D) None of these culture medium 32. Culturing of cells in liquid agitated medium (D) All of the above is called: 28. Laminar airflow is used for the purpose of : (A) Liquid culture (A) Medium sterilization (B) Micropropagation (B) Aseptic transfer

(D) Culture growth

(C) Medium preparation

(C) Broth culture

(D) Cell suspension culture

33.	The first step in somatic hybridization is :	37.	Select the incorrect statement :
	(A) Isolation of protoplast		(A) Somatic hybrid cannot produced by fusion of two cells
	(B) Fusion of protoplast		(D) Node is a good plant material for about
	(C) Culture of protoplast		(B) Node is a good plant material for shoot organogenesis
	(D) Regeneration of protoplast		(C) Aseptic established cultures are incubated at 25°C temperature
34.	The method used for selection of hybrid cell :		(D) Both (B) and (C) are correct
	(A) Cytological analysis	38.	Somaclonal variation may occur from :
	(B) Biochemical method		(A) Presence of pre-existing variation
	(C) DNA based marker		(B) Endoreduplication
	(D) All of the above		(C) Culture condition
35.	Which of the following is the type of		(D) All of the above
00.	continuous cell suspension culture ?	39.	Artificial seed can be prepared by encapsulating:
	(A) Chemostat		(A) Node segment
	(B) Turbidostat		(B) Apical meristem
	(C) Batch culture		
	(D) Both (A) and (B)		(C) Somatic embryo
36.	HEPA is a type of filter with pore size :		(D) All of the above
50.		40.	The artificial seeds can be used for :
	(A) 0.2 to 0.3 micron		(A) Transportation of plant material
	(B) 0.1 to 0.5 micron		(B) Making somatic hybrid
	(C) 2 to 3 micron		(C) Gene transfer
	(D) 5 to 10 micron		(D) None of these

[P.T.O.]

KNP/BBT-302(BIOTECH.)-C/195 (7)

41.	Macroelements are the elements required by plants in concentration greater than :	45.	Growth hormone having potential to induce shoot bud is :
	(A) 0.05m mol ℓ^1		(A) 6-benzyl aminopurine
	(B) 5.0m mol ℓ^1		(B) Thidiazuron
	(b) 3.011 11101 ×		(C) Cytokinins
	(C) 0.5m mol ℓ^1		(D) All of the above
	(D) 0.05 mol ℓ^1	46.	Which of the following is not an plant hormone?
42.	Organic nutrients used as component of plant tissue culture medium are :		(A) Auxin
	(A) Vitamins		(B) Inositol
	(B) Amino acids		(C) Ethylene
	(C) Myo-inositol		(D) Kinetin
10	(D) All of the above	47.	Growth of cell suspension culture can be measured by :
	Which of the following is not an undefined supplement of culture medium?		(A) Evan's blue test
	(A) Coconut milk		(B) Fresh weight measurement
	(B) Glycine		(C) TTC test
	(C) Tomato juice		(D) All of the above
	(D) Malt extract	48.	The ability of the competent cells of callus
44.	The most common carbon source of culture medium is :		to form whole plant is known as :
	(A) Glucose		(A) Dedifferentiation
	(B) Fructose		(B) Somatic embryogenesis
	(C) Sucrose		(C) Redifferentiation
	(D) Starch		(D) Cybrids

KNP/BBT-302(BIOTECH.)-C/195 (8)

49. Select incorrect match: (C) Medium preparation (D) Transplantation of regenerated plants (A) Synthetic seed—Gemplasm conservation 54. Batch cultures are type of suspension culture (B) Protoplast fusion-Asymmetric hybrid where: (C) Laminar airflow-Sterilization (A) Medium is continuously replaced (D) Secondary metabolite-Elicitor (B) Medium is loaded only at begining 50. The most costly gene transfer method is: (C) Composition of medium not varies during culture period (A) Particle bombardment (D) Cellular wastes are continuously (B) Microinjection replaced (C) Electroporation 55. Somaclonal variation is one of the limitation for: (D) Silicon fibre mediated gene transfer (A) Protoplast fusion 51. The Ti-plasmid is referred to as: (B) Clonal propagation (A) Transducing plasmid (C) Embryo rescue (B) Transfer inducing (D) Transgenic production (C) Tumor inducing 56. The method to differentiate viable and nonviable cells is: (D) Hairy-root inducing (A) FDA test 52. Protoplast isolation is effected by: (B) Evan's blue staining (A) Incubation temperature (C) Both (A) and (B) (B) pH of the incubation mixture (D) None of these (C) Concentration of enzyme solution 57. The best source of plant material for (D) All of the above establishment of cell suspension culture 53. Clonal propagation not have the following (A) Friable callus steps:

(B) Surface sterilization of explant

(A) Fusion of cells

(B) Compact callus

(D) Pith tissue

(C) Leaf mesophyll cells

58. Which	Which of the following is not an elicitor?	63.	Plant tissue culture technique is a method of :
	(A) Agar		
	(B) Sucrose and Mannitol		(A) Hybridization
	(C) KCI		(B) Vegetative propagation
	(D) Radiation		(C) Asexual reproduction
59.	Which of the following is a cryoprotectant?		(D) Selection
	(A) KCI	64.	Cybrids are produced by :
	(B) Dimethyl Sulfoxide		(A) Nucleaus of one species and
	(C) Thidiazuron		cytoplasm of both parents
	(D) Liquid Nitrogen		(B) The fusion of two nuclei of same
60.	Select the correct match :		species
	(A) BAP-Somatic embryogenesis		(C) Fusion of nuclei of two parents and cytoplasm of one parent
(B) IBA-Rooting	(B) IBA-Rooting		(D) None of the above
	(C) IAA-Embryo rescue	GE.	. ,
	(D) FDA-Flowering	65.	Virus free plants can be developed by :
61.	Select the correct match :		(A) Axillary bud culture
	(A) Redenbaugh-Synthetic seed		(B) Meristem culture
	(B) Steward-Organogenesis		(C) Node culture
	(C) Cocking-Electroporation		(D) All of the above
	(D) S.S. Bhojwani-Culture medium	66.	The asexual mode of embryo formation
62.	Protoplast fusion methods are :		through plant tissue culture is called :
	(A) Electrofusion		(A) Somatic hybrid
	(B) Microinjection		(B) Somatic embryogenesis
	(C) Electroporation		(C) Somaclonal variation
	(D) All of the above		(D) Organogenesis

67.	kill certain insects such as :	71.	All are plant derived elicitors, except :
	(A) Scorpion		(A) Chitin
	(B) Lepidopterans		(B) Pectin
	(C) Fruit fly		(C) Cellulase
	(D) Dragonfly		(D) Pectic Acid
68.	To which cells the activated Bt-toxin bind?	72.	Select an insect resistant gene :
	(A) Lymphocytes		(A) Bt-gene
	(B) Skeletal muscle cells		(B) Trypsin-inhibitor gene
	(C) Epithelial cells		(C) α – Amylase inhibitor gene
	(D) Basophils		(D) All of the above
69.	A gall producing gene in Agrobacterium tumefaciens is :	73.	Herbicide resistant transgenic plants can be developed by :
	(A) Ti-plasmid		(A) Introduction of an enzyme system to
	(B) Ri-plasmid		detoxify the herbicide prior to its action
	(C) T-DNA		(B) By exposing to herbicide
	(D) Vir gene		(C) By making artificial seeds
70.	Plant Biotechnology involves :		(D) None of these
	(A) Production of valuable metabolites by	74.	Biotransformation reaction includes :
	cell culture		(A) Esterification
	(B) Rapid clonal multiplication of desired plants		(B) Glycosylation
	(C) Production of virus free plant		(C) Isomerisation
	(D) All of the above		(D) All of the above

75.	, , ,		(C) Callus
	isolation from cell suspension culture is :	80.	(D) Root
	(A) Cellulase		Organogenesis is effected by :
	(B) Zymase		(A) Age of explant
	(C) Pectinase		(B) Composition of culture medium
	(D) Esterase		(C) Genotype
76.	Growth hormone used for maturation of somatic embryo is :		(D) All of the above
	(A) Auxin	81.	Different stages of somatic embryo development are :
(B) Zeatin	` '		(A) Globular \rightarrow Heart \rightarrow Torpedo \rightarrow Cotyledonary stage
	(C) 2,4-D		(B) Globular → Recurrent embryo →
	(D) Abscisic acid		Cotyledonary stage
77.	Protoplast isolation depends on :		(C) Heart \rightarrow Globular \rightarrow Torpedo \rightarrow
	(A) Plant material		Cotyledonary
	(B) Enzyme treatment		(D) Globular \rightarrow Torpedo \rightarrow Cotyledonary
	(C) Pre-enzyme treatment	82.	Which of the following is not the part of clonal multiplication?
	(D) All of the above		(A) Protoplast culture
78.	Which of the following is not a fusogen?		(B) Preparative stage
	(A) Polyethylene glycol		(C) Culture establishment
	(B) CaCl ₂		(D) Multiplication and rooting of shoots
	(C) Na NO ₃	83.	Which of the following is an application of protoplast fusion ?
	(D) Mannitol		(A) Making callus
79.	Which of the following is best source of plant material for protoplast isolation?		(B) Making somatic hybrids
	(A) Cell suspension culture		(C) Triploid production
	(B) Leaf tissue		(D) In-vitro fertilization

84.	Microinjection involves :	88.	Method used for gene transfer involving high voltage electrical impulse is:
	(A) Injection of large amount of DNA		·
	(B) Injection of DNA upto 16 kb into protoplast or plant cell		(A) Electrofusion(B) Microinjection
	(C) Injection of DNA into plant embryo		(C) Electroporation
	(D) All of the above		(D) Liposome fusion
85.	T-DNA transfer from bacteria to plant cell requires product of which of the following genes ?	89.	Which of the following is not related with particle bombardment ?
	(A) Vir A,B		(A) Microcarrier
	(B) Vir G,D		(B) Silicon fiber
	(C) Vir C,E		(C) Stopping disc
	(D) All of the above		(D) Rupture disc
86.	Vir genes required for the T-DNA transfer and processing are located :	90.	The limitation of virus vector is :
	(A) on the T-DNA		(A) Non-heritable
	(B) outside the T-DNA region		(B) Causes diseases (sometimes)
	(C) outside the Ti-plasmid		(C) Can carry small size of gene
	(D) on the plant genome		(D) All of the above
87.	Ti-plasmid based vector is :	91.	Which of the following is a virus vector?
	(A) Binary vector		(A) Cointegrating vector
	(B) pBR322		(B) Cosmid
	(C) Phagemid		(C) Expression vector
	(D) pUC 18/19		(D) None of these

92. What the benefits of are (C) Bioreactor culture micropropagation? (D) None of these (A) Rapid multiplication of superior clones Select the correct statement: 97. (B) Multiplication of diseases free plant (A) Cell culture can be used for mutant selection (C) Multiplication of somatic hybrids (B) Cell culture can be used for polyploidy (D) All of the above induction 93. What is callus? (C) Both (A) and (B) are correct (A) Embryogenic mass (D) None of these (B) Tissue that divide and form embryo 98. Endosperm tissue is an excellent system for production of: (C) A type of carbohydrate (A) Haploid plants (D) Unorganised mass of actively dividing cells maintained in culture (B) Diploid plants 94. Which of the following can be totipotent? (C) Triploid plants (A) Xylem vessels (D) Tetraploid plants (B) Tracheids 99. The clone obtained from culture of somatic cells is known as: (C) Meristems (A) Somaclone (D) Cytodifferentiated cells (B) Gametoclone 95. Cell suspension culture can be used for : (C) Somaclonal variants (A) Production of vaccines (D) Gametoclonal variants (B) Production of enzymes 100. Growth regulator used for induction of somatic embryogenesis is: (C) Production of secondary metabolites (D) Production of sucrose (A) IAA 96. The technique used for single cell culture (B) IBA is: (C) NAA (A) Cell suspension culture (D) 2,4-D (B) Filter paper raft-nurse technique KNP/BBT-302(BIOTECH.)-C/195 (14)

Rough Work

Example:

Question:

Q.1 (A) (B) (C) (D) (Q.2 (A) (B) (D) (D)

Q.3 **A** ● **© D**

If more than 75 questions are attempted by candidate, then the first attempted 75 questions will be considered for evaluation.

- Each question carries equal marks.
 Marks will be awarded according to the number of correct answers you have.
- All answers are to be given on OMR Answer Sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- 6. Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- 7. After the completion of the examination, candidates should leave the examination hall only after providing their question booklet and OMR Answer Sheet separately to the invigilator.
- 8. There will be no negative marking.
- 9. Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- To bring and use of log-book, calculator, pager & cellular phone in examination hall is prohibited.
- In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

Impt. On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is any discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

उदाहरण :

प्रश्न :

प्रश्न 1 **(A) (D) (D)**

प्रश्न 2 \land 🕒 🔘

प्रश्न 3 (A) ● (C) (E

यदि परीक्षार्थी द्वारा 75 से अधिक प्रश्नों को हल किया जाता है तो प्रारम्भिक हल किये हुए 75 उत्तरों को ही मूल्यांकन हेतू सम्मिलित किया जाएगा।

- प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- 5. सभी उत्तर केवल ओ०एम०आर० उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- 6. ओ०एम०आर० उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गये सभी अनुदेशों को सावधानीपूर्वक पढ़ लिया जाये।
- 7. परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी प्रश्नपुस्तिका बुकलेट एवं ओ०एम०आर० शीट पृथक-पृथक उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें।
- 8. निगेटिव मार्किंग नहीं है।
- 9. कोई भी रफ कार्य, प्रश्न-पुस्तिका में, रफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- परीक्षा-कक्ष में लॉग-बुक, कैल्कुलेटर, पेजर तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 11. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में भिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्णः प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्नपुस्तिका के सभी पृष्ठ भलीभाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्नपुस्तिका प्राप्त कर लें।