छत्रपति शाहू जी महाराज विश्वविद्यालय, कानपुर

Ref.No.: CSJMU/Engg.(E)/45.42015

Date: 24.6:15

प्रकाशनार्थ

छत्रपति शाहू जी महाराज विश्वविद्यालय, कानपुर सी.एस.जे.एम.यू/Engg(E)/.५.६५/२०१५ दिनांकः २.५.५६: ५५

अल्पकालिक निविदा सूचना

विश्वविद्यालय शारीरिक शिक्षा विभाग में विद्युत कार्य हेतु सक्षम फर्मो से मुहरबन्द निविदा दिनांकः ०२/०७/२०१५ को अपराह्न २:०० बजे तक सम्पत्ति अधिकारी, सी.एस.जे.एम विश्वविद्यालय, कानपुर के कक्ष मे रखे टेण्डर बॉक्स में आमृंत्रित की जाती है। निविदा प्रपत्र एवं विस्तुत विवरण वि०वि० की वेबसाइट www.kanpuruniversity.org. पर उपलब्ध है।

कुलसचिव

कुलस्विव

TERMS & CONDICTIONS

Tender No CSTMU/Engg(E) 454/2015

Date: 24.06.2015

- Name of work: S.I.T.C. of Internal Electrification of Physical Education Department at C.S.J.M. University, Kanpur.
- Earnest money to be submitted:- The Bidder shall deposit the Earnest money amount Rs.5,00 0.00 in the shape of FDR/demand draft/Banker chq, in favor of "Finance Officer, CSJM University" payable at Kanpur.
- 3. List of documents (Self attested Xerox copy) to be submitted necessarily with tender:-
- Valid 'A' class electrical contractor license.
- The firm must provide evidences of adequate work experience of electrical work in Government/ Semi-Government organization.
- · Service tax number of the firm.
- Tin number of the firm.
- Pan card number of the owner/proprietor.
- 4. Tender Cost: Tender forms along with terms and conditions can be obtained from cash counter of university Dated.02:07:2015 up to 1 pm on payment Rs.250.00. receipt of tender cost must be enclosed with the technical bid. Alternatively forms can be downloaded from university website: www.kanpuruniversity.org. Downloaded forms must be submitted with a demand draft of Rs.250.00 in favor of "Finance Officer, C.S.J.M University, Kanpur" payable at Kanpur.
- 5. Tenderers are advised to go through the instructions carefully and furnish complete information along with their tender offer, failing which their offer may not be considered at all. Tenders shall be received in two separate parts each shall be in separate sealed covers as hereunder:-
- TENDER BID PART I:- Part I shall contain the earnest money Rs5,000.00 in the shape of Bank draft/Banker chq./FDR & Self attested copies of items listed in 3&4 above. The sealed cover containing this part of the tender bid shall be superscribed:- Tender bid part-I (Technical)
- TENDER BID PART II: Part II shall contain tender schedule rates only. The sealed cover containing this part of the tender bid shall be superscribed:- Tender bid part-II (Commercial)
- 6. TENDER BIDS PART I&II: -Part 1&II shall be put in one big envelope duly sealed and marked at "Tender for S.I.T.C. of Internal Electrification of Physical Education Department at C.S.J.M. University, Kanpur."
- 7. The tenders shall be received Dated. 92.07:20/5.up to 02:00 PM in the office of Estate officer, C.S.J.M University, Kanpur. The tenders will be publicly opened in meeting hall of administrative building at 03:00 PM presence/absence the tenderer, on the same day.
- 8. If the scheduled date of tender opening is holiday due to any reason the tenders shall be received and opened on next working day at the same time and place.
- 9. The rates should be quoted in the form of schedule of quantities of tender document.
- 10. Work and site can be seen in the CSJM University campus on any working day.
- 11. The successful tenderer will have to execute an agreement with the university.

- 12. The university does not pledge to accept the lowest or any other tender and reserves the right not to accept the whole or any portion of any tender as it may think fit without assigning any reason for non-acceptance or selection or reject all tenders without assigning reason thereof.
- 13. The tender document once submitted will not be returned back.
- 14. Conditional offers shall not be entertained in any case.
- 15. The rates quoted should be inclusive of all taxes. University will not pay any taxes separately. The Tax as per norms of U.P. State Government / Government of India shall be deducted from the bills of the contractors at the prescribed rates.
- 16. Payment will be after satisfactory job work.
- 17. Subletting the work is strictly prohibited and also the service staff shall maintain discipline and works ethics. However the university shall have the right to ask any of service staff to leave the premises if in the opinion of the university the conduct of such an employes is not in the interest of the university.
- 18. The contractor shall have to pay the wages to workers as per the norms of U.P.Govt/ Government of India.
- 19. Any referral dispute shall be referred to Vice Chancellor whose decision will be final.
- 20. 10% of the grass amount of the bill shall be deducated from bill of the contractor, till the sum along with the sum already diposted as earnest money security amount will be release after six month on date of the satisfactory completion work.
- 21. During the electrical service of relative works within the contract period, if any accident occurs connecting to equipment/persons of contractor, it will be responsibility of the contractor. The contractor shall be bound to follow all working safety norms both mechanical and electrical.
- 22. Work shall be completed within one month after the date issue of work order. Penality in delay of work will be imposed by the competent authority.

C.S.J.M. Upiversity, Kanpur

SCHEDULE OF QUANTITY

Page-04

<u>NAME OF WORK: -</u> S.I.T.C. of Internal Electrification of Physical Education Department at C.S.J.M. University, Kanpur.

S1. No	Schedule Item	Description of Item	Qty	Unit	Rate	Amount	
1	174 (B)	Wiring point for light in 1 sq.mm.FR PVC insulated multistrand single core copper conductor cable (drawn through existing concealed steel conduit) & 5 Amp. flush type Switch & ceiling rose/angle/batten holder fixed with 3mm thick phenolic				.e	
		laminated backalite sheet with brass machine screws and cup washers mounted over existing M.S. switch board box/junction box with supply of all material, labour & T & P etc. required for					
		proper completion of the work as directed at the site by the Engineer in charge.	53 Nos	Each	ļ		1
2	177 (B)	Wiring point for fan in 1 sq.mm.FR PVC insulated multistrand single core copper conductor cable (drawn through existing concealed steel conduit) & 5 Amp. Flush type Switch & ceiling rose/angle/batten holder fixed with 3mm thick phenolic					
		laminated backalite sheet with brass machine screws and cup washers mounted over existing M.S. switch board box/junction box with supply of all material, labour & T&P etc. required for proper completion of the work as directed at the site by the	-	rg. •			
		Engineer in charge	18 Nos	Each			
3	178 (B)	Wiring for plug point with 5 Amp flush type switch and 3 pin socket and earth continuity wire of 1.5 sq.mm FR PVC insulated multistrand copper conductor cable with 3mm thick phenolic					
		laminated backalite sheet with brass machine screws and cup washers mounted over existing M.S. switch board box with supply of all material, labour & T&P etc. required for proper completion of the work as directed at site by the Engineer in		,			
		charge.	10 Nos	Each		·	4
4	:	Supplying and drawing following sizes of FR PVC insulated copper conductor, single core cable in the existing surface / recessed steel/PVC Conduit as required.	•		4		
	(1.17.3) (1.17.6)	3x1.5sq.mm 6x1.5sq.mm	100 Mtr 50 Mtr	Mtr Mtr		•	l
	(1.17.12)	3x2.5sq.mm	100 Mtr	Mtr			1
	(1,17.15)	6x2.5sq.mm	50 Mtr	Mtr			4
5		Supply and laying of aluminum conductor PVC insulated armoured served sheathed Cables 1100v grade at a depth of 750 mm Below ground level over a cushion of 75 mm. Thick sand all		· .		:	
İ	}	around and protected with burnt bricks on sides and on top. On surface the cable run shall be fixed on M.S. clamps etc. of suitable size or as directed by the Engineer-in charge, complete					
		in all respect. The armouring of the cable shall be properly connected with the earth conductor by clamps etc.					
6	501 (K)	35 sq.mm 3-1/2 core	110 Mtr	Mtr			$\frac{1}{2}$
		Supply and fixing of brass nickel plated compression gland for PVC insulated & armoured served sheathed, underground cable including rubber ring etc. complete in all respect. The armouring	!	•			
		of the cable shall be properly connected with the earth as per direction of Engineer-In charge	•				
	503 (K)	35 sq.mm 3-1/2 core	02 Nos	Each			-
7		Supply and fixing of plain or pin type copper tin plated cable socket (lug) to the cable leads, insulating with tape and making connection etc. complete in all respect as per direction of the					,
)	**************************************	Engineer-In charge	00 1	De-t			
8	504 (F) (1139)	35 sq.mm Supply and fixing of power plugh with 15 A/250V flush type	08 Nos	Each	<u> </u>		+
•	(1.57)	switch five pin 15 A/250 V flush type universal socket in suitable MS box of 175mm x 100mm x 50mm size with phenolic					
	<u></u>	laminated backlight sheet cover 3mm thick fixed with brass machine screw and cup washer.	10 Nos	Éach	<u> </u>	<u> </u>	

					Total Rs.	
19	MR.	Supply and fixing of exhaust fan 300mm 900rpm heavy duty. Including connection testing commissioning etc. as reqd. (Make-Havells or approved)	02 Nos	Each		
18	MR.	Supply and fixing of ceiling fan 1200mm double bal bearing I/c connection 1.5 Sq.mm copper wire labourand T&P etc reqd. for proper completion of the work as directed by engineer incharge	16 Nos	Each		*
17	481 (I)	Supply and fixing of factory wired street light luminiare single piece cast aluminum body, flat glass with IP 65 protection suitable for 70 watt M.H lamp including integral control gear 70 watt M.H lamp on G.I pipe bracket complete in all respect on wall.	02 Nos	Each	1	
6	291 (1)	Supply and wiring of submains with 4 nos. 10 Sp mm & with 1 no earth wire of 1.5 sq mm. FR PVC insulated 1100 V grade single core multistrand copper conductor cable in existing PVC conduit complete, including supply of all material, labour and T&P etc. required for proper completion of the work as directed by Engineer in charge.	20 Mtr	Mtr		
5	126 (B)	Wiring point for HPMV/Sodium Vapour lamp with 1.5 sq. mm FR PVC insulated multistrand single core copper conductor cable in heavy guage rigid steel conduit pipe on surface, complete with 14 SWG copper earth continuity wire and 15A piano type Switch etc. complete in all respects.	02 Nos	Each		
4	701	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.	02 Nos	Each		
3	(5.18)	Providing and fixing 6 SWG dia. G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.	110 Mtr	Each		
12	1203 (A)	Supply and fixing of electronic fan regulator 120-280 V. ISI marked, on the existing switch board including making connections, required material, labour T&P etc. for proper completion of work to the satisfaction of Engineer in charge of work.	16 Nos	Each		
1	(405)	Supply and fixing of batten/angle holder complete in all respect.	13 Nos	Each		
10	(154)	Supply and fixing of 2/3/4 ways round steel junction box confirming to ISS for 20 mm dia. 16 gauge conduit concealed in wall, keeping its level up to plaster duly provided with proper size cover, screwed as directed at site by the Engineer I/C with supply of all material labour and T&P required for proper completion of work.	50 Nos	Each		
)	453 (I)	Supply and fixing of factory wired, HPF box type, fluorescent tube light fitting suitable for 1x40 watt fluorescent tube complete including tube etc. on surface complete in all respects.	40 Nos	Each		

Registral C.S.J.M. University, Kanpur

Technical Bid

CHHATRPATI SHAHU JE MAHARAJ UNIVERSITY, KANPUR

Name And Address Of Firm	
* Telephone No	
Electric License No.	
Enlistment details	
Experience details	
Service Tax Number:Vat/ Tin No:	
EPF No	
Details of Earnest Money Deposit:-	
EMD Amount RsName & branch of Bank	
Bankers Cheq./ D.D/FDR No	
Details of Tender cost Deposit:-	
Tender Cost Rs	
Name & branch of BankDate	
I have read all the terms and condition and I pledge to abide by them.	4
Date & Signature of Tenderer (With Seal):	*
Enclosures:-	^

C.S.J.M. University, Kanpur